

(Click on Well Log ID to Access Image of Well Strip Log)

ST LOUIS

(Records are Sorted by Township, Range, and Section)

LOG ID:

WELL TYPE

025547

Stratigraphic test hole (oil & gas)

DRILL DATE:

1968/03/26

TOWNSHIP 0

RANGE SECTION **ELEVATION:**

524FT

County Base Map

DRILL DEPTH:

504FT

0

LG1012

UTM X

UTM Y

DEPTH TO BED:

70FT

740,208.04 4,299,971.66 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

#1-S A.C. FOELLER; STRUCTURE TEST - PLUGGED WITH 56 SX

OF CEMENT

LOG ID:

WELL TYPE

024046

Private Well

DRILL DATE:

1965/04/12

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

476FT

DRILL DEPTH:

295FT

LG1012 0

UTM X

UTM Y

DEPTH TO BED:

90FT

739,056.03

4,299,468.67

ZONE 15

S.W.L. (BEFORE CASING):

FΤ

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

026312

Stratigraphic test hole (oil & gas)

25

DRILL DATE:

1968/09/12

TOWNSHIP

RANGE

SECTION

ELEVATION:

459FT

DRILL DEPTH:

450FT

0

0

LG1012

UTM X

UTM Y

DEPTH TO BED:

35FT

740,567.04 4,300,117.66

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: #1-S ST. LOUIS AUTO STORAGE POOL - STRUCTURE TEST -PLUGGED W 40 SX

LOG ID:

WELL TYPE

025703

Stratigraphic test hole (oil & gas)

DRILL DATE:

1968/07/10

TOWNSHIP n

RANGE

SECTION

ELEVATION:

475FT

DRILL DEPTH:

DEPTH TO BED:

475FT

35FT

0 LG1012

UTM X

UTM Y 4,299,203.65

740,316.03 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

#1-S REGINA STRIEGEL; STRUCTURE TEST

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018333

WELL TYPE Private Well

1959/01/20 DRILL DATE:

TOWNSHIP 0

SECTION

ELEVATION:

527FT

DRILL DEPTH:

355FT 125FT LG1012

UTM X

UTMY 739,283.03 4,299,424.67

ZONE 15

S.W.L. (BEFORE CASING):

FT

0.25 MI E OF JAMESTOWN RD ON JANET LANE **REMARKS**:

RANGE

0

S.W.L. (AFTER CASING):

55

LOG ID:

DEPTH TO BED:

WELL TYPE Private Well

002871 DRILL DATE:

1934/05/

TOWNSHIP

RANGE

SECTION LG1012

ELEVATION:

592FT

DRILL DEPTH:

550FT

0 0

UTM X

UTMY

DEPTH TO BED:

240FT

138

739,262.02

4,298,634.66 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 0.25 MI N OF PARKER RD, 1 MI W OF HWY 99

S.W.L. (AFTER CASING):

LOG ID: 007413

WELL TYPE Private Well

DRILL DATE:

1941//

TOWNSHIP

RANGE 0

SECTION

ELEVATION:

553FT

DRILL DEPTH:

175FT

0

LG102

UTM X

UTMY

DEPTH TO BED:

65FT

705,232.72

4,280,720.71

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

74

REMARKS:

ON WILD HORSE CREEK RD W OF KEHRS MILL RD

LOG ID:

007468

WELL TYPE Private Well

DRILL DATE:

1941/11/21

TOWNSHIP

RANGE

SECTION

ELEVATION:

540FT

DRILL DEPTH:

DEPTH TO BED:

527FT

100FT

78

0

0 LG1026 UTM X

728.916.97

UTM Y 4.294.191.71

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS:

OLD DUG WELL TO 40'; WATER BELOW 440' SLIGHTLY SALTY



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026971

DEPTH TO BED:

WELL TYPE

INJECTION WELL (NAT GAS-PROPANE STORAGE)

DRILL DATE: 1971/07/06 **TOWNSHIP RANGE SECTION** 0 0 LG103

ELEVATION:

523FT

DRILL DEPTH: 1,575FT

UTM X 734,510.03

UTMY 4,302,702.73

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

PERMIT #MOS018926971; #3-UGS CHAMP -

INJECTION-WITHDRAWAL WELL

LOG ID:

WELL TYPE

026972

INJECTION WELL (NAT GAS-PROPANE STORAGE)

DRILL DATE:

1971/07/22

TOWNSHIP

RANGE SECTION **ELEVATION:**

526FT

DRILL DEPTH:

1,606FT

110FT

0 0

UTM X

UTM Y

DEPTH TO BED: 180FT

4,302,823.73

734,698.03 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

#4 CHAMP; PERMIT #MOS018926172; SCANNED -

LG103

INJECTION-WITHDRAWAL WELL

LOG ID:

WELL TYPE

017063

Stratigraphic test hole (oil & gas)

DRILL DATE:

1958//

TOWNSHIP

RANGE

SECTION LG103

ELEVATION:

534FT

DRILL DEPTH:

375FT

0

UTM X 734,239.02 **UTMY**

DEPTH TO BED:

150FT

4,302,226.73

S.W.L. (BEFORE CASING):

REMARKS: #1-S CHAMP

0

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

024920

Oil Well

DRILL DATE:

1967/04/29

TOWNSHIP

RANGE SECTION

0

ELEVATION:

481FT

DRILL DEPTH:

1,745FT

0

LG104

UTM Y

DEPTH TO BED:

185FT

UTM X 736.515.02 4,299,369.69

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

#1 METRO SEWER DISTR - OBSERVATON WELL

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018050

WELL TYPE

Stratigraphic test hole (oil & gas)

DRILL DATE:

TOWNSHIP

0

RANGE SECTION **ELEVATION:**

523FT

DRILL DEPTH:

0 LG104

UTM X

UTMY

DEPTH TO BED:

735,788.02 ZONE 15

4,300,025.70

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

#1-S EDWARD OLHEIDE; NO LOG MADE, SAMPLES IN

WAREHOUSE

LOG ID:

WELL TYPE

017854

Stratigraphic test hole (oil & gas)

DRILL DATE:

TOWNSHIP 0

RANGE

SECTION ELEVATION: 493FT

DRILL DEPTH:

525FT 85FT

LG104 0

UTM X

DEPTH TO BED:

UTMY 4,299,260.69

736,196.02 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1-S R. TUCKER

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

017065

Stratigraphic test hole (oil & gas)

DRILL DATE:

1958//

TOWNSHIP

RANGE SECTION LG104

ELEVATION:

493FT

DRILL DEPTH:

495FT

0 0

UTM X

ZONE 15

DEPTH TO BED:

105FT

735,427.02

UTMY 4,299,583.70

S.W.L. (BEFORE CASING):

REMARKS: #1-S P. RATHER

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

012427

INJECTION WELL (NAT GAS-PROPANE STORAGE)

DRILL DATE:

1953//

TOWNSHIP

RANGE SECTION **ELEVATION:**

ZONE 15

528FT

0

0

UTM X

DRILL DEPTH:

DEPTH TO BED:

1,640FT 85FT LG104

UTM Y

736.843.02

4,300,363.69

S.W.L. (BEFORE CASING):

#1 HILBERT J. GORIS **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018049

WELL TYPE

Stratigraphic test hole (oil & gas)

DRILL DATE:

DRILL DEPTH:

0 0 LG105

UTM X

ELEVATION:

UTMY 4,300,945.72

518FT

DEPTH TO BED:

734,305.02

ZONE 15

S.W.L. (BEFORE CASING):

#1-S H. KAMP; NO LOG MADE, SAMP[LES IN WAREHOUSE

SECTION

S.W.L. (AFTER CASING):

LOG ID: 017859

WELL TYPE Monitoring Well

DRILL DATE:

1958//

TOWNSHIP 0

TOWNSHIP

RANGE

SECTION

ELEVATION: 510FT

ZONE 15

DRILL DEPTH:

1,555FT

LG105 0

RANGE

UTM X 735,027.02

UTMY 4,300,128.71

DEPTH TO BED: 95FT S.W.L. (BEFORE CASING):

#1-UGS TWELLMAN - OBSERVATION WELL - NAT GAS STORAGE REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 014836

WELL TYPE

Private Well

DRILL DATE:

1956/02/26

70

FT

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

544FT

DRILL DEPTH:

207FT

0 LG105

UTM X 735,487.02

UTMY 4,301,052.71

DEPTH TO BED:

50FT

REMARKS:

10120 HALLS FERRY RD

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 012198

WELL TYPE Gas Well

DRILL DATE:

1953//

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

547FT

DRILL DEPTH:

457FT

0

LG105

UTM X

UTM Y

DEPTH TO BED:

80FT

734,550.02 4,301,999.72

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

#1 HENRY NIEHAUS - "TEST HOLE"

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025017

WELL TYPE

Stratigraphic test hole (oil & gas)

DRILL DATE:

1967/06/19

TOWNSHIP 0 RANGE SECTION

ELEVATION:

435FT

DRILL DEPTH:

358FT

0 LG106

UTM X

UTM Y

DEPTH TO BED:

135FT

731,213.03 4,304,437.76

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

#1-S S. MACHENS; STRUCTURE TEST - PLUGGED W/ 40 SX

CEMENT

LOG ID:

WELL TYPE

025059

Stratigraphic test hole (oil & gas)

DRILL DATE:

1967/06/28

TOWNSHIP

RANGE

SECTION LG106 ELEVATION:

577FT

DRILL DEPTH:

415FT

0 0

UTM X

UTM Y

DEPTH TO BED:

15FT

731,514.03 4,304,547.76

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

#1-S WARREN; STRUCTURE TEST; GIVEN TO WARREN FOR

WATER WELL

LOG ID:

WELL TYPE

018924

Stratigraphic test hole (oil & gas)

DRILL DATE:

<u>TOWNSHIP</u>

<u>RANGE</u>

SECTION

ELEVATION:

436FT

DRILL DEPTH:

170FT

0 0 LG106

UTM X

ZONE 15

UTM Y

DEPTH TO BED:

130FT

730,987.03

4,304,077.76

REMARKS: S. SAALE

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

018051

INJECTION WELL (NAT GAS-PROPANE STORAGE)

DRILL DATE:

TOWNSHIP 0 RANGE SECTION

ELEVATION:

735.662.02

587FT

DDIII DEDT

DRILL DEPTH:

DEPTH TO BED:

0 LG107

UTM X

<u>UTM Y</u> 4,301,475.71

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1-USG HAMMER; NO LOG MADE, SAMPLES IN WAREHOUSE

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017057

WELL TYPE

Stratigraphic test hole (oil & gas)

DRILL DATE:

1958//

TOWNSHIP 0

SECTION

ELEVATION:

555FT

DRILL DEPTH:

385FT

RANGE 0

LG107

UTM X

DEPTH TO BED: 60FT

UTMY 4,301,684.72

735,195.02 ZONE 15

S.W.L. (BEFORE CASING):

#1-S P. RATHER **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

017058

Stratigraphic test hole (oil & gas)

DRILL DATE:

1958//

TOWNSHIP

RANGE

SECTION ELEVATION: 570FT

DRILL DEPTH:

355FT

0

LG107 0

DEPTH TO BED:

30FT

UTM X UTMY 4,301,586.71

735,683.02 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1-S O. HAMMER

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016712

INJECTION WELL (NAT GAS-PROPANE STORAGE)

DRILL DATE:

1957//

TOWNSHIP

RANGE

SECTION

ELEVATION:

565FT

1,105FT

0

0

DRILL DEPTH:

LG107

UTM X

UTMY

DEPTH TO BED:

55FT

735,662.02 4,301,708.71

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

#2 HAMMER; "PERMIT # MOS018916712"; UNDERGROUND GAS

STORAGE WELL

LOG ID:

WELL TYPE

012508

Monitoring Well

DRILL DATE:

1953/10/

TOWNSHIP 0

RANGE

SECTION LG107

ELEVATION:

490FT

DRILL DEPTH:

DEPTH TO BED:

1,080FT

100FT

0

UTM X 736,205.03 UTM Y

4,302,280.71

S.W.L. (BEFORE CASING):

#1 HAMMER - "OBSERVATION WELL" **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012523

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Monitoring Well

1953// DRILL DATE:

1,459FT

50FT

TOWNSHIP RANGE SECTION 0 0 LG107

ELEVATION:

UTM X

736,171.03

532FT

UTMY 4,302,155.71

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

#1 FUCHS - "OBSERVATION WELL"

LOG ID: 004362

WELL TYPE Private Well

DRILL DATE:

1937/07/

TOWNSHIP

RANGE

SECTION

ELEVATION:

527FT

DRILL DEPTH:

405FT

0 LG109 0

UTM X 717,056.81

UTMY 4,281,854.69

DEPTH TO BED:

25FT

58

FT

REMARKS:

ON WOODS MILL RD, 0.25 MI S OF LADUE

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 025647

WELL TYPE Private Well

DRILL DATE:

1967/04/10

TOWNSHIP

RANGE

ON CHAMBERS RD

SECTION LG110

ELEVATION:

514FT

DRILL DEPTH:

205FT

0

0

UTM X

UTMY

DEPTH TO BED:

135FT

REMARKS:

739,494.02

ZONE 15

4,293,268.62

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

019723

Private Well

DRILL DATE:

1960/09/09

TOWNSHIP

RANGE

SECTION

ELEVATION:

533FT

DRILL DEPTH:

DEPTH TO BED:

200FT 140FT

FT

0

0 LG112

UTM X

UTM Y

742.100.04 4,295,305.60

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

80

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012871

WELL TYPE Private Well

1954/07/20 DRILL DATE:

TOWNSHIP RANGE SECTION 0 0

ELEVATION:

423FT

DRILL DEPTH: DEPTH TO BED: 106FT 50FT LG113

UTM X

UTMY 4,295,860.57

S.W.L. (BEFORE CASING):

FT

FT

FT

745,297.07

ZONE 15

12

S.W.L. (AFTER CASING):

LOG ID: 007291

WELL TYPE Private Well

DRILL DATE:

1941/08/

TOWNSHIP 0

RANGE

SECTION ELEVATION: 441FT

DRILL DEPTH:

100FT

LG113 0

UTM X

ZONE 15

ZONE 15

744,827.07

UTMY 4,296,482.58

DEPTH TO BED:

16FT

18

REMARKS:

E SIDE RIVERVIEW DR, 1.2 MI N OF CHAIN-OF-ROCKS BRIDGE REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 008367

WELL TYPE Private Well

DRILL DATE:

1943//

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

515FT

DRILL DEPTH:

215FT

0 LG114

> UTM X 744,323.06

UTMY 4,294,637.57

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

45FT

60

REMARKS: BIG CONCRETE HOUSE NEAR CHAIN-OF-ROCKS BRIDGE, AT

JUNCTION MISS LOCATE

LOG ID:

WELL TYPE

003063

Oil Well

DRILL DATE:

1922/04/

TOWNSHIP

RANGE

SECTION

ELEVATION:

UTM X

442FT

DRILL DEPTH:

1,300FT

0

0 LG114

UTM Y

DEPTH TO BED:

14FT

744.010.06

4,294,363.57 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

#1 SHANTS; DRY & ABANDONED, NEAR CHAIN OF ROCKS

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011387

WELL TYPE Private Well

DRILL DATE: 1950//

TOWNSHIP 0

RANGE SECTION **ELEVATION:**

596FT

DRILL DEPTH:

530FT

0 LG1196

UTM X UTMY

DEPTH TO BED:

155FT

145

726,069.96 4,293,507.73

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS:

1 MI DUE W OF LAMBERT AIRPORT, 0.5 MI N OF NLATURAL

BRIDGE RD

LOG ID: 008827

WELL TYPE Private Well

DRILL DATE:

1945//

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

570FT

DRILL DEPTH:

210FT

LG1197 0

> **UTM X** 727,026.74

UTMY 4,266,670.45

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

40FT

80

REMARKS:

ZONE 15 formerly in name of Frank Bure - formerly the Lemp Farm - Hwy 30, 0.5

miles E of Kennerly Rd

LOG ID:

WELL TYPE Private Well

005197

DRILL DATE:

1938/09/

TOWNSHIP 0

RANGE SECTION 0

ELEVATION:

570FT

DRILL DEPTH:

390FT

LG1197

UTM X **UTMY**

DEPTH TO BED:

25FT

726,835.74 4,266,260.45

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 0.5 MI S OF KENNERLY RD ON MENTZ HILL RD

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

017290

Noncommunity Public Well

DRILL DATE:

1958/04/08

TOWNSHIP 0

REMARKS:

RANGE

SECTION

ELEVATION:

620FT

DRILL DEPTH:

DEPTH TO BED:

415FT

30FT

180

0 LG120

> UTM X UTM Y

714.432.81

4,283,594.72

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

2500' SE OF HOWARD BEND WATER WORKS PLANT

3/1/2007

5,470



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005576

WELL TYPE

Industrial High Capacity Well

1939/05/29 DRILL DATE:

TOWNSHIP RANGE SECTION 0 0 LG1201

ELEVATION:

500FT

DRILL DEPTH: 300FT

UTM X

UTMY 4,282,770.55

735,000.92

DEPTH TO BED:

65FT

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 6200 MAPLE AVE.

S.W.L. (AFTER CASING): 12

LOG ID: 008692

WELL TYPE Private Well

DRILL DATE:

1944/10/

TOWNSHIP 0

RANGE SECTION **ELEVATION:**

522FT

DRILL DEPTH:

390FT

LG1202 0

UTM X

UTMY

DEPTH TO BED:

40FT

4,297,655.70

733,625.00 ZONE 15

S.W.L. (BEFORE CASING):

0.25 MI E OF FLORRISSANT ON PARKER RD REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 004399

WELL TYPE

Private Well

DRILL DATE:

1937/08/

TOWNSHIP

0

RANGE

SECTION

ELEVATION:

583FT

DRILL DEPTH:

513FT

0 LG1202

UTM X

UTMY

DEPTH TO BED:

15FT

732,140.99 4,295,454.69

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: N SD HWY 66-40 BY-PASS, 0.7 MI W OF FLORISSANT RD

S.W.L. (AFTER CASING):

LOG ID: 004077

WELL TYPE

Private Well

DRILL DATE:

1937/01/26

TOWNSHIP

0

RANGE

SECTION

ELEVATION:

UTM X

598FT

DRILL DEPTH:

DEPTH TO BED:

398FT 65FT

178

0 LG1202

UTM Y

732.059.99 4,295,228.69

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

S SD HWY 66, 0.25 MI E OF GRAHAM RD

ZONE 15

3/1/2007

5,471



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004043

WELL TYPE Private Well

1936/12/05 DRILL DATE:

TOWNSHIP RANGE 0

SECTION

ELEVATION:

588FT

DRILL DEPTH:

250FT

LG1202

UTM X

UTMY 4,295,276.69

DEPTH TO BED:

175FT

0

732,591.99

ZONE 15

S.W.L. (BEFORE CASING):

FT

W SD HWY 66, 1ST HOUSE W OF GRAHAM RD **REMARKS**:

S.W.L. (AFTER CASING):

80

LOG ID: 024903

WELL TYPE Private Well

DRILL DATE:

1966/08/20

TOWNSHIP 0

REMARKS:

RANGE

SECTION

ELEVATION:

592FT

DRILL DEPTH:

445FT

0

LG1203

UTM X

UTMY

DEPTH TO BED:

70FT

724,932.93

4,290,247.71

ZONE 15

S.W.L. (BEFORE CASING):

WELLAND RD, BRIDGETON

S.W.L. (AFTER CASING):

LOG ID: 000442

WELL TYPE

Community Public Well

DRILL DATE:

1913/11/00

TOWNSHIP

RANGE

SECTION

ELEVATION:

595FT

DRILL DEPTH:

775FT

0

0 LG1203

DEPTH TO BED:

45FT

100

UTM X

UTMY

725,007.92 4,289,623.70 ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 1 MI SW OF PATTONVILLE

S.W.L. (AFTER CASING):

LOG ID: 007101

WELL TYPE Private Well

1941/04/17

TOWNSHIP

RANGE

SECTION LG123

ELEVATION:

621FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

367FT

100FT

145

0 0

UTM Y

UTM X 711.882.78

4,282,229.71

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

ON BLUF E SD "SUPERHIGHWAY" BEHIND SINCLAIR STATION @

CHESTERFIELD



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004461

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1937/09/

250FT

25FT

TOWNSHIP RANGE SECTION 0 0 LG124

ELEVATION:

630FT

UTM X **UTMY** 707,327.72 4,279,315.68

ZONE 15

S.W.L. (BEFORE CASING):

FT

ON E SD VALLEY RD, ABT AT END OF SHEPARD RD **REMARKS**:

S.W.L. (AFTER CASING):

150

LOG ID: 009911

WELL TYPE Private Well

DRILL DATE:

1948/02/18

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

507FT

DRILL DEPTH:

87FT

LG125 0

UTM X

UTM Y

DEPTH TO BED: 55FT

57

707,941.75 ZONE 15

4,281,212.71

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: 2.5 MI W OF CHESTERFIELD

LOG ID: 006631

WELL TYPE Private Well

DRILL DATE:

1940/09/18

TOWNSHIP

REMARKS:

RANGE

SECTION LG126

ELEVATION:

516FT

DRILL DEPTH:

70FT

0 0

UTM X 707,270.74

UTMY 4,281,000.71

DEPTH TO BED:

45FT

FT

ON KEHRS RDD 0.5 MI SE OF WILD HORSE CK RD

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

42

LOG ID: 007754

WELL TYPE Private Well

DRILL DATE:

1942/04/19

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

717.975.77

509FT

DRILL DEPTH:

DEPTH TO BED:

176FT 45FT

35

0 LG128

UTM X

UTM Y 4,276,095.63

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

0.75 MI N OF HWY 50 ON WEIDEMAN RD **REMARKS**:

S.W.L. (AFTER CASING):

3/1/2007

5,473



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008885

DRILL DEPTH:

WELL TYPE Private Well

95FT

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 485FT

0 0 LG128

UTM X UTM Y

<u>DEPTH TO BED:</u> 25FT 717,942.76 4,275,640.62

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 5/8 MI N OF MANCHESTER RD ON WEIDMAN RD

S.W.L. (AFTER CASING): 15

LOG ID: 003575

WELL TYPE Private Well

DRILL DATE: 1936/04/11 TOWNSHIP RANGE SECTION ELEVATION: 555FT

DRILL DEPTH: 0 0 LG128

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 125FT 719,249.77 4,275,539.61

.W.L. (BEFORE CASING): FT

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 50

LOG ID: 003524

WELL TYPE Private Well

<u>DRILL DATE:</u> 1936/01/20 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 553FT

DRILL DEPTH: 430FT 0 LG128

<u>UTM X</u> <u>UTM Y</u>

LG131

<u>DEPTH TO BED:</u> 165FT 719,237.77 4,275,239.61

S.W.L. (BEFORE CASING):

REMARKS: OLD WELL DEEPENED 165-430'

S.W.L. (AFTER CASING):

LOG ID: 021799

WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 554FT

DRILL DEPTH: 350FT UTM Y

0

<u>DEPTH TO BED:</u> 120FT 722,465.94 4,292,870.75

S.W.L. (BEFORE CASING): ZONE 15

0

REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010022

WELL TYPE

Industrial High Capacity Well

1948/04/ DRILL DATE:

TOWNSHIP RANGE 0

SECTION

ELEVATION:

458FT

DRILL DEPTH:

325FT

0 LG131

UTM X

UTMY

DEPTH TO BED:

100FT

721,997.95

4,294,116.76

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 003039

WELL TYPE

Private Well

DRILL DATE:

1924/03/00

TOWNSHIP 0

RANGE

SECTION LG131

ELEVATION:

484FT

DRILL DEPTH:

915FT

0

UTM X

UTMY

DEPTH TO BED:

81FT

4,292,947.74

723,307.94 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: ST. CHARLES & NATURAL BRIDGE RDS

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 002118

Noncommunity Public Well

15

DRILL DATE:

1926/07/00

TOWNSHIP

RANGE 0

SECTION

ELEVATION:

484FT

DRILL DEPTH:

430FT

0

LG131

UTM X

UTMY

DEPTH TO BED:

70FT

723,272.94

4,292,989.75

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: ST CHARLES & NATURAL BRIDGE RDS - NO UNITS IDENTIFIED

S.W.L. (AFTER CASING):

LOG ID: 027613

WELL TYPE

Private Well

DRILL DATE:

1970/09/12

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

436FT

DRILL DEPTH:

DEPTH TO BED:

205FT

75FT

0 LG132

UTM X

UTM Y

701.977.72 4,282,199.74 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

YIELDS - 2 GPM @ 105-110', 10 GPM @ 150'

S.W.L. (AFTER CASING):

75



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024563

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1966/11/07

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

41FT

RANGE 0 0 LG133

ELEVATION:

465FT

DRILL DEPTH:

SECTION

UTM X 703,023.71

UTM Y 4,281,414.73

DEPTH TO BED:

FT

FT

17

REMARKS: MO RIVER PROFILE STUDY

LOG ID:

019812

WELL TYPE Private Well

DRILL DATE:

1961/01/14

TOWNSHIP 0

TOWNSHIP

RANGE

SECTION LG1330

ELEVATION:

ZONE 15

631FT

DRILL DEPTH:

380FT

0

UTM X 720,399.68

UTMY 4,264,592.49

DEPTH TO BED:

135FT

162

REMARKS:

REMARKS:

HAWKINS RD, 0.5 MI N OF HWY 30

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 019330

Private Well

DRILL DATE:

1960/08/12

TOWNSHIP RANGE 0

SECTION

ELEVATION:

566FT

DRILL DEPTH:

687FT

0 LG1330

UTM X

UTMY

DEPTH TO BED:

25FT

4,266,994.53

719,457.70

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

021284

1962/09/03

TOWNSHIP

RANGE

SECTION

ELEVATION:

594FT

DRILL DATE: DRILL DEPTH:

295FT

0

0 LG1330

2 MI W OF FENTON ON VANDOVER RD

UTM X

719.071.69

UTM Y

DEPTH TO BED:

20FT

4,266,184.52

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 10 MAPLE ST, FENTON

S.W.L. (AFTER CASING):

115



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018586

DRILL DEPTH:

WELL TYPE Private Well

1959/07/17 DRILL DATE:

785FT

DEPTH TO BED: 70FT **TOWNSHIP RANGE SECTION** 0 0 LG1330

ELEVATION:

600FT

UTM X 719,510.69

UTMY 4,266,404.52

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

LOT 4 IN FLORADEL SUBDIVISION, FENTON HILLS RD

S.W.L. (AFTER CASING): 155

LOG ID: 015646

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

1956/10/25

TOWNSHIP 0

RANGE 0

SECTION LG1330

ELEVATION:

555FT

DRILL DEPTH: 250FT

UTM X UTMY

719,558.69 4,266,854.52

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

60

20FT

LOG ID: 015992

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1956/11/01

115FT

20FT

60

TOWNSHIP 0 0

RANGE

SECTION LG1330

ELEVATION:

555FT

UTM X

UTM Y 4,266,846.52

719,558.69

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

MAY BE MISLOCATED - SHOULD BE MISSISSIPPIAN AT SURFACE

S.W.L. (AFTER CASING):

LOG ID: 004906

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1938//

420FT

255FT

60

TOWNSHIP 0

RANGE 0

SECTION

ELEVATION:

520FT

LG1330

UTM X

UTM Y

720,323.69 4,265,857.51

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: BOWLES AVE.



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003692

DEPTH TO BED:

WELL TYPE Private Well

1936/07/17 DRILL DATE:

TOWNSHIP 0

RANGE SECTION 0

ELEVATION:

623FT

DRILL DEPTH:

305FT

LG1330

UTM X

UTMY 4,265,225.50

35FT

720,935.69

ZONE 15

S.W.L. (BEFORE CASING):

SUMMIT DR, FENTON; YIELDS - 50 GPH @ 280' **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

003582

Noncommunity Public Well

DRILL DATE:

1936/04/24

TOWNSHIP

RANGE SECTION **ELEVATION:**

664FT

DRILL DEPTH:

327FT

0 LG1330 0

UTM X

UTMY

DEPTH TO BED:

85FT

125

719,243.67

4,264,668.51

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: N SD HAWKINS RD, 1.25 W OF JCT WITH HWY 30.

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

003834

1936/07/30

TOWNSHIP

RANGE SECTION **ELEVATION:**

612FT

DRILL DATE: DRILL DEPTH:

530FT

0 0 LG1330

> UTM X **UTMY**

DEPTH TO BED:

370FT

721,331.70 4,266,074.50

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: OLD WELL (BY HAVERSTICK) DEEPENED 372-530'

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

003693

Private Well

DRILL DATE:

1936/07/16

TOWNSHIP

0

RANGE SECTION **ELEVATION:**

625FT

DRILL DEPTH:

DEPTH TO BED:

307FT

0 LG1330

UTM X

UTM Y 720.862.69 4,264,992.49

ZONE 15

S.W.L. (BEFORE CASING):

30FT

REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004051

WELL TYPE Private Well

1936/12/19 DRILL DATE:

TOWNSHIP 0

SECTION

ELEVATION:

640FT

DRILL DEPTH:

328FT

0 LG1330

RANGE

UTM X

UTMY 4,265,004.50

DEPTH TO BED:

30FT

720,252.68

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

S SD SUMMIT DRIVE W OF FENTON **REMARKS**:

S.W.L. (AFTER CASING):

170

LOG ID: 003632

WELL TYPE Private Well

DRILL DATE:

1936/05/28

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

636FT

DRILL DEPTH:

705FT

LG1330 0

UTM X

UTMY

DEPTH TO BED:

635FT

225

REMARKS:

OLD WELL DEEPENED FROM 465'

719,522.69 4,266,274.52 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 005236

WELL TYPE Private Well

DRILL DATE:

1938//

TOWNSHIP RANGE 0

SECTION

ELEVATION:

478FT

DRILL DEPTH:

480FT

LG1330 0

UTM X

UTMY

DEPTH TO BED:

25FT

720,961.70 4,266,802.51

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: SMIZER MILL RD

S.W.L. (AFTER CASING):

LOG ID: 005503

WELL TYPE Private Well

DRILL DATE:

1939//

TOWNSHIP

RANGE 0

SECTION

ELEVATION:

527FT

DRILL DEPTH:

0

LG1341

UTM X

728.849.71

UTM Y 4,260,982.36

DEPTH TO BED:

175FT 40FT

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: S END OF KERTH RD

S.W.L. (AFTER CASING):

95

FT



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005209

WELL TYPE Private Well

DRILL DATE: 1938/08/

TOWNSHIP 0

RANGE SECTION

ELEVATION:

559FT

DRILL DEPTH: 500FT

0 LG135

UTM X

<u>UTM Y</u> 4,266,748.50

722,030.71 4 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

30FT

REMARKS: E OF SMIZER MILL RD

S.W.L. (AFTER CASING):

LOG ID: 002528

WELL TYPE Private Well

DRILL DATE:

1932/02/00

TOWNSHIP

<u>RANGE</u>

SECTION LG135 ELEVATION:

585FT

DRILL DEPTH:

856FT

0 0

<u>UTM X</u> 722,726.71

ZONE 15

<u>UTM Y</u> 4,266,761.49

DEPTH TO BED:

25FT

REMARKS:

PLUGGED BACK TO 610', ST. PETER WATER SALTY

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

0/101110

LOG ID:

WELL TYPE

025646 Stratig

Stratigraphic test hole (oil & gas)

146

FT

DRILL DATE:

1968/05/27

TOWNSHIP F

<u>RANGE</u>

SECTION LG141 **ELEVATION:**

497FT

DRILL DEPTH:

533FT

0

0

UTM X

UTM Y

DEPTH TO BED:

115FT

744,378.07

ZONE 15

4,297,699.60

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

#4-S BECKMAN; STRUCTURE TEST; TURNED OVER TO OWNER

FOR WATER WELL

LOG ID:

WELL TYPE

024260

Noncommunity Public Well

DRILL DATE:

1966/04/13

TOWNSHIP 0 **RANGE**

SECTION

ELEVATION:

744.571.07

463FT

DRILL DEPTH:

230FT

0 LG141

UTM X

<u>UTM Y</u> 4,297,039.59

ZONE 15

DEPTH TO BED:

55FT

REMARKS: SPANISH LAKE AREA

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009988

WELL TYPE Private Well

DRILL DATE:

1946/10/30 **TOWNSHIP RANGE** 0

ELEVATION:

507FT

DRILL DEPTH: 250FT 0 LG141

> UTM X **UTMY**

744,577.07

4,296,581.58

SECTION

S.W.L. (BEFORE CASING):

FT

ZONE 15

S.W.L. (AFTER CASING):

REMARKS:

LOG ID:

DEPTH TO BED:

75

028350

WELL TYPE

Community Public Well

75FT

DRILL DATE:

1980/08/24

TOWNSHIP

0

RANGE SECTION **ELEVATION:**

470FT

DRILL DEPTH:

1,055FT

LG148 0

UTM X

UTM Y

DEPTH TO BED: 5FT 700,382.51

4,262,442.40

ZONE 15

S.W.L. (BEFORE CASING):

POOR SAMPLES - NO PRODUCTION DATA REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 020405

WELL TYPE Private Well

DRILL DATE:

1961/08/25

TOWNSHIP RANGE

0

ELEVATION:

508FT

DRILL DEPTH:

110FT

0 LG148

UTM X 700,008.51

UTMY 4,262,623.40

DEPTH TO BED:

10FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

FT

37

LOG ID:

WELL TYPE Private Well

026216 **DRILL DATE:**

1968/06/25

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

ZONE 15

540FT

DRILL DEPTH:

DEPTH TO BED:

615FT 85FT

0 LG150

UTM Y

706.222.74 4,281,559.72

UTM X

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

1.5 MI E OF HWY 109 ON WILD HORSE CREEK RD

SECTION

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026214

DRILL DEPTH:

WELL TYPE Private Well

1968/07/02 DRILL DATE:

430FT

DEPTH TO BED: 15FT **TOWNSHIP RANGE SECTION** 0 0 LG152

ELEVATION:

610FT

UTM X 698,775.66

UTMY 4,278,673.69

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

SCANNED; N END OF WILD HORSE CRK RD. "DRSTICKEE ROBA

LG152

THOMETRE RD"

LOG ID: 024047

WELL TYPE Private Well

DRILL DATE:

1965/05/04

TOWNSHIP 0

RANGE 0

SECTION ELEVATION: 656FT

4,278,868.69

DRILL DEPTH:

375FT

FT

UTM X UTMY

699,084.66 ZONE 15

DEPTH TO BED:

70FT

100

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 023784

WELL TYPE Private Well

DRILL DATE:

1965/06/01

TOWNSHIP RANGE SECTION 0 0 LG152

UTM X

ELEVATION:

519FT

DRILL DEPTH: DEPTH TO BED: 320FT 50FT

195

699,174.65

UTMY 4,278,000.68

FT

REMARKS: ON WILD HORSE CK RD, 1.5 MI S OF CENTAUR

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 018951

WELL TYPE Private Well

DRILL DATE:

1960/05/

TOWNSHIP RANGE 0

SECTION

ELEVATION:

649FT

DRILL DEPTH:

DEPTH TO BED:

540FT

25FT

0 LG152

UTM X UTM Y

ZONE 15

699.009.66

4,279,019.70

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022261

WELL TYPE Private Well

1963/08/05

TOWNSHIP RANGE SECTION 0 0 LG152

ELEVATION:

516FT

DRILL DATE: **DRILL DEPTH:**

310FT

UTM X **UTMY**

ZONE 15

DEPTH TO BED: 60FT 699,447.66

4,278,304.68

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING):

80

0.75 MI N OF CENTAUR ON WILD HORSE CREEK RD **REMARKS**:

LOG ID:

WELL TYPE

025718

Stratigraphic test hole (oil & gas)

DRILL DATE:

1968/06/05

TOWNSHIP

0

RANGE SECTION LG155

ELEVATION:

512FT

DRILL DEPTH:

DEPTH TO BED:

565FT

135FT

0 0

UTM X

UTMY

742,553.05 4,296,566.61

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

#1-S REDMAN STATION; STRUCTURE TEST; PLUGGED W/ 40 SX

CEMENT

LOG ID: 021193

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP RANGE **ELEVATION:**

UTM X

670FT

DRILL DEPTH:

275FT

0 LG163

UTMY

DEPTH TO BED:

85FT

703,778.69 4,278,344.68

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: CHESTERFIELD; VERY INCOMPLETE, MANY MISSING SAMPLES

SECTION

S.W.L. (AFTER CASING):

LOG ID: 020133

WELL TYPE

Private Well

DRILL DATE:

1961/02/15

TOWNSHIP RANGE **SECTION**

ELEVATION:

667FT

DRILL DEPTH:

625FT

0 LG164

UTM X

ZONE 15

703.782.71

UTM Y 4,280,044.70

DEPTH TO BED: 75FT S.W.L. (BEFORE CASING):

FT

REMARKS:

0.5 MI E OF HWY C ON WILD HORSE CREEK RD; YIELD - 17 GPM

@ 290'

0

S.W.L. (AFTER CASING): 215



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025260

DRILL DEPTH:

WELL TYPE Private Well

1967/03/04 DRILL DATE:

425FT

DEPTH TO BED: 205FT **TOWNSHIP RANGE SECTION** 0 0 LG176

ELEVATION:

571FT

UTM X 727,119.98

UTMY 4,296,426.74

ZONE 15

S.W.L. (BEFORE CASING):

TESSON RD, HAZELWOOD; "CAN'T LOCATE" **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 025117

WELL TYPE Private Well

DRILL DATE:

1967/03/02

TOWNSHIP 0

RANGE SECTION **ELEVATION:**

472FT

DRILL DEPTH:

345FT

LG176 0

> **UTM X** 726,810.98

> > ZONE 15

ZONE 15

UTMY 4,297,082.75

DEPTH TO BED:

95FT

30

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS:

LOG ID: 010451

WELL TYPE Private Well

DRILL DATE:

1947/07/31

TOWNSHIP

RANGE

SECTION

ELEVATION:

571FT

DRILL DEPTH:

438FT

LG176 0 0

UTM X 727,685.98

UTMY 4,295,784.73

DEPTH TO BED:

45FT

201

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

008562 **DRILL DATE:**

1944/05/29

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

600FT

DRILL DEPTH:

110FT

0 LG176

UTM X

UTM Y

DEPTH TO BED:

60FT

730,590.02

4,301,404.75

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

"CAN'T LOCATE"; SECTION QUESTIONED

S.W.L. (AFTER CASING):

75



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003806

DEPTH TO BED:

WELL TYPE Private Well

1936/09/10 DRILL DATE:

593FT

TOWNSHIP 0

RANGE SECTION 0

ELEVATION:

638FT

DRILL DEPTH:

155FT

LG176

UTM X

UTMY 729,611.01 4,300,370.75

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

220

WELL PLUGGED IN 1952

LOG ID: 003121

WELL TYPE Private Well

DRILL DATE:

1934/10/00

TOWNSHIP 0

RANGE

SECTION ELEVATION: 550FT

DRILL DEPTH:

180FT

LG176 0

UTM X

UTMY

DEPTH TO BED: 50FT

726,910.98

ELEVATION:

730,916.00

4,296,143.74

ZONE 15

S.W.L. (BEFORE CASING):

NE SD DUNN RD, 0.4 MI FROM JCT W/ UTZ LANE REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 002905

WELL TYPE Private Well

DRILL DATE:

1934/08/00

TOWNSHIP RANGE SECTION 0

505FT

4,297,427.72

DRILL DEPTH:

450FT

0 LG176

0.1 MI S OF CHARBONNIER RD

UTM X UTM Y

ZONE 15

DEPTH TO BED:

295FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 002906

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1934/07/

TOWNSHIP 0

RANGE SECTION

0

ELEVATION: 520FT

UTM X UTM Y

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

660FT 100FT

LG1829

740.852.03 4.292.733.60

ZONE 15

REMARKS:

REMARKS:

OLD WELL DEEPENED - 2 MI E, 0.3 MI S OF JCT HWY 99 AND

CHAMBERS RD.



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002579

DRILL DEPTH:

WELL TYPE Private Well

1924/10/21 DRILL DATE:

200FT

DEPTH TO BED: 110FT **TOWNSHIP RANGE SECTION** 0 0 LG1840

ELEVATION:

499FT

UTM X 743,961.06

UTMY 4,297,909.60

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

BLACK & WHITE FARM; FORMERLY LOG #1808; LARIMORE RD &

RIVERSIDE DR.

LOG ID: 018566

WELL TYPE Private Well

DRILL DATE:

1959/08/29

TOWNSHIP

RANGE

SECTION

ELEVATION:

607FT

DRILL DEPTH: DEPTH TO BED: 310FT 25FT

0 0

LG1897

UTM X

UTMY

702,728.53

4,263,014.42

ZONE 15

S.W.L. (BEFORE CASING):

FT

0.5 miles S of Allenton, yield 19 gpm at 215 ft REMARKS:

S.W.L. (AFTER CASING):

170

WELL TYPE

LOG ID: 018926

Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1960/03/08

210FT

15FT

TOWNSHIP 0

RANGE 0

SECTION LG1897

ELEVATION:

585FT

UTM X

UTM Y 4,259,768.35

702,565.52

ZONE 15

S.W.L. (BEFORE CASING):

155

FT

REMARKS: 2 MI S OF ALLENTON; YIELD - 12 GPM @ 185'

S.W.L. (AFTER CASING):

LOG ID: 018957

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1960/02/18

190FT

15FT

110

TOWNSHIP 0

RANGE 0

SECTION LG1897

ELEVATION:

544FT

UTM X

UTM Y

702.925.52 4,259,446.35

ZONE 15

S.W.L. (BEFORE CASING):

FT

5 MI S OF ALLENTON **REMARKS:**

S.W.L. (AFTER CASING):

3/1/2007

5,486



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021679

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1962/09/06 **TOWNSHIP RANGE** DRILL DATE: **SECTION ELEVATION:**

> 0 0 LG1897 175FT

UTM X **UTMY**

703,822.53 4,261,053.38

435FT

ZONE 15

S.W.L. (BEFORE CASING): FT

15FT

2 MI S OF ALLENTON; YIELD - 18 GPM @ 90' **REMARKS**:

S.W.L. (AFTER CASING): 45

LOG ID: 020827

WELL TYPE Private Well

1961/12/11 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 482FT

0 LG1897 0 DRILL DEPTH: 201FT

UTM X UTMY DEPTH TO BED: 10FT 703,595.53 4,261,389.39

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: 2 MI S OF ALLENTON ON SHEERIN RD

S.W.L. (AFTER CASING): 55

LOG ID: 016694

WELL TYPE Private Well

DRILL DATE: 1957/09/18 **TOWNSHIP RANGE SECTION ELEVATION:** 581FT

0 0 LG1897 **DRILL DEPTH:** 265FT

UTM X UTM Y

DEPTH TO BED: 10FT 702,535.52 4,259,835.35

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 155

LOG ID: 016682

WELL TYPE Private Well

1957/09/06 **TOWNSHIP RANGE DRILL DATE: SECTION ELEVATION:** 552FT

0

DRILL DEPTH: 230FT UTM X UTM Y

0

LG1897

DEPTH TO BED: 10FT 702.692.52 4,259,806.35

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: YIELD - 17 GPM @ 160'

S.W.L. (AFTER CASING): 120



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016690

WELL TYPE Private Well

DRILL DATE: 1957/08/30

08/30 <u>TOWNSHIP</u> 0 <u>SECTION</u>

ELEVATION:

520FT

DRILL DEPTH:
DEPTH TO BED:

158FT 10FT

90

LG1897

RANGE

0

<u>UTM X</u>

<u>UTM Y</u>

703,382.53

4,259,742.36

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID:

<u>\</u>

WELL TYPE Private Well

DRILL DATE:

1935/10/

TOWNSHIP 0

RANGE S

SECTION ELEVATION:

545FT

DRILL DEPTH:

200FT

0 LG1897

UTM X

UTM Y

DEPTH TO BED:

15FT

60

703,107.53 4 ZONE 15

4,260,767.38

S.W.L. (BEFORE CASING):

FT

REMARKS: 3 MI S OF ALLENTON, LAST HOUSE ON EAST

S.W.L. (AFTER CASING):

LOG ID: 004338

WELL TYPE Private Well

DRILL DATE:

1937//

TOWNSHIP

<u>RANGE</u>

SECTION

ELEVATION:

520FT

DRILL DEPTH:

170FT

0

0 LG1897

UTM X

UTM Y

DEPTH TO BED:

40FT

701,391.52

4,262,374.40

ZONE 15

NF 15

__

OTION 5

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS: 2 MI W OF EUREKA; NO PRODUCTION OR CONSTRUCTION DATA

LOG ID:

WELL TYPE

006736

Noncommunity Public Well

DRILL DATE:

1940//

TOWNSHIP

RANGE

SECTION

ELEVATION:

448FT

.

000

0

REMARKS:

0 L0

4401 1

DRILL DEPTH:

DEPTH TO BED:

309FT

Ü

LG1897

UTM X

<u>UTM Y</u> 4,260,161.36

702,184.52 4 ZONE 15

S.W.L. (BEFORE CASING):

FT

@ CLUBHOUSE ON MERAMEC RIVER

S.W.L. (AFTER CASING):

3/1/2007

120

5,488



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020832

DRILL DEPTH:

WELL TYPE

Community Public Well

1962/03/29 DRILL DATE:

650FT

RANGE 0 0 LG1902

UTM X

ELEVATION:

DEPTH TO BED: 135FT 727,064.91

4,287,005.66

ZONE 15

S.W.L. (BEFORE CASING):

FT

2500 ASHBY, N FROM PAGE AVE; YIELD - 12 GPM @ 475' **REMARKS**:

SECTION

S.W.L. (AFTER CASING): 200

LOG ID:

WELL TYPE

025629

Stratigraphic test hole (oil & gas)

DRILL DATE:

1968/04/24

TOWNSHIP 0

TOWNSHIP

RANGE SECTION **ELEVATION:**

532FT

683FT

UTMY

DRILL DEPTH:

475FT

LG1907 0

UTM X

UTMY

DEPTH TO BED:

85FT

738,867.03

ZONE 15

4,302,121.69

#1-S MONTILIONE; CONVERTED TO WATER WELL FOR OWNER REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

Stratigraphic test hole (oil & gas) 018046

DRILL DATE:

TOWNSHIP RANGE SECTION

536FT

DRILL DEPTH:

0 0 LG1907

UTM X 738,325.03

ELEVATION:

UTM Y 4,302,629.70

DEPTH TO BED:

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

#2-S F.H. MUELLER; NO SAMPLES LOGGED, STORED IN

WAREHOUSE

LOG ID:

WELL TYPE

017060

Stratigraphic test hole (oil & gas)

DRILL DATE:

1958//

TOWNSHIP

RANGE SECTION **ELEVATION:** 566FT

0

0 LG1907

ZONE 15

DRILL DEPTH: DEPTH TO BED: 460FT 45FT

738.044.03

UTM X

UTM Y 4,302,341.70

S.W.L. (BEFORE CASING):

REMARKS:

#2-S WOLFF - STRATIGRAPHIC TEST

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017205

WELL TYPE Private Well

1958/05/25 DRILL DATE:

TOWNSHIP 0

RANGE SECTION **ELEVATION:**

532FT

DRILL DEPTH:

315FT

0 LG1907

UTM X

UTMY

DEPTH TO BED:

5FT

738,706.03 4,302,782.70

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

1.5 MI W OF HWY 140 ON OLD JAMESTOWN RD, 0.75 MI ABOVE

CHAIN OF ROCKS

LOG ID: 012197

WELL TYPE

Stratigraphic test hole (oil & gas)

40

DRILL DATE:

1953//

TOWNSHIP

RANGE

SECTION

ELEVATION:

554FT

DRILL DEPTH:

571FT

0

LG1907 0

DEPTH TO BED:

75FT

UTM X

UTMY 4,302,218.69

738,587.03 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 HAMMERSCHMIDT

S.W.L. (AFTER CASING):

LOG ID: 011342

WELL TYPE

Private Well

DRILL DATE:

1950/05/

TOWNSHIP

RANGE

SECTION

ELEVATION:

543FT

DRILL DEPTH:

248FT

0 0 LG1907

UTM X

UTM Y

DEPTH TO BED:

95FT

738,794.03

4,301,220.69 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: ON OLD JAMESTOWN RD, 0.5 MI N OF HWY 140

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

012426

INJECTION WELL (NAT GAS-PROPANE STORAGE)

DRILL DATE:

1953/10/

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

544FT

DRILL DEPTH:

DEPTH TO BED:

1,680FT

110FT

0 LG1907

> UTM X UTM Y

738,452.03 4,302,554.70

ZONE 15

S.W.L. (BEFORE CASING):

#1 WOLF **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004377

WELL TYPE Private Well

1937/08/ DRILL DATE:

TOWNSHIP RANGE 0

SECTION

ELEVATION:

668FT

DRILL DEPTH:

300FT

0 LG1908

UTM X 713,701.72 **UTMY**

DEPTH TO BED:

110FT

4,274,282.61

ZONE 15

S.W.L. (BEFORE CASING):

ON HWY 50 E OF BALLWIN; YIELD - "ABUNDANT" **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

025084

Stratigraphic test hole (oil & gas)

DRILL DATE:

1967/07/05

TOWNSHIP

RANGE SECTION **ELEVATION:**

443FT

DRILL DEPTH:

446FT

0 0

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

25FT

UTM X 741,382.05

UTMY 4,301,650.66

ZONE 15 #1-S MISSOURI HILLS; STRUCTURE TEST - PLUGGED W/ 65 SX

LG1909

REMARKS: **CEMENT**

LOG ID:

WELL TYPE

025548

Stratigraphic test hole (oil & gas)

DRILL DATE:

1968/03/19

TOWNSHIP

RANGE 0

SECTION

ELEVATION:

436FT

DRILL DEPTH:

433FT

0

LG1909

UTM Y

DEPTH TO BED:

20FT

UTM X 742,602.06

4,300,867.64 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

#2-S MISSOURI HILLS - STRUCTURE TEST, PLUGGED W/ 20 SX OF

CEMENT

LOG ID:

WELL TYPE

006133

Private Well

DRILL DATE:

1940/04/30

TOWNSHIP

RANGE

SECTION

636FT

DRILL DEPTH:

DEPTH TO BED:

420FT

35FT

0 0 LG1911

UTM X

ZONE 15

713.818.78

ELEVATION:

UTM Y 4,281,043.69

S.W.L. (BEFORE CASING):

FT

REMARKS:

ON N SD CONWAY RD, 300 YDS W OF BELLEFONTAINE SCHOOL

S.W.L. (AFTER CASING): 118



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007000

WELL TYPE Private Well

1941// DRILL DATE:

RANGE SECTION 0 LG1911

ELEVATION:

616FT

DRILL DEPTH:

395FT

UTM X **UTMY**

DEPTH TO BED: 45FT 713,744.78

4,281,059.69

S.W.L. (BEFORE CASING):

FT

S SD CONWAY RD, ABT 1000' W OF BELLEFONTAINE SCHOOL **REMARKS**:

ZONE 15

S.W.L. (AFTER CASING): 118

LOG ID: 025485

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1967/07/25

TOWNSHIP 0

TOWNSHIP

0

RANGE

SECTION ELEVATION: 619FT

DRILL DEPTH:

505FT

LG1913 0

UTM X

UTMY

DEPTH TO BED:

285FT

4,288,554.60

737,033.97 ZONE 15

S.W.L. (BEFORE CASING):

5200 LUCAS-HUNT RD I-70 **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 008341

WELL TYPE

Private Well

DRILL DATE:

1942/07/30

TOWNSHIP

RANGE

SECTION

ELEVATION:

433FT

DRILL DEPTH:

100FT

0 0 LG1928

UTM X

UTM Y

DEPTH TO BED:

80FT

9

720,498.75 4,272,749.57

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: ON DOUGHERTY FERRY RD, 0.25 MI E OF CARMEN RD, "CAN'T

LOCATE"

LOG ID:

WELL TYPE

027587

Private Well

DRILL DATE:

1970/08/17

TOWNSHIP

RANGE

SECTION

ELEVATION:

535FT

DRILL DEPTH:

385FT

0

0

LG1929

UTM Y

DEPTH TO BED:

65FT

UTM X 719.193.87

4,286,497.72

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

40

FT

REMARKS:

3/1/2007

5,492



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013994

WELL TYPE Private Well

1955/09/ DRILL DATE:

TOWNSHIP 0

SECTION

ELEVATION:

467FT

DRILL DEPTH:

184FT

0

RANGE

LG1930

UTMY

DEPTH TO BED:

25FT

UTM X 729,978.84

4,276,686.53

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

REMARKS:

LOG ID:

WELL TYPE

003562

Industrial High Capacity Well

7

DRILL DATE:

1936/04/09

TOWNSHIP 0

RANGE

SECTION ELEVATION: 470FT

DRILL DEPTH:

889FT

LG1930 0

UTM X 731,154.85

UTMY 4,276,640.52

DEPTH TO BED:

S.W.L. (BEFORE CASING):

5FT

REMARKS:

ZONE 15 *"CONSIDERABLE"; ALL WATER FROM MISSISSIPPIAN;

S.W.L. (AFTER CASING): 35 MAQUOKETA BADLY CAVED

LOG ID:

WELL TYPE

001525

Industrial High Capacity Well

DRILL DATE:

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

490FT

DRILL DEPTH:

1.800FT

0 LG1930

UTM X

UTM Y

DEPTH TO BED:

729,723.84

4,276,932.54

S.W.L. (BEFORE CASING):

REMARKS: EXACT LOCATION UNKNOWN

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 006373

1940//

RANGE

SECTION

ELEVATION:

536FT

DRILL DATE: DRILL DEPTH:

TOWNSHIP 0

0 LG1930

UTM Y

DEPTH TO BED:

152FT 25FT

UTM X 728.028.84

4,277,818.56

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 9560 LITZINGER

S.W.L. (AFTER CASING):

96



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020397

WELL TYPE

Industrial High Capacity Well

1961/08/18 DRILL DATE:

TOWNSHIP RANGE 0

ELEVATION:

507FT

DRILL DEPTH:

377FT

0 LG1936

UTMY

DEPTH TO BED:

15FT

SECTION

UTM X 728,575.79 4,271,304.49

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

18

LOG ID: 003458

WELL TYPE Private Well

DRILL DATE:

1935/09/

TOWNSHIP 0

RANGE SECTION **ELEVATION:**

536FT

DRILL DEPTH:

600FT

LG1947 0

UTM X

UTMY

DEPTH TO BED:

40FT

728,547.86

ZONE 15

4,279,632.57

PART OF PT 3 OF SUBDIVISION OF VAN SCHIADEN ESTATE

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

025112

Stratigraphic test hole (oil & gas)

DRILL DATE:

1967/07/07

TOWNSHIP

0

RANGE SECTION **ELEVATION:**

433FT

DRILL DEPTH:

370FT

0 LG1950

UTM X UTM Y

DEPTH TO BED:

95FT

730,904.03

4,303,497.76

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1-2 H. PHILLIPS; STRUCTURE TEST

S.W.L. (AFTER CASING):

LOG ID: 025174

WELL TYPE

Gas Well

DRILL DATE:

1967/09/08

TOWNSHIP

0

RANGE SECTION **ELEVATION:**

616FT

DRILL DEPTH:

464FT

0 LG1950

UTM X 731.869.03

UTM Y 4,304,820.76

DEPTH TO BED: 115FT

REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025170

WELL TYPE

Stratigraphic test hole (oil & gas)

DRILL DATE:

1967/08/28

TOWNSHIP 0

RANGE SECTION **ELEVATION:**

420FT

DRILL DEPTH:

320FT

0 LG1950

UTM X UTMY

DEPTH TO BED:

115FT

731,357.04 4,305,674.77

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

#6-S PELICAN ISLAND; STRUCTURE TEST, PLUGGED W/ 40 SX

S.W.L. (AFTER CASING):

CEMENT

LOG ID: 002742

WELL TYPE Private Well

DRILL DATE:

1933/07/00

TOWNSHIP 0

RANGE 0

SECTION

ELEVATION:

444FT

DRILL DEPTH:

1,800FT

LG1950

UTM Y

DEPTH TO BED:

825FT

UTM X 731,128.03

4,303,614.76

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

OLD WELL DEEPENED TWICE; TO GET ARTESIAN FLOW FOR

SWIMMING POOL

LOG ID:

WELL TYPE

009017

Industrial High Capacity Well

DRILL DATE:

FT

TOWNSHIP RANGE SECTION **ELEVATION:**

480FT

DRILL DEPTH:

350FT 70FT

0 LG1953

UTM X 732,050.82

ZONE 15

UTM Y 4,272,273.47

DEPTH TO BED:

REMARKS: 6901 HEEGE RD & HWY 66

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

20

004559

WELL TYPE Private Well

DRILL DATE:

1937/11/12

TOWNSHIP

0

RANGE SECTION **ELEVATION:**

573FT

DRILL DEPTH:

DEPTH TO BED:

280FT

35FT

0 0 LG1953

UTM X UTM Y

731.952.80 4,270,433.45

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

OPPOSITE SUNSET BURIAL PARK ON GRAVOIS NEAR AFTON

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003580

WELL TYPE Private Well

1936/04/17 DRILL DATE:

TOWNSHIP 0

RANGE SECTION **ELEVATION:**

581FT

DRILL DEPTH:

366FT

0 LG1953

UTM X

UTMY

DEPTH TO BED:

35FT

731,778.81 4,271,069.46

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

200 YDS E OF LACLEDE STATION RD, 0.75 MI S OF HWY 66

S.W.L. (AFTER CASING): 60

LOG ID: 005783

WELL TYPE

Community Public Well

DRILL DATE:

1939/11/

TOWNSHIP 0

RANGE SECTION **ELEVATION:**

592FT

DRILL DEPTH:

385FT

LG1953 0

UTM X

UTMY

DEPTH TO BED:

45FT

4,270,954.45

731,958.81 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

S OF HWY 30 ON LACLEDE STATION RD

LOG ID: 026206

WELL TYPE Private Well

DRILL DATE: 1968/05/03 **TOWNSHIP RANGE SECTION** 0

ELEVATION:

515FT

DRILL DEPTH:

256FT

0 LG1956

UTM X UTM Y

DEPTH TO BED:

40FT

698,806.64 4,276,822.66

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: WILD HORSE CREEK; POOR SAMPLES; YIELDS - 15 GPM @ 154',

30 GPM @ TD

LOG ID:

WELL TYPE

Private Well 023967

DRILL DATE:

1965//

TOWNSHIP RANGE 0

SECTION

ELEVATION:

536FT

DRILL DEPTH:

DEPTH TO BED:

200FT

55FT

0 LG1956

UTM X

699.114.63

UTM Y 4,275,652.64

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017161

WELL TYPE Private Well

1957/12/05 DRILL DATE:

27

0

RANGE SECTION LG1956

ELEVATION:

519FT

DRILL DEPTH:

DEPTH TO BED:

275FT 30FT

UTM X UTMY

698,783.63

4,276,319.65

ZONE 15

S.W.L. (BEFORE CASING):

FT

TOWNSHIP

S.W.L. (AFTER CASING):

REMARKS:

0.25 MI N OF JCT OSSENFORD AND WILD HORSE CK RDS

LOG ID: 012636

WELL TYPE Private Well

DRILL DATE:

1953/10/22

TOWNSHIP 0

RANGE

0

SECTION LG1956

ELEVATION:

677FT

DRILL DEPTH:

440FT

0

UTM X

UTMY

DEPTH TO BED: 50FT

701,367.69

4,279,738.70

ZONE 15

S.W.L. (BEFORE CASING):

175

FT

REMARKS:

0

5 MI W OF CHESTERFIELD ON S SD OF RIVER

S.W.L. (AFTER CASING):

LOG ID: 008303

WELL TYPE

Oil Well

1943/07/

TOWNSHIP RANGE **SECTION**

ELEVATION:

515FT

DRILL DATE: DRILL DEPTH:

550FT

0 LG1956

> UTM X 698,923.63

UTM Y

DEPTH TO BED:

45FT

4,275,990.64

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

H. STEINES WELL - DRY & ABANDONED

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

003219

Noncommunity Public Well

DRILL DATE:

1935/03/

TOWNSHIP

RANGE

0

SECTION

ELEVATION:

734FT

DRILL DEPTH:

677FT

0

LG1956

UTM X

ZONE 15

700.964.65

UTM Y 4,277,058.66

DEPTH TO BED:

35FT

276

FT

REMARKS:

formerly in name of US CCC Camp

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006274

WELL TYPE

Noncommunity Public Well

1940/08/ DRILL DATE:

TOWNSHIP RANGE SECTION 0

0 LG1956 **ELEVATION:**

604FT

DRILL DEPTH: 1,072FT

UTM X 700,121.65

UTMY 4,276,768.65

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

10FT

150

FT

YIELD AND SETTINGS AS OF 1967. **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

002844 DRILL DATE:

1934/03/14

TOWNSHIP 0

RANGE SECTION **ELEVATION:**

676FT

DRILL DEPTH:

600FT

LG1956 0

UTM X

UTMY

DEPTH TO BED: 30FT 701,110.68

4,279,773.70

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 005668

WELL TYPE

Private Well

DRILL DATE:

1939/08/

TOWNSHIP RANGE **SECTION**

ELEVATION:

538FT

DRILL DEPTH:

70FT

0 0 LG1956

UTM X

DEPTH TO BED:

5FT

699,184.63

UTM Y 4,275,517.63

639FT

UTM Y

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: WILDHORSE CREEK RD & OSSENFORT RD, IN CREEK BOTTOM

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

004198

Noncommunity Public Well

28

DRILL DATE:

1937/04/15

TOWNSHIP

0

RANGE SECTION **ELEVATION:**

DRILL DEPTH:

624FT

0 LG1956

UTM X

701,216.67 4,278,734.69

ZONE 15

DEPTH TO BED:

20FT

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

188



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002897

DEPTH TO BED:

WELL TYPE

Noncommunity Public Well

15FT

1937/07/ DRILL DATE:

TOWNSHIP RANGE SECTION 0 0 LG1956

ELEVATION: 549FT

DRILL DEPTH: 451FT

UTM X

UTMY 700,266.66 4,278,028.68

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

formerly in name of US CCC Camp - PLUGGED & ABANDONED

5/27/1967

LOG ID:

WELL TYPE

025550

Stratigraphic test hole (oil & gas)

DRILL DATE:

1968/03/14

TOWNSHIP

RANGE

SECTION ELEVATION:

DRILL DEPTH: 313FT 0

0

LG1960

UTM X UTMY

ZONE 15

DEPTH TO BED:

739,532.03

4,302,190.68

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

#4-S MO PORTLAND CEMENT CO; LEFT FOR WATER WELL FOR

MO PORTLAND

LOG ID:

WELL TYPE

025175

Stratigraphic test hole (oil & gas)

DRILL DATE:

1967/09/12

TOWNSHIP

RANGE

SECTION

ELEVATION:

491FT

DRILL DEPTH:

441FT

0

0

LG1960

UTM Y

DEPTH TO BED:

50FT

UTM X

739,338.03 4,302,197.69

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

1-S WAUGH; STRUCTURE TEST; CONVERTED TO WATER WELL

FOR OWNER

LOG ID:

WELL TYPE

018276

Industrial High Capacity Well

DRILL DATE:

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

UTM X

433FT

DRILL DEPTH:

560FT

0 LG1960

UTM Y 4,303,012.69

DEPTH TO BED:

120FT

739.292.03

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

20

FT



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010594

WELL TYPE Private Well

1948/09/05 DRILL DATE:

TOWNSHIP RANGE SECTION 0 0

ELEVATION:

580FT

DRILL DEPTH:

200FT

60

LG1962

UTM X **UTMY**

DEPTH TO BED: 20FT

723,674.88 4,285,157.67

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

WELL TYPE

Private Well

005286 DRILL DATE:

LOG ID:

1939//

TOWNSHIP 0

RANGE SECTION **ELEVATION:**

650FT

DRILL DEPTH:

265FT

LG1962 0

UTM X

UTMY

DEPTH TO BED:

20FT

723,821.87

ZONE 15

4,284,017.66

S.W.L. (BEFORE CASING):

FT

REMARKS: 0.25 MI N OF OLIVE ST RD ON W SD OF SCHULTE RD

S.W.L. (AFTER CASING):

LOG ID: 025173

WELL TYPE

Stratigraphic test hole (oil & gas)

140

DRILL DATE:

1967/09/02

TOWNSHIP RANGE

0

SECTION

ELEVATION:

437FT

DRILL DEPTH:

259FT

0 LG1968

> **UTM X** UTM Y

DEPTH TO BED:

20FT

731,903.03

4,304,247.76

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

#1-S PELICAN ISLAND; STRUCTURE TEST; PLUGGED W/ 30 SX OF

CEMENT

LOG ID:

WELL TYPE

017848

Stratigraphic test hole (oil & gas)

DRILL DATE:

1958//

TOWNSHIP

RANGE SECTION **ELEVATION:**

DRILL DEPTH:

DEPTH TO BED:

520FT

150FT

0

0 LG1968

> UTM X UTM Y

> > ZONE 15

732.156.03

4,303,980.75

S.W.L. (BEFORE CASING):

#1 L. CARRICO; STRUCTURE TEST; COULD BE IN SEC. 26 ?? **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010422

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE: 1948//

45557

455FT

DEPTH TO BED: 390FT

TOWNSHIP RANGE SECTION 0 0 LG1968

<u>IION</u>

ELEVATION:

637FT

<u>UTM X</u> 732,927.03 <u>UTM Y</u> 4,304,929.75

ZONE 15

S.W.L. (BEFORE CASING):

225

FT

REMARKS:

S: OLD WELL DEEPENED 390-455'; PLUGGED BACK TO 335'

S.W.L. (AFTER CASING):

,,,,,,,

LOG ID: 002319

WELL TYPE
Oil Well

DRILL DATE:

1930//

TOWNSHIP 0 <u>RANGE</u>

SECTION

ELEVATION:

650FT

DRILL DEPTH:

1,759FT

0 LG1968

UTM X

UTM Y

DEPTH TO BED:

98FT

733,346.03

4,305,358.75

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 RELLER - DRY; SHOWS @ 528-550', 550-586' (GOOD), 878-888'

S.W.L. (AFTER CASING):

LOG ID: 019389

WELL TYPE

Private Well

DRILL DATE: 19

1960/09/13

<u>TOWNSHIP</u>

RANGE 0 SECTION 1 04070 **ELEVATION:**

528FT

DRILL DEPTH:

195FT

0

LG1970

0.75 MI N OF VALLEY PARK ON BIG BEND RD

UTM X

UTM Y

DEPTH TO BED:

15FT

4,271,930.58

719,122.74 4, ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 017458 WELL TYPE

Private Well

DRILL DATE:

1958/06/20

TOWNSHIP

RANGE

SECTION

ELEVATION:

525FT

DRILL DEPTH:

185FT

0

0 LG1970

UTM X

UTM Y

DEPTH TO BED:

50FT

80

719,286.74

4,271,904.58

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012239

WELL TYPE Private Well

1952/07/24 DRILL DATE:

74

0

RANGE SECTION **ELEVATION:**

463FT

DRILL DEPTH:

110FT

0 LG1970

UTM X

UTMY

DEPTH TO BED: 30FT

719,338.74

4,271,804.57

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

#2 T.J. BARNUM ESTATE; 1550' S OF BIG BEND RD; "CAN'T **REMARKS**:

TOWNSHIP

LOCATE"

LOG ID:

005586

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1939//

TOWNSHIP 0

RANGE SECTION **ELEVATION:**

426FT

DRILL DEPTH:

1,285FT

LG1970 0

UTM X

UTMY

DEPTH TO BED:

825FT

718,980.73

4,270,782.57

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

@ VALLEY PARK; DEEPENED 800-1285

S.W.L. (AFTER CASING):

LOG ID: 006316

WELL TYPE

Private Well

DRILL DATE:

1940/07/

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

444FT

DRILL DEPTH:

125FT

0 LG1970

UTM X

UTM Y

DEPTH TO BED:

53FT

30

4,271,739.57

719,646.74 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: BIG BEND & FOREST AVE NEAR VALLEY PARK

S.W.L. (AFTER CASING):

LOG ID: 025321

WELL TYPE

Private Well

DRILL DATE:

1966/10/31

TOWNSHIP

0

RANGE

SECTION

ELEVATION:

460FT

DRILL DEPTH:

DEPTH TO BED:

256FT

25FT

0 LG1975

UTM X UTM Y 710.200.64 4,268,299.53

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

IN JEDBURG?



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026192

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1968/09/25 DRILL DATE:

237FT

10FT

TOWNSHIP RANGE SECTION 0 0 LG1975

ELEVATION:

462FT

UTM X 710,108.63

UTMY 4,268,237.53

ZONE 15

S.W.L. (BEFORE CASING):

SCANNED FOR TOPS, VERY FEW SAMPLES LOGGED **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 021147

WELL TYPE Private Well

DRILL DATE:

1962/05/11

TOWNSHIP

RANGE

SECTION

ELEVATION:

460FT

DRILL DEPTH:

208FT

0 LG1975 0

UTM X

UTMY

DEPTH TO BED: 15FT 709,776.64

4,268,593.53

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: YIELD - 16 GPM @ 130'

S.W.L. (AFTER CASING): 70

LOG ID: 019875

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP 0

RANGE 0

SECTION

ELEVATION:

427FT

DRILL DEPTH:

235FT

LG1975

UTM X 711,151.64

UTM Y 4,268,162.53

DEPTH TO BED:

50FT

40

REMARKS: @ SHERMAN

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 020403

WELL TYPE Private Well

DRILL DATE:

1961/08/08

TOWNSHIP

RANGE

SECTION

ELEVATION:

552FT

DRILL DEPTH:

DEPTH TO BED:

347FT

5FT

170

0

0 LG1975

UTM X

UTM Y

710.066.64

4.268.401.53

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

IN SHERMAN, ON CREST DRIVE AT TOP OF HILL; YIELD - 17 GPM

@ 220'



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022921

WELL TYPE Private Well

1964/05/05 DRILL DATE:

35

TOWNSHIP RANGE 0

SECTION

ELEVATION:

460FT

DRILL DEPTH:

219FT

LG1975

UTM X 710,916.64

UTMY 4,268,435.54

0

DEPTH TO BED: 15FT S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

YIELD - 40 GPM @ 105' **REMARKS**:

ZONE 15

LOG ID:

WELL TYPE Private Well

015660 DRILL DATE:

1956/09/21

TOWNSHIP 0

RANGE SECTION **ELEVATION:**

419FT

DRILL DEPTH:

224FT

LG1975 0

> **UTM X** 710,928.64

UTMY 4,268,111.53

DEPTH TO BED:

30FT

45

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: @ SHERMAN

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 005505

WELL TYPE Private Well

DRILL DATE:

1939//

TOWNSHIP 0

RANGE 0

SECTION LG1975

ELEVATION:

518FT

DRILL DEPTH:

275FT

UTM X 709,895.63

ZONE 15

UTM Y 4,268,219.53

DEPTH TO BED:

5FT

REMARKS:

ON BLUFF @ PALISADES ABT 50' LOWER THAN LEE TURNER

WELL, JEDBERG #5734

LOG ID:

WELL TYPE

002937

Community Public Well

DRILL DATE:

1934/08/00

TOWNSHIP

RANGE

SECTION

ELEVATION:

UTM X

540FT

DRILL DEPTH:

390FT

0

0 LG1975

DEPTH TO BED:

200FT

UTM Y

710,660.64 4,268,840.54 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

OLD WELL DEEPENED



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014004

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE

Noncommunity Public Well

1955/09/12 DRILL DATE:

135

615FT

10FT

TOWNSHIP 0

RANGE 0

SECTION LG1983

ELEVATION:

546FT

UTM X UTMY 4,268,499.55

718,995.71

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS:

JCT HWYS 141 & 66; WATER W/ H2S & SLIGHTLY SALTY; 5.5 GPM

@ 410'

LOG ID: 016798

WELL TYPE Private Well

DRILL DATE:

1957/03/31

TOWNSHIP

0

RANGE

SECTION

SECTION

ELEVATION:

531FT

DRILL DEPTH:

650FT

LG1983 0

> **UTM X** 718,271.69

UTMY 4,267,755.54

DEPTH TO BED: 35FT

125

REMARKS:

ZONE 15 old well - deepened in 1957 (see log #6325); Lucy Ave, 0.5 miles S of

Hwy 66, 0.25 miles W of Hwy 141

RANGE

LOG ID: 006325

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1940/09/

255FT

35FT

REMARKS:

0 LG1983

old well - deepened in 1957 (see log #16798)

ELEVATION:

531FT

UTM X 718,266.70

UTM Y 4,267,829.55

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

TOWNSHIP

0

LOG ID:

WELL TYPE

005502

Noncommunity Public Well

DRILL DATE:

1939/07/

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

515FT

DRILL DEPTH:

DEPTH TO BED:

365FT

45FT

45

0 LG1983

UTM X

UTM Y

719.486.71 ZONE 15

4,268,669.54

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

formerly in name of Hobart Service Station - 1 MI N OF VALLEY PARK

ON HWY 66



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022677

WELL TYPE Private Well

1963/08/23 DRILL DATE:

370FT

TOWNSHIP RANGE 0 0

SECTION

ELEVATION:

541FT

DRILL DEPTH:

LG1988

UTM X

UTMY 4,265,902.42

DEPTH TO BED:

10FT

729,862.75

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

230

LOG ID: 009206

WELL TYPE Private Well

DRILL DATE:

1946/05/

TOWNSHIP 0

RANGE

SECTION LG1988

ELEVATION:

588FT

DRILL DEPTH:

386FT

0

UTM X

UTMY

DEPTH TO BED:

40FT

730,659.75

4,265,527.41

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 1.5 MI W OF HWY 61 ON THEISS RD

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 007757

Industrial High Capacity Well

90

DRILL DATE:

1942//

TOWNSHIP

RANGE

SECTION LG1988

ELEVATION:

600FT

DRILL DEPTH:

460FT

0 0

UTM X

UTM Y

DEPTH TO BED:

50FT

729,532.75

4,265,382.42

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

MATTES SCHOOL RD NEAR TESSON FERRY RD, LeMAY

S.W.L. (AFTER CASING):

LOG ID: 005813

WELL TYPE Private Well

DRILL DATE:

1939//

TOWNSHIP

RANGE

SECTION

ELEVATION:

584FT

0

0 LG1988

UTM Y

DRILL DEPTH: DEPTH TO BED: 175FT 40FT

UTM X 730.791.75

4,265,452.41

ZONE 15

S.W.L. (BEFORE CASING):

FT

ON THEISS RD, 1 MI NW OF VONTOLGE (?) RD **REMARKS**:

S.W.L. (AFTER CASING): 75



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003663

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1936/06/19 DRILL DATE:

310FT

25FT

TOWNSHIP RANGE SECTION 0 0 LG1988

ELEVATION:

599FT

UTM X

UTMY 4,265,847.42

730,239.75

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

THEISS RD, 1.5 MI S OF S AFFTON, 210' S OF THEISS RD

LOG ID: 006295

WELL TYPE Private Well

DRILL DATE:

1940/07/

TOWNSHIP

RANGE

SECTION

ELEVATION:

585FT

DRILL DEPTH: DEPTH TO BED: 143FT

80

0 LG1988 0

UTM X

UTMY

40FT

731,007.76

4,265,914.41

ZONE 15

S.W.L. (BEFORE CASING):

0.3 MI SW OF HWY 77 ON CONCORD SCHOOL RD, NEAR LEMAY **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 005435

WELL TYPE Private Well

DRILL DATE:

1939/06/

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

585FT

DRILL DEPTH:

420FT

0 LG1988

> UTM X 730,179.75

UTM Y 4,264,881.41

DEPTH TO BED:

40FT

125

REMARKS:

REMARKS:

500' N OF ASSUMPTION CHURCH, "1541 S. JEFFERSON"

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 008347

WELL TYPE Private Well

DRILL DATE:

1943//

TOWNSHIP

RANGE

SECTION LG1997

ELEVATION:

455FT

DRILL DEPTH:

280FT

0

0

UTM X

713.461.68

UTM Y

DEPTH TO BED:

45FT

4,269,853.56

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

@ CASTLEWOOD



RANGE

0

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006123

DEPTH TO BED:

WELL TYPE Private Well

1940// DRILL DATE:

TOWNSHIP 0

SECTION

ELEVATION:

606FT

DRILL DEPTH: 460FT LG1997

UTM X

714,702.69

UTMY 4,270,361.57

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

ZONE 15 "ROSE HILL FARM"; TOP OF BLUFF @ FERN GLEN "TYPE FERN

GLEN"

LOG ID: 018218

WELL TYPE

Community Public Well

35FT

DRILL DATE:

1959/05/18

TOWNSHIP

RANGE SECTION **ELEVATION:**

676FT

DRILL DEPTH:

850FT

0 0

> **UTM X** 719,059.67

> > ZONE 15

ZONE 15

UTMY 4,264,588.51

DEPTH TO BED:

15FT

LG2001

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT **REMARKS:** 250

"WATKINS-MANN"; YIELDS - 9 GPM @ 300', 18 GPM @ 330'

LOG ID:

003627

WELL TYPE Private Well

DRILL DATE:

1936/06/06

TOWNSHIP

0

RANGE

SECTION

ELEVATION:

666FT

DRILL DEPTH:

370FT

0 LG2001

UTM X 718,951.67

UTM Y 4,264,535.51

DEPTH TO BED:

20FT

REMARKS:

ON HAWKINS RD ACROSS FROM GRUENTHALS MOTEL (#3582)

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 002845

WELL TYPE

Private Well

DRILL DATE:

1934/03/14

TOWNSHIP

RANGE

SECTION

ELEVATION:

522FT

DRILL DEPTH:

280FT

0

0 LG2007

UTM X

UTM Y

DEPTH TO BED:

40FT

743.622.06 4,295,569.59

ZONE 15

S.W.L. (BEFORE CASING):

FT

0.5 MI NE OF LARIMORE STATION **REMARKS:**

S.W.L. (AFTER CASING):

100



RANGE

0

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028171

WELL TYPE

Community Public Well

1977/10/06 DRILL DATE:

DRILL DEPTH: 500FT

DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING): 81 FT

S.W.L. (AFTER CASING): FT 91

TOWNSHIP

0

REMARKS: old Well #5 - city renamed it as Well #1 - located on Howerton Rd

SECTION

LG2010

LOG ID: 018703

DEPTH TO BED:

WELL TYPE

Private Well

DRILL DATE: 1959/11/20

10FT

110

TOWNSHIP 0

RANGE 0

SECTION LG2010

ELEVATION:

ELEVATION:

UTM X

703,897.55

ZONE 15

530FT

500FT

UTMY

4,264,572.45

DRILL DEPTH: 250FT

UTM X 703,394.55

UTMY 4,265,003.46

495FT

UTM Y

4,264,408.45

ZONE 15

ELEVATION:

UTM X

703,997.55

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: 0.5 MI N OF HWY 66 IN ALLENTON

TOWNSHIP

0

S.W.L. (AFTER CASING):

LOG ID: 015990

DRILL DEPTH:

WELL TYPE

Private Well

DRILL DATE: 1957/03/24

255FT

DEPTH TO BED: 25FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 52

LOG ID:

WELL TYPE

Community Public Well 017015

1958/03/14 **DRILL DATE:**

DRILL DEPTH:

DEPTH TO BED:

800FT

10FT

TOWNSHIP 0

RANGE 0

RANGE

0

SECTION

SECTION

LG2010

LG2010

ELEVATION:

506FT

UTM X UTM Y

ZONE 15

703.906.55 4,264,578.45

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

75

78

FT

FΤ

REMARKS:

REMARKS:

old Well #1



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007178

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1941/06/12 DRILL DATE:

302FT 15FT **TOWNSHIP RANGE SECTION** 0 0

ELEVATION:

630FT

LG2010

UTM X

UTMY

704,205.56

4,265,081.46

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

145

LOG ID: 008314

WELL TYPE Private Well

DRILL DATE:

1942//

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

528FT

DRILL DEPTH:

125FT

80

0

LG2010

UTM X

UTMY

DEPTH TO BED: 12FT 703,930.55

4,264,718.46

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

2 MI W OF EUREKA, 0.5 MI N OF HWY 66

LOG ID: 011202

WELL TYPE

Private Well

DRILL DATE:

1948/08/04

TOWNSHIP

RANGE 0

SECTION

ELEVATION:

625FT

DRILL DEPTH:

585FT

0

LG2011

UTM X

UTM Y

DEPTH TO BED:

30FT

713,639.75

4,277,545.65

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

on Baxter Rd about 0.7 miles NW of Clayton Rd (also see log #10537)

S.W.L. (AFTER CASING):

115

LOG ID: 015379

WELL TYPE Private Well

1956/08/11

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

649FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

402FT

20FT

150

0 LG2011

UTM X

UTM Y

714.046.76 4,278,267.66 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009598

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1946/08/31 DRILL DATE:

403FT

30FT

TOWNSHIP RANGE 0

SECTION LG2011

ELEVATION:

640FT

0

UTM X 714,207.76

UTMY 4,277,865.65

ZONE 15

S.W.L. (BEFORE CASING):

FT

ON STRAUB RD, 1500' N OF CLAYTON RD. **REMARKS:**

S.W.L. (AFTER CASING):

120

LOG ID: 009718

WELL TYPE Private Well

DRILL DATE:

1946/06/

TOWNSHIP 0

TOWNSHIP

0

RANGE

SECTION

ELEVATION:

649FT

DRILL DEPTH:

338FT

LG2011 0

UTM X

UTMY

DEPTH TO BED: 85FT

713,823.76

4,277,976.65

ZONE 15

S.W.L. (BEFORE CASING):

FT

120

REMARKS:

ON BAXTER RD ABT 2 MI N OF CLAYTON RD

S.W.L. (AFTER CASING):

LOG ID: 008883

WELL TYPE Private Well

DRILL DATE:

1945//

370FT

FT

RANGE 0

SECTION

ELEVATION:

648FT

DRILL DEPTH:

LG2011

UTM X 714,027.76

UTM Y 4,278,086.66

DEPTH TO BED:

75FT

120

REMARKS:

1 MI N OF CLAYTON RD ON BAXTER RD

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 010537

WELL TYPE Private Well

DRILL DATE:

1948/08/04

TOWNSHIP

RANGE 0

SECTION

ELEVATION:

625FT

DRILL DEPTH:

585FT

0

LG2011

DEPTH TO BED:

30FT

UTM X UTM Y 713.639.75 4,277,613.65

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

on Baxter Rd about 0.7 miles NW of Clayton Rd (also see log #11202)

S.W.L. (AFTER CASING):

115



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008681

DRILL DEPTH:

WELL TYPE Private Well

1944/11/02 DRILL DATE:

505FT

DEPTH TO BED: 20FT

S.W.L. (AFTER CASING):

30

TOWNSHIP RANGE 0 0 LG2011

SECTION

ELEVATION:

560FT

UTM X 713,563.75

UTMY 4,277,704.65

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

formerly in name of R.E. Muckermann - 0.5 MI N OF CLAYTON RD ON

BAXTER RD

LOG ID: 004120

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

1937/02/

30FT

125

TOWNSHIP 0

TOWNSHIP

0

RANGE 0

SECTION LG2011

ELEVATION:

649FT

DRILL DEPTH: 420FT

UTM X

UTMY

713,836.75

ELEVATION:

UTM X

727,008.70

4,277,276.65

517FT

UTM Y

4,261,888.39

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID:

006375

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

1940/07/15

231FT

22FT

55

FT

REMARKS:

@ TAVERN ON HWY 21 N OF HAGEMAN RD, JUST N OF

HAGERMAN SCHOOL

RANGE

0

LOG ID: 003936

WELL TYPE Private Well

DRILL DATE:

1936/06/27

DRILL DEPTH:

DEPTH TO BED:

275FT

35FT

TOWNSHIP 0

RANGE 0

SECTION LG2022

SECTION

LG2022

ELEVATION:

502FT

UTM X

UTM Y

727.693.70

4,260,653.36

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

275

REMARKS:

3 MI N OF MERAMEC BOTTON RD ON WELLS RD; PLUGGED BACK

3/1/2007

5,512



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004891

WELL TYPE Private Well

1938// DRILL DATE:

TOWNSHIP 0

RANGE SECTION **ELEVATION:**

398FT

DRILL DEPTH:

DEPTH TO BED:

188FT

0 LG2026

UTM X

UTMY 4,256,391.26

75FT

731,746.69

ZONE 15

S.W.L. (BEFORE CASING):

FLOWS -**REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 003382

WELL TYPE Private Well

DRILL DATE:

1935/05/

TOWNSHIP 0

RANGE SECTION **ELEVATION:**

394FT

DRILL DEPTH:

1,000FT

LG2026 0

UTM X

UTMY

DEPTH TO BED:

76FT

731,754.69 4,256,280.25

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 025172

WELL TYPE

Stratigraphic test hole (oil & gas)

DRILL DATE:

1967/09/05

TOWNSHIP

OLD LOG

RANGE

SECTION LG2027

ELEVATION:

436FT

DRILL DEPTH:

280FT

0

0

UTM Y

DEPTH TO BED:

115FT

UTM X 733,708.04

4,305,525.75

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

#2-S PELICAN ISLAND; STRUCTURE TEST; PLUGGED W/ 30 SX OF

CEMENT

LOG ID:

WELL TYPE Private Well

028341

1980/03/05

TOWNSHIP

RANGE

SECTION LG2031

ELEVATION:

443FT

DRILL DATE:

210FT

0

0

UTM Y

DRILL DEPTH: DEPTH TO BED:

55FT

UTM X 710.987.78 4,283,067.72

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028379

DRILL DEPTH:

WELL TYPE

Industrial High Capacity Well

1980/01/24 DRILL DATE:

500FT

DEPTH TO BED: 55FT **TOWNSHIP RANGE SECTION** 0 0

LG2031

ELEVATION:

440FT

UTM X 710,982.78

UTMY 4,283,059.72

ZONE 15

S.W.L. (BEFORE CASING):

NO DATA OTHER THAN SAMPLE LOG **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 008313

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1942//

50

TOWNSHIP

RANGE 0

SECTION

ELEVATION:

508FT

DRILL DEPTH:

DEPTH TO BED:

235FT

0

LG2031

UTM X 710,736.77

UTMY 4,281,790.71

120FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT **REMARKS**:

IN CHESTERFIELD

LOG ID: 026173

WELL TYPE

Private Well

DRILL DATE:

1968/06/05

TOWNSHIP

REMARKS:

RANGE

SCANNED ONLY

SECTION

ELEVATION:

485FT

DRILL DEPTH:

123FT

0

0 LG2032

UTM X

UTM Y

DEPTH TO BED:

10FT

704,425.60 4,268,950.53

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

024505

WATER TEST WELL (HOLE)

DRILL DATE:

1966/11/07

TOWNSHIP

RANGE SECTION **ELEVATION:**

UTM X

722.994.96

439FT

DRILL DEPTH:

26FT

0

0 LG2038

ZONE 15

UTM Y 4,295,521.76

DEPTH TO BED:

MO AUBUCHON ?? **REMARKS:**

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020676

WELL TYPE Private Well

TOWNSHIP RANGE DRILL DATE: **SECTION ELEVATION:** 479FT

> 0 0 LG2038 225FT

DRILL DEPTH: UTM X **UTMY**

DEPTH TO BED: 55FT 723,868.96 4,295,330.76

ZONE 15 S.W.L. (BEFORE CASING):

13039 GIST RD, BRIDGETON **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE** Private Well 004478

DRILL DATE: 1937// **TOWNSHIP RANGE SECTION ELEVATION:** 576FT

0 LG2038 0 DRILL DEPTH: 275FT

UTM X UTM Y DEPTH TO BED:

170FT 725,280.96 4,294,232.74 ZONE 15

S.W.L. (BEFORE CASING): **REMARKS**: 2 MI NW OF PATTONVILLE BETWEEN GIST RD & WABASH RR

S.W.L. (AFTER CASING): **TRACKS**

LOG ID: **WELL TYPE** Private Well 006794

DRILL DATE: 1940/12/ **TOWNSHIP RANGE SECTION ELEVATION:** 512FT

0 0 LG2038 **DRILL DEPTH:** 197FT

UTM X UTM Y **DEPTH TO BED:** 30FT 722,751.96 4,295,251.76

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: * "VERY LITTLE"; ON TOUSSIG RD ABT 0.25 MI N OF ST CHARLES

ROCK RD S.W.L. (AFTER CASING): 21

LOG ID: **WELL TYPE** Private Well 019849

TOWNSHIP RANGE DRILL DATE: SECTION ELEVATION: 541FT

0 0 LG2039 **DRILL DEPTH:** 325FT UTM X UTM Y

DEPTH TO BED: 130FT 725.444.96 4,294,645.74

ZONE 15 S.W.L. (BEFORE CASING): FT

4740 GARRETT RD, HAZELWOOD **REMARKS:** 100 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024512

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1966/11/07 **TOWNSHIP RANGE SECTION** 0 0 LG2040

ELEVATION: 449FT

DRILL DEPTH: 66FT

UTM X

UTMY 4,290,371.75

DEPTH TO BED:

18

720,000.91

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

REMARKS: RIVER PROFILE STUDY

S.W.L. (AFTER CASING):

LOG ID: 025279

WELL TYPE Private Well

DRILL DATE:

1967/02/02

TOWNSHIP 0

RANGE SECTION **ELEVATION:**

568FT

DRILL DEPTH:

405FT

LG2040 0

> **UTM X** 720,341.89

> > ZONE 15

UTMY 4,288,787.73

DEPTH TO BED:

90FT

120

REMARKS:

RULES RD, W OF MARYLAND HEIGHTS

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 007432

WELL TYPE Private Well

DRILL DATE:

1941/11/15

TOWNSHIP RANGE

0

ELEVATION:

UTM X

716,511.83

564FT

4,283,689.71

DRILL DEPTH:

445FT

LG207

SECTION

UTM Y

DEPTH TO BED:

30FT

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS: S SD OLIVE ST RD, 0.5 MI W OF WOODS MILL RD

0

140

LOG ID:

WELL TYPE

028682

Community Public Well

DRILL DATE:

1988/03/14

TOWNSHIP 0

RANGE SECTION

0

ELEVATION:

502FT

DRILL DEPTH:

DEPTH TO BED:

450FT 40FT LG2071

UTM X UTM Y

706.292.56

4,263,372.44

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

HIGHLY FRACTURED ACQUIFER - "EST. 2000-5000 GPM

POSSIBLE"



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011576

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE

Community Public Well

1951/06/16 DRILL DATE:

260FT

TOWNSHIP RANGE SECTION 0

0 LG2071 **ELEVATION:**

525FT

UTM X 707,586.58

UTMY 4,264,477.47

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

625' SW OF JCT HWY 66 & AUGUSTINE RD; YIELD - 30 GPM @ 150'

S.W.L. (AFTER CASING): 75

LOG ID: 008376

WELL TYPE

Community Public Well

DRILL DATE:

1943/07/

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

543FT

DRILL DEPTH:

385FT

LG2071 0

> **UTM X** 706,782.57

> > ZONE 15

ZONE 15

UTMY 4,264,604.47

DEPTH TO BED:

15FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

150

FT

REMARKS:

LOG ID: 007210

WELL TYPE Private Well

DRILL DATE:

165FT

70

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

532FT

DRILL DEPTH:

40FT

0 LG2071

UTM X 706,466.57

UTM Y 4,264,923.47

DEPTH TO BED: S.W.L. (BEFORE CASING):

FT

REMARKS:

0.25 MI W OF EUREKA ON N SD HWY 66

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

008188

Private Well

DRILL DATE:

1942//

TOWNSHIP

REMARKS:

RANGE

SECTION

ELEVATION:

534FT

DRILL DEPTH:

DEPTH TO BED:

137FT

5FT

0

0 LG2071

UTM X

UTM Y 4,264,553.47

706.782.57

ZONE 15

S.W.L. (BEFORE CASING):

@ EUREKA, LOT 74B, BLOCK 10

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003686

WELL TYPE Private Well

1936/07/07 DRILL DATE:

TOWNSHIP RANGE 0 0

SECTION

ELEVATION:

DRILL DEPTH:

259FT

LG2071

UTM X **UTMY**

DEPTH TO BED: 15FT

706,510.57

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: @ EUREKA

S.W.L. (AFTER CASING): 86

LOG ID: 002792

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1933/09/

TOWNSHIP

RANGE SECTION 0

ELEVATION:

515FT

527FT

4,264,955.47

DRILL DEPTH:

DEPTH TO BED:

110FT

15FT

0

LG2071

UTM X UTMY

4,264,812.47

707,026.58 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: ON HWY 66 (RADFORTH, OWNER)

S.W.L. (AFTER CASING):

LOG ID: 005002

WELL TYPE

Industrial High Capacity Well

DRILL DATE:

1938//

TOWNSHIP

RANGE SECTION **ELEVATION:**

444FT

DRILL DEPTH:

253FT

0

0 LG2071

UTM X

UTM Y

DEPTH TO BED:

60FT

706,716.57 4,264,062.46 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

8

REMARKS: @ EUREKA

LOG ID:

005551

WELL TYPE Private Well

DRILL DATE:

1939//

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

475FT

DRILL DEPTH:

DEPTH TO BED:

178FT

20FT

0 LG2071

UTM X

707.148.58 4,265,172.48

UTM Y

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

0.5 MI N OF EUREKA ON GRAVEL RD ON HWY B **REMARKS**:

S.W.L. (AFTER CASING):

50



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006685

WELL TYPE Private Well

DRILL DATE: 1940//

TOWNSHIP

RANGE SECTION

ELEVATION:

523FT

DRILL DEPTH: 118FT

0

0 LG2071

<u>UTM X</u>

<u>UTM Y</u>

DEPTH TO BED:

10FT

706,438.57 4,264,813.47

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

@ SE CORNER OF WYE ON HWY 66 @ EUREKA, OPPOSITE

DENNIS WELL

LOG ID:

WELL TYPE

025716

Stratigraphic test hole (oil & gas)

DRILL DATE:

1968/06/11

TOWNSHIP 0 RANGE

SECTION ELEVATION:

493FT

DRILL DEPTH:

480FT

0

UTM X

UTM Y

DEPTH TO BED:

120FT

000.05 4.00

742,929.05 4,298,415.62

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

#1-S DEWEY ADAMS; STRUCTURE TEST; GIVEN TO OWNER FOR

WATER WELL

LOG ID: 003091

WELL TYPE

Private Well

DRILL DATE:

1925/06/

TOWNSHIP

0

RANGE

SECTION

LG209

ELEVATION:

492FT

DRILL DEPTH:

267FT

0 LG209

UTM X

UTM Y

DEPTH TO BED:

95FT

742,881.05 4,298,400.62

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

 \underline{S} : N OF SPANISH LAKE ON RIVER BLUFFS, BELOW OLS GOVT.

QUARRY

LOG ID:

WELL TYPE

012510

Oil Well

DRILL DATE:

1953/10/

TOWNSHIP

RANGE S

SECTION

ELEVATION:

517FT

DRILL DEPTH:

1,148FT

0

0 LG210

DEPTH TO BED:

67FT

· ·

<u>UTM X</u> <u>UTM Y</u> 737,203.02 4,301,215.70

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

#1 WAUGH; LOGGED ALSO AS #12528 (70-127', 350-495' ONLY)

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013513

WELL TYPE Private Well

1955/05/18 **TOWNSHIP RANGE** DRILL DATE: **SECTION ELEVATION:**

0 0 LG225 **DRILL DEPTH:** 475FT

UTM X **UTMY** DEPTH TO BED: 245FT

744,088.07 4,299,827.62

521FT

ZONE 15

S.W.L. (BEFORE CASING): FT OLD WELL DEEPENED; 0.25 MI E OF KUHS WELL (#3515) **REMARKS**:

S.W.L. (AFTER CASING): 100

LOG ID: 000420

WELL TYPE Private Well

DRILL DATE: 1906/06/25 **TOWNSHIP RANGE SECTION ELEVATION:** 645FT

0 LG2453 0 DRILL DEPTH: 300FT

UTM X UTMY

DEPTH TO BED: 100FT 726,428.77 4,270,168.50 ZONE 15

S.W.L. (BEFORE CASING): REMARKS: 5/8 MI S OF KIRKWOOD

S.W.L. (AFTER CASING):

LOG ID: 003386

WELL TYPE Private Well

DRILL DATE: 1935/03/29 **TOWNSHIP RANGE SECTION ELEVATION:** 634FT

0 0 LG2502

DRILL DEPTH: 530FT UTM X UTM Y

DEPTH TO BED: 45FT 734,647.96 4,289,076.62 ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: #1 FEE, "NORMANDY" DR?

200 S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

WELL TYPE

210FT

Community Public Well 002874

1934/06/00 **TOWNSHIP RANGE SECTION DRILL DATE: ELEVATION:** 633FT

UTM X UTM Y DEPTH TO BED: 10FT 733.673.94 4,286,906.61

0

LG2508

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

0

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002736

WELL TYPE Oil Well

1923// DRILL DATE:

TOWNSHIP RANGE SECTION 0 LG2508

ELEVATION:

629FT

DRILL DEPTH: 3,070FT

UTM X

UTMY 4,287,901.62

733,516.95 ZONE 15

S.W.L. (BEFORE CASING):

DEPTH TO BED:

#18 BELLEAIRE ACRES REMARKS:

0

S.W.L. (AFTER CASING):

LOG ID: 024553

WELL TYPE

WATER TEST WELL (HOLE)

300FT

DRILL DATE:

1966/11/07

TOWNSHIP

RANGE SECTION **ELEVATION:**

436FT

DRILL DEPTH:

116FT

0 LG2660 0

UTM X

UTMY

DEPTH TO BED:

721,449.96

4,295,595.78

ZONE 15

S.W.L. (BEFORE CASING):

RIVER PROFILE STUDY REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 008386

WELL TYPE Private Well

DRILL DATE:

1943/09/

TOWNSHIP 0

RANGE SECTION **ELEVATION:**

554FT

DRILL DEPTH:

304FT

LG2689 0

> UTM X UTM Y

DEPTH TO BED:

43FT

106

735,896.00 4,292,914.65

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 0.25 MI N OF CHAMBERS RD ON LANE AVE; "COULDN'T LOCATE"

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

003589

Industrial High Capacity Well

DRILL DATE:

1936/04/

TOWNSHIP

RANGE SECTION **ELEVATION:**

513FT

DRILL DEPTH:

805FT

0

0 LG2689

UTM Y

DEPTH TO BED:

142FT

UTM X 734.805.98

4,291,592.64

ZONE 15

S.W.L. (BEFORE CASING):

FT

WATER MINERLIZED; IN FERGUSON **REMARKS**:

S.W.L. (AFTER CASING):

75



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004643

WELL TYPE Private Well

1937/12/ DRILL DATE:

TOWNSHIP RANGE

0

REMARKS:

SECTION

ELEVATION:

540FT

DRILL DEPTH:

345FT

LG2699

UTM X

UTMY

DEPTH TO BED:

104FT

740,753.03

4,296,479.63

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 002746

WELL TYPE Private Well

DRILL DATE:

1933/08/

TOWNSHIP 0

RANGE

0

SECTION

ELEVATION:

618FT

DRILL DEPTH:

460FT

LG2759 0

UTM X

UTMY

DEPTH TO BED:

50FT

733,808.94

4,286,597.60

ZONE 15

S.W.L. (BEFORE CASING):

74 NORMANDY DR REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 004165

WELL TYPE

Private Well

DRILL DATE:

1936/11/

TOWNSHIP

RANGE 0

SECTION

ELEVATION:

652FT

DRILL DEPTH:

500FT

0

LG276

UTM X

DEPTH TO BED:

286FT

UTM Y 4,299,596.76

727,709.00 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 004366

WELL TYPE

Private Well

DRILL DATE:

1937/07/

TOWNSHIP

RANGE

SECTION

ELEVATION:

576FT

DRILL DEPTH:

540FT

0

0 LG276 UTM X

UTM Y

DEPTH TO BED:

100FT

728,373.00

4,299,684.75

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

800' E OF #1 (#4165); CHARBONNIER RD

3/1/2007

5,522



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025360

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1967/05/18 DRILL DATE:

365FT

145FT

TOWNSHIP RANGE 0

SECTION 0 LG2771

ELEVATION:

515FT

UTM X 738,652.02

UTMY 4,299,384.67

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

formerly in name of James A. Gambil - 6140 JANET LN, OLD

JAMESTOWN RD

LOG ID: 018332

WELL TYPE Private Well

DRILL DATE:

1959/02/12

TOWNSHIP

RANGE

SECTION

ELEVATION:

489FT

DRILL DEPTH:

DEPTH TO BED:

262FT 95FT

45

82

0 LG2771 0

UTM X

UTMY

738,783.02

4,299,848.68

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID:

009719

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1946/08/

485FT

DEPTH TO BED: 95FT

TOWNSHIP RANGE SECTION 0 0 LG2771

ELEVATION:

550FT UTM Y

UTM X

740,956.04 4,297,952.64

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: CEDAR TRAIL RANCH, 1000' NE OF HWY 99 ON PARKER RD ON

HILLSIDE

LOG ID: 005351

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1939//

445FT

50FT

130

TOWNSHIP 0

RANGE 0

SECTION LG2771

ELEVATION:

584FT

740,562.03

UTM X

UTM Y 4,298,215.64

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012859

WELL TYPE

Noncommunity Public Well

1954/07/ DRILL DATE:

TOWNSHIP RANGE SECTION 0 0

ELEVATION:

721,890.92

583FT

DRILL DEPTH:

382FT

LG282

UTM X **UTMY**

4,291,465.74

DEPTH TO BED: 130FT

REMARKS:

REMARKS:

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

150

LOG ID: **WELL TYPE** 011506 Private Well

DRILL DATE:

1951/01/

TOWNSHIP 0

RANGE SECTION **ELEVATION:**

506FT

DRILL DEPTH:

210FT

LG282 0

UTM X

UTMY

DEPTH TO BED:

70FT

721,666.93

4,292,605.75 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well

DRILL DATE:

1939/04/

TOWNSHIP

0

RANGE SECTION **ELEVATION:**

721,186.92

620FT

UTM Y

4,291,546.75

DRILL DEPTH:

005322

553FT

LG282 0

UTM X

DEPTH TO BED:

150FT

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

180

REMARKS:

1.5 MI S OF ST CHARLES RD, 0.5 MI W OF McKELVEY RD;

PLUGGED UP TO 510'

LOG ID:

WELL TYPE Private Well

006642

1940/12/08

TOWNSHIP RANGE

0

SECTION

ELEVATION:

490FT

DRILL DATE: DRILL DEPTH:

202FT

0 LG282

UTM X

UTM Y

DEPTH TO BED:

50FT

721.460.93

4,292,759.76

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

3408 LUCAS & HUNT RD, 0.5 MI SW OF ST CHARLES ROCK RD

S.W.L. (AFTER CASING):

65



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007338

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1941/10/

170FT

DEPTH TO BED: 57FT

S.W.L. (BEFORE CASING):

FT

REMARKS:

"can't locate" Lund 6/67 - ON LEMAY FERRY RD, 3.5 MI W OF

LINDBERGH, ACROSS FROM KMOX S.W.L. (AFTER CASING): 35

LOG ID: 003545

WELL TYPE

Private Well

DRILL DATE:

1936/03/02

TOWNSHIP

FT

FT

0

TOWNSHIP

0

RANGE

SECTION

SECTION

LG2968

ELEVATION:

ELEVATION:

UTM X

731,558.72

DRILL DEPTH: DEPTH TO BED: 357FT 10FT

LG2968 0

RANGE

0

UTM X

UTMY 731,536.72 4,260,757.33

437FT

UTMY

4,260,782.33

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

95

REMARKS:

LOG ID:

003549

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE

Private Well

DRILL DATE:

1936/03/16

215FT

5FT

150

TOWNSHIP 0

RANGE 0

SECTION LG2968

ELEVATION:

UTM X

UTM Y

731,533.72 4,260,810.33

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

LOG ID:

005500

WELL TYPE

Private Well

DRILL DATE:

1939/07/

TOWNSHIP 0

RANGE 0

SECTION

ELEVATION:

576FT

DRILL DEPTH: DEPTH TO BED: 157FT 40FT

55

LG2968

UTM X

UTM Y 4,261,561.34

731,302.73

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

ON HWY 61 NEAR MATTESE

3/1/2007

5,525



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024056

WELL TYPE Private Well

1965/03/04 DRILL DATE:

TOWNSHIP RANGE 0

SECTION

ELEVATION:

587FT

DRILL DEPTH:

280FT

LG2992

UTM X

UTMY

DEPTH TO BED:

40FT

729,776.73

4,263,741.39

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

100

LOG ID: 022971

WELL TYPE Private Well

DRILL DATE:

1964/07/22

TOWNSHIP 0

RANGE

0

SECTION LG2992

ELEVATION:

561FT

DRILL DEPTH:

250FT

0

UTM X

UTMY

DEPTH TO BED:

40FT

727,450.72

4,263,606.41

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

100

FT

0.25 MI N OF HWY 21 ON KELLER RD (#5496)

LOG ID: 011217

WELL TYPE Private Well

1947/10/

TOWNSHIP 0

RANGE 0

SECTION

ELEVATION:

573FT

DRILL DATE:

220FT

LG2992

DRILL DEPTH:

45FT

UTM X 729,687.73

ZONE 15

UTM Y 4,263,586.39

DEPTH TO BED:

50

FT

FT

0.5 MI N OF BUTLER HILL RD ON AMBS RD

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

011216 **DRILL DATE:** Private Well

1947/10/

TOWNSHIP

RANGE

SECTION

ELEVATION:

UTM X

729.879.74

535FT

DRILL DEPTH:

259FT

0

0 LG2992

UTM Y 4,263,886.40

DEPTH TO BED:

40FT

REMARKS:

REMARKS:

BUTLER HILL & AMBS ROADS

ZONE 15

75 S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011211

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1947/10/ DRILL DATE:

200FT

35FT

TOWNSHIP RANGE 0

SECTION 0 LG2992

ELEVATION:

556FT

UTM X 727,571.72

UTMY 4,263,458.41

ZONE 15

S.W.L. (BEFORE CASING):

ON BAVER RD **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 008625

WELL TYPE Private Well

DRILL DATE:

1944/07/19

TOWNSHIP

RANGE

SECTION

ELEVATION:

564FT

DRILL DEPTH: DEPTH TO BED: 287FT 40FT

0 0 LG2992

UTM X

ZONE 15

729,956.73

UTMY

4,263,259.38

S.W.L. (BEFORE CASING):

FT

REMARKS:

0.25 MI S OF WASHINGTON SCHOOL ON BUTLER HILL RD

S.W.L. (AFTER CASING): 80

LOG ID: 011220

WELL TYPE Private Well

DRILL DATE:

1947/10/

RANGE 0

SECTION

ELEVATION:

727,436.72

570FT

DRILL DEPTH:

190FT

0

TOWNSHIP

TOWNSHIP

0

LG2992

UTM X

ZONE 15

UTM Y 4,263,251.41

DEPTH TO BED:

45FT

60

FT

REMARKS: 2 MI N OF HWY ON BAVER RD

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 010654

WELL TYPE Private Well

DRILL DATE:

1947/04/

RANGE

SECTION

ELEVATION:

565FT

DRILL DEPTH:

DEPTH TO BED:

224FT 50FT

0 LG2992

UTM X 729.503.73

UTM Y 4,263,905.40

ZONE 15

S.W.L. (BEFORE CASING):

FT

0.25 MI N OF JCT OF BUTLER HILL RD & KERTH RD **REMARKS**:

S.W.L. (AFTER CASING): 50



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009717

DRILL DEPTH:

WELL TYPE Private Well

1946/11/16 DRILL DATE:

390FT

DEPTH TO BED: 40FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 130 **TOWNSHIP RANGE SECTION** 0 0

LG2992

ELEVATION:

600FT

UTM X 728,521.72

UTMY 4,263,270.40

ZONE 15

BUTLER HILL RD AND TESSON FERRY RD, 1000' EAST **REMARKS**:

WELL TYPE

LOG ID: 011453

Private Well

DRILL DATE: DRILL DEPTH: 1950/07/21

408FT

190

55FT

TOWNSHIP 0

RANGE 0

RANGE

0

AMBS RD AND BUTLER HILL RD

SECTION LG2992

ELEVATION:

625FT

UTMY

586FT

UTM Y

4,263,665.40

UTM X 728,196.73

ELEVATION:

UTM X

729,471.73

4,264,436.42

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 011210

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1947//

DRILL DEPTH:

263FT

40FT

75

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

003556 **DRILL DATE:**

DRILL DEPTH:

DEPTH TO BED:

1936/04/00

365FT

320FT

TOWNSHIP 0

TOWNSHIP

0

RANGE 0

SECTION LG2992

SECTION

LG2992

ELEVATION:

598FT

UTM X

729.856.73

UTM Y 4,263,161.38

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003702

WELL TYPE Private Well

1936/07/06 DRILL DATE:

TOWNSHIP 0

RANGE SECTION **ELEVATION:**

616FT

DRILL DEPTH:

370FT

LG2992

UTM X

UTMY

DEPTH TO BED:

35FT

124

728,796.73 4,263,937.41

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

100' S OF BUTLER HILL RD, DIRECTLY S OF LENZ WELL

S.W.L. (AFTER CASING):

LOG ID: 003563

WELL TYPE Private Well

DRILL DATE:

1936/03/27

TOWNSHIP

0

RANGE

0

SECTION

ELEVATION:

590FT

DRILL DEPTH:

203FT

LG2992 0

> **UTM X** 729,488.73

UTMY 4,263,523.39

DEPTH TO BED:

30FT

REMARKS: JUST W OF MICHAELS (#3556) ON SUTLER HILL RD

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

65

LOG ID: 003669

WELL TYPE Private Well

DRILL DATE:

1936/06/23

TOWNSHIP

0

RANGE

SECTION

ELEVATION:

612FT

DRILL DEPTH:

341FT

0 LG2992

UTM X

UTM Y

DEPTH TO BED:

30FT

75

728,667.72

4,263,125.39

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

DUG WELL TO 20', OLD WELL TO 50', @ MATTESE

LOG ID:

S.W.L. (AFTER CASING):

WELL TYPE Private Well

006172

1940//

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

594FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

243FT

30FT

65

0

LG2992

UTM X

UTM Y

729.249.72

4,262,523.38

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005902

DEPTH TO BED:

WELL TYPE Private Well

1939/10/10 DRILL DATE:

362FT 25FT

153

TOWNSHIP RANGE 0 0 LG2992

SECTION

ELEVATION:

582FT

DRILL DEPTH:

UTM X

729,197.72

UTMY 4,262,479.38

ZONE 15

S.W.L. (BEFORE CASING):

FT

PLUGGED BACK TO 330' TO SHUT OFF SALT WATER **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 003514

WELL TYPE Private Well

DRILL DATE:

1936/01/14

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

635FT

DRILL DEPTH:

341FT

LG2992 0

UTM X

UTMY

DEPTH TO BED: 110FT

728,331.73 4,263,932.41

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: JCT OF TESSON FERRY & BUTLER HILL RDS

S.W.L. (AFTER CASING):

125

LOG ID: 006389

WELL TYPE Private Well

DRILL DATE:

1940//

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

624FT

DRILL DEPTH:

270FT

0 LG2992

UTM X

UTM Y

DEPTH TO BED:

40FT

729,671.73

4,263,397.39

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: SW SD BUTLER HILL RD BETWEEN TESSON FERRY RD & HWY 61

S.W.L. (AFTER CASING):

LOG ID: 005156

WELL TYPE

Private Well

DRILL DATE:

1938/11/10

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

532FT

DRILL DEPTH:

DEPTH TO BED:

301FT

0 LG2993

UTM X UTM Y 735.054.79 4,265,956.37

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

50FT

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005103

WELL TYPE Private Well

1938/11/ DRILL DATE:

TOWNSHIP RANGE SECTION 0 0

ELEVATION:

541FT

DRILL DEPTH:

306FT

LG2993

UTM X

UTMY 4,265,919.37

DEPTH TO BED:

40FT

55

735,255.79

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS:

0.25 MI S OF REEVIS BARRACKS RD, ON TELEGRAPH RD 0.25 MI

W.

LOG ID: 005101

WELL TYPE Private Well

DRILL DATE:

1938/10/

TOWNSHIP

RANGE

SECTION

ELEVATION:

504FT

DRILL DEPTH:

324FT

0 LG2993 0

> **UTM X** 735,088.79

UTMY 4,266,596.38

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

235FT

290

REMARKS:

ZONE 15 OLD WELL DEEPENED 240-324'; 1 MI E OF HWY 61 ON REAVIS

BARRACKS RD

LOG ID: 008429

WELL TYPE Private Well

DRILL DATE:

1943/09/

TOWNSHIP 0

RANGE 0

SECTION LG2994

ELEVATION:

620FT

DRILL DEPTH:

75FT

UTM X

UTM Y

DEPTH TO BED:

45FT

731,440.77 4,266,985.42

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

1.5 MI W OF MEHLVILLE ON HWY 61 BY-PASS, N SD

S.W.L. (AFTER CASING):

LOG ID: 008603

WELL TYPE Private Well

DRILL DATE:

1944/07/19

TOWNSHIP

RANGE

SECTION

ELEVATION:

610FT

DRILL DEPTH:

143FT

0

0 LG2994 UTM X

731.614.77

UTM Y 4,266,865.41

DEPTH TO BED:

15FT

FT

REMARKS:

1.5 MI NW OF MEHLVILLE ON HWY 67

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 40



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010653

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1947/05/ DRILL DATE:

29

195FT

45FT

TOWNSHIP 0

RANGE 0

SECTION LG2994

ELEVATION:

UTM X

517FT

UTMY 4,267,182.41

732,670.78

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

KIMMSWICK, 9130 GREEN PARK RD, ACROSS FROM ALPHA

CEMENT PLANT

LOG ID: 010655

WELL TYPE Private Well

DRILL DATE:

1947/05/

TOWNSHIP

RANGE SECTION LG2994

ELEVATION:

558FT

DRILL DEPTH: DEPTH TO BED: 188FT 45FT

50

0 0

UTMY

UTM X 732,566.78

ZONE 15

ZONE 15

4,267,218.41

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

REMARKS: KIMMSWICK, GREEN PARK RD ACROSS FROM ALPHA CEMENT

PLANT

LOG ID: 005975

WELL TYPE Private Well

DRILL DATE:

1940//

TOWNSHIP 0

RANGE

SECTION LG2994

ELEVATION:

610FT

DRILL DEPTH:

126FT

0

UTM X 731,351.77

UTM Y 4,267,108.42

DEPTH TO BED:

40FT

55

REMARKS:

1.5 MI W OF MEHLVILLE ON HWY 77

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 006004

WELL TYPE Private Well

DRILL DATE:

1940//

TOWNSHIP 0

RANGE 0

SECTION

ELEVATION:

525FT

DRILL DEPTH:

DEPTH TO BED:

97FT

20FT

20

LG2994

UTM X

UTM Y

731.604.78

4,267,931.43

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

ON TESSON AND MUSIK RDS

3/1/2007

5,532



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005779

WELL TYPE Private Well

1939// DRILL DATE:

TOWNSHIP RANGE 0 0

ELEVATION:

570FT

DRILL DEPTH:

185FT

SECTION LG2994

UTM X **UTMY**

ZONE 15

ZONE 15

ZONE 15

ZONE 15

731,965.77

4,266,769.41

DEPTH TO BED: S.W.L. (BEFORE CASING):

30FT

1 MI NW OF MEHLVILLE ON HWY 77 **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 005812

WELL TYPE Private Well

DRILL DATE:

1939/11/

TOWNSHIP

RANGE

SECTION

ELEVATION:

598FT

DRILL DEPTH:

88FT

0 LG2994 0

> UTM X 731,379.77

UTMY 4,267,179.42

DEPTH TO BED:

35FT

40

FT

FT

REMARKS:

1.5 MI NW OF MCHLVILLE, 300' NE OF HWY 77

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 006294

WELL TYPE Private Well

DRILL DATE:

1940/07/

TOWNSHIP 0

RANGE 0

SECTION LG2994

ELEVATION:

584FT

DRILL DEPTH:

105FT

UTM X 731,530.77

UTM Y 4,267,245.42

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

35FT

35

REMARKS:

1.5 MI W OF MEHOVILLE ON HWY 77, 500' N OF HWY ON MILLER

RD

LOG ID:

005645

WELL TYPE Private Well

1939/10/

TOWNSHIP

RANGE

SECTION LG2994

ELEVATION:

580FT

DRILL DATE: DRILL DEPTH:

272FT

0

0

UTM X

731.674.78

UTM Y 4.267.473.42

DEPTH TO BED:

S.W.L. (BEFORE CASING):

FT

REMARKS:

0.25 MI N OF HWY 77, 2 MI W OF MEHLVILLE, ACROSS FROM

BRINKER WELL

S.W.L. (AFTER CASING): 100

3/1/2007

5,533



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005886

WELL TYPE Private Well

DRILL DATE: 1939//

.---

TOWNSHIP 0

RANGE SECTION

ELEVATION:

606FT

DRILL DEPTH:

DEPTH TO BED:

170FT 35FT 0 LG2994

<u>UTM X</u> 731,394.77 <u>UTM Y</u> 4,267,026.42

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 1 MI NW OF MEHLVILLE ON HWY 77

S.W.L. (AFTER CASING):

LOG ID: 006872

WELL TYPE Private Well

DRILL DATE:

1941//

TOWNSHIP

<u>RANGE</u>

SECTION

ELEVATION:

594FT

DRILL DEPTH:

110FT

0

0 LG2994

UTM X

<u>UTM Y</u> 4,267,240.42

DEPTH TO BED:

15FT

731,359.77

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NEAR MEHLVILLE

S.W.L. (AFTER CASING): 50

LOG ID: 007761

WELL TYPE

Industrial High Capacity Well

DRILL DATE:

1924//

TOWNSHIP 0 <u>RANGE</u>

SECTION LG2995 ELEVATION:

458FT

DRILL DEPTH:

1.214FT

0

<u>UTM X</u> 733,125.79

ZONE 15

<u>UTM Y</u> 4,268,058.41

DEPTH TO BED:

605FT

1924 WELL DEEPENED 605-1214' IN 1942

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

DRILL DATE:

1945/08/

45/08/

TOWNSHIP 0 **RANGE**

SECTION

ELEVATION:

732.854.78

509FT

DRILL DEPTH:

DEPTH TO BED:

127FT 40FT 0 LG2995

UTM X

<u>UTM Y</u> 4,267,155.41

ZONE 15

FT

REMARKS:

REMARKS:

@ KIMMSWICK, GREEN ROCK RD AND RR TRACKS ACROSS

FROM ALPHA CEMENT PLNT

S.W.L. (AFTER CASING): 35

S.W.L. (BEFORE CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010974

WELL TYPE

Community Public Well

DRILL DATE:

1949/09/02

TOWNSHIP 0

RANGE SECTION 0

ELEVATION:

424FT

DRILL DEPTH:

62FT

LG2999

UTM X

UTM Y

DEPTH TO BED:

716,985.70

4,269,496.56 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 010973

WELL TYPE

Community Public Well

DRILL DATE:

1949/07/25

TOWNSHIP

RANGE

SECTION

ELEVATION:

423FT

DRILL DEPTH:

63FT

0 0

LG2999

DEPTH TO BED:

UTM X 718,549.71

UTMY 4,269,623.56

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 270' N OF #2

S.W.L. (AFTER CASING):

LOG ID: 002713

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

470FT

DRILL DEPTH:

406FT

0 LG2999

UTM X

UTM Y

DEPTH TO BED:

30FT

WATER SLIGHTLY MINERALIZED

717,282.70 4,269,584.56

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 021412

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

488FT

DRILL DEPTH:

DEPTH TO BED:

400FT 55FT

0 LG3011

UTM X

UTM Y

722,300.69 4,264,640.48

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

85



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003009

WELL TYPE Private Well

1923/05/ DRILL DATE:

TOWNSHIP 0

RANGE SECTION **ELEVATION:**

531FT

DRILL DEPTH:

865FT

LG3011

UTM X 724,203.71

UTMY 4,264,715.46

DEPTH TO BED:

25FT

0

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

HIGH RIDGE, 1 MI SE OF FENTON - MOST OF LOG FROM

DRILLERS LOG

LOG ID: 003910

WELL TYPE Private Well

DRILL DATE:

1936/07/17

TOWNSHIP 0

RANGE SECTION **ELEVATION:**

421FT

DRILL DEPTH:

200FT

0

UTM X

UTMY

DEPTH TO BED:

180FT

LG3011

724,372.71 4,265,088.46 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: IN FENTON

S.W.L. (AFTER CASING):

LOG ID: 024851

WELL TYPE

INJECTION WELL (NAT GAS-PROPANE STORAGE)

TOWNSHIP

SECTION LG3023

ELEVATION:

553FT

DRILL DATE: DRILL DEPTH: 1966/06/20 1,472FT

0 0

RANGE

UTM X 737,245.03 UTM Y

DEPTH TO BED:

200FT

4,301,901.70

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 STOUDMIRE - INJECTION WELL

S.W.L. (AFTER CASING):

LOG ID: 013813

WELL TYPE Oil Well

1953//

TOWNSHIP

0

RANGE SECTION **ELEVATION:**

538FT

DRILL DATE: DRILL DEPTH:

0 LG3023

UTM X 737.013.03

UTM Y 4,302,218.71

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

#3 E. Lange; 12525 is complete log - see also logs #12584 and #13813

ZONE 15

(core)



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018045

WELL TYPE

INJECTION WELL (NAT GAS-PROPANE STORAGE)

DRILL DATE: <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u>

DRILL DEPTH: 0 0 LG3023

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u>
737,308.03 4,302,223.70

ZONE 15

573FT

S.W.L. (BEFORE CASING): REMARKS: #1-UGS RANDALL; NO SAMPLES LOGGED - SAMPLES IN

S.W.L. (AFTER CASING): WAREHOUSE

LOG ID:

DRILL DATE:

WELL TYPE

014457 Oil Well

1956/01/ <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 560FT

<u>DRILL DEPTH:</u> 1,070FT 0 0 LG3023

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 30FT 736,647.03 4,302,726.71

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: #2 BENTZEN - LACLEDE GAS CO

S.W.L. (AFTER CASING):

 LOG ID:
 WELL TYPE

 015700
 Oil Well

DRILL DATE: 1957// <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 528FT

<u>DRILL DEPTH:</u> 1,063FT 0 0 LG3023

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 49FT 736,684.03 4,303,018.71

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: formerly in name of Collins Brothers Oil Company

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

015430 Oil Well

<u>DRILL DATE:</u> 1956// <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 533FT

<u>DRILL DEPTH:</u> 1,070FT <u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 30FT 736,777.03 4,302,722.71

<u>PTH TO BED:</u> 30FT 736,777.03 4,302,72 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: formerly in name of Collins Brothers Oil Company

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017225

DEPTH TO BED:

WELL TYPE Oil Well

1958// DRILL DATE:

TOWNSHIP 0

RANGE SECTION 0

ELEVATION:

575FT

DRILL DEPTH: 450FT LG3023

UTM X UTMY 4,302,733.71

737,106.03 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

#2 BRINKMEYER - UPPER PART (DEEPENED, SEE #17357 FOR

COMPLETE LOG

LOG ID:

WELL TYPE

013429

INJECTION WELL (NAT GAS-PROPANE STORAGE)

DRILL DATE:

1955//

TOWNSHIP

RANGE SECTION **ELEVATION:**

542FT

DRILL DEPTH:

1,412FT

O

LG3023 0

UTM Y

DEPTH TO BED:

70FT

45FT

UTM X

736,730.03

4,302,687.71

S.W.L. (BEFORE CASING):

REMARKS: #1-UGS LANGE - GAS STORAGE WELL; P#MOS018912329

ZONE 15

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 013320

INJECTION WELL (NAT GAS-PROPANE STORAGE)

DRILL DATE:

1955//

TOWNSHIP

REMARKS:

RANGE 0

SECTION

ELEVATION:

521FT

DRILL DEPTH:

1.340FT

0

LG3023

UTM X

DEPTH TO BED:

90FT

UTM Y 4,303,204.71

736,747.03 ZONE 15

#1-UGS BRINKMEYER - "SAMPLES BADLY CONTAMINATED"

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016240

INJECTION WELL (NAT GAS-PROPANE STORAGE)

DRILL DATE:

1957/06/

TOWNSHIP

RANGE SECTION **ELEVATION:** 565FT

0

0 LG3023

DRILL DEPTH:

DEPTH TO BED:

1,472FT 95FT

UTM Y 4,302,548.71

736.585.03 ZONE 15

UTM X

S.W.L. (BEFORE CASING):

\$5-UGS LANGE **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012680

WELL TYPE

Injection Well (OIL FIELD)

DRILL DATE: 1954//

TOWNSHIP RANGE

<u>SECTION</u>

ELEVATION:

546FT

DRILL DEPTH:

864FT

0 LG3023

UTM X

ZONE 15

DEPTH TO BED: 30FT

736,825.03

<u>UTM Y</u> 4,302,323.71

S.W.L. (BEFORE CASING):

REMARKS:

#9 Lange - "salt water disposal", formerly in name of Rock Hill Oil

S.W.L. (AFTER CASING):

Company

0

0

LOG ID:

WELL TYPE

1954//

012574 Oil Well

TOWNSHIP

REMARKS:

RANGE SECTION

formerly in name of Collins Brothers

ELEVATION:

552FT

DRILL DEPTH:

DRILL DATE:

965FT

0 LG3023

<u>UTM X</u> 737,001.03 <u>UTM Y</u> 4,302,758.71

DEPTH TO BED:

35FT

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 012551

WELL TYPE
Oil Well

DRILL DATE:

1954//

TOWNSHIP

RANGE 0 **SECTION**

ELEVATION:

534FT

DRILL DEPTH:

1,033FT

0

LG3023

UTM X

UTM Y

DEPTH TO BED:

25FT

736,694.03 4,302,591.71

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

#1 BENTZEN & BARTEAU (formerly in name of Collins Brothers)

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

012550

Oil Well

DRILL DATE:

1954//

TOWNSHIP 0 RANGE 0 **SECTION**

ELEVATION:

565FT

DRILL DEPTH:

DEPTH TO BED:

1,046FT

65FT

LG3023

UTM X UTM Y

ZONE 15

736,882.03

4,302,415.71

S.W.L. (BEFORE CASING):

REMARKS:

#6 LANGE - formerly in name of Rock Hill Oil Company

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012507

DRILL DEPTH:

WELL TYPE Oil Well

1953/10/ DRILL DATE:

1,087FT

DEPTH TO BED: 40FT **TOWNSHIP RANGE SECTION** 0 0 LG3023

ELEVATION:

553FT

UTM X 737,378.03

UTMY 4,302,054.70

ZONE 15

S.W.L. (BEFORE CASING):

#1 R.J. SAMMELMAN - formerly in name of Collins Brothers

S.W.L. (AFTER CASING):

LOG ID: 012557

WELL TYPE Oil Well

DRILL DATE:

1954/01/

TOWNSHIP

TOWNSHIP

0

RANGE

SECTION

ELEVATION:

566FT

DRILL DEPTH:

1,023FT

0 LG3023 0

> **UTM X** 737,267.03

UTMY 4,302,133.70

DEPTH TO BED: 30FT

> #1 RANDOLL - formerly in name of Collins Brothers REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 012560

WELL TYPE Oil Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1.025FT

25FT

SECTION

LG3023

UTM X

ELEVATION:

UTM Y

517FT

737,172.03 4,301,829.70

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS**: #1 STOUDMIRE - formerly Laclede Gas Company

S.W.L. (AFTER CASING):

LOG ID: 012509

WELL TYPE Oil Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1953/10/

30FT

1,095FT

TOWNSHIP 0

RANGE 0

RANGE

0

SECTION LG3023

ELEVATION:

507FT

UTM X

UTM Y

736,343.02 4,301,377.71

ZONE 15

REMARKS: #1 DIECKMAN - formerly in name of Tipps

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012553

DRILL DEPTH:

WELL TYPE Oil Well

1953// DRILL DATE:

995FT

DEPTH TO BED: 35FT **TOWNSHIP RANGE SECTION** 0 0 LG3023

ELEVATION:

499FT

UTM X 736,812.02

UTMY 4,301,556.70

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 BUMB - formerly in name of Collins Brothers

S.W.L. (AFTER CASING):

LOG ID: 012486

WELL TYPE Oil Well

DRILL DATE:

1953/12/

TOWNSHIP 0

RANGE

RANGE

0

SECTION

ELEVATION:

529FT

DRILL DEPTH: DEPTH TO BED: 1,025FT 60FT 0

LG3023

UTM X

UTMY

737,229.03

4,301,697.70

511FT

UTM Y

4,302,746.71

ELEVATION:

UTM X

736,573.03

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 CLARK - formerly in name of Grabol Contracting Company

SECTION

LG3023

S.W.L. (AFTER CASING):

LOG ID: 011788

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1951//

255FT

31FT

100

S.W.L. (BEFORE CASING):

FT

REMARKS: HWY 140 & SINK RD

TOWNSHIP

0

S.W.L. (AFTER CASING):

LOG ID: 007473

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1941//

360FT 85FT **TOWNSHIP** 0

RANGE 0

SECTION LG3023

ELEVATION:

524FT

UTM X

UTM Y

736.365.03

4,303,006.72

ZONE 15

ZONE 15

FT

REMARKS:

ON OLD JAMESTOWN RD, ABT 1 MI W OF SINKS RD

S.W.L. (AFTER CASING): 40

S.W.L. (BEFORE CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012503

DRILL DEPTH:

WELL TYPE Oil Well

1953/10/ DRILL DATE:

1,000FT

DEPTH TO BED: 55FT **TOWNSHIP RANGE SECTION** 0 0 LG3023

ELEVATION:

549FT

UTM X 737,153.03

UTMY 4,302,371.71

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: formerly in name of Grabol Contracting Company

S.W.L. (AFTER CASING):

LOG ID: 012584

WELL TYPE Oil Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1953//

3,234FT 100FT

TOWNSHIP RANGE 0

SECTION LG3023

SECTION

LG3023

ELEVATION:

585FT

557FT

UTM Y

4,302,484.71

UTM X

UTMY

737,086.03

ELEVATION:

UTM X

736,841.03

4,302,155.71 ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

0

TOWNSHIP

#4 LANGE

0

#3 E. Lange; 12525 is complete log - see also logs #12584 and #13813

(core) - discover well

RANGE

0

LOG ID: 012489

WELL TYPE Oil Well

DRILL DATE:

DRILL DEPTH:

1953//

1,010FT

DEPTH TO BED:

230FT

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 012490

WELL TYPE Oil Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1953/10/

1,015FT 30FT

TOWNSHIP 0

RANGE 0

SECTION LG3023

ELEVATION:

525FT

UTM X

UTM Y

736.894.03

4,303,086.71

ZONE 15

formerly in name of Paul Townes **REMARKS:**

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012527

WELL TYPE Oil Well

DRILL DATE: 1953//

4 00EET

TOWNSHIP 0 RANGE SECTION

ELEVATION:

523FT

DRILL DEPTH:

1,025FT

LG3023

<u>UTM X</u> 736,425.03 <u>UTM Y</u> 4,302,117.71

DEPTH TO BED: 50FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: #5 LANGE

ZONE 15

LOG ID:

WELL TYPE Oil Well

012491DRILL DATE:

1953/10/

TOWNSHIP 0 <u>RANGE</u>

0

SECTION ELEVATION:

509FT

DRILL DEPTH:

1,089FT

0 LG3023

UTM X

UTM Y

DEPTH TO BED:

70FT

737,002.02

4,301,341.70

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 KOESTER - formerly in name of Graybol Contracting Company

ZOINE 13

S.W.L. (AFTER CASING):

LOG ID: 012492

WELL TYPE Oil Well

DRILL DATE:

1953/10/

<u>TOWNSHIP</u>

RANGE 0 **SECTION**

ELEVATION:

548FT

DRILL DEPTH:

1,080FT

0

LG3023

UTM X

UTM Y

DEPTH TO BED:

30FT

736,931.03 4,302,135.71

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S: #1 G.N. KUECHLER - formerly in name of Collins Brothers Oil Company

S.W.L. (AFTER CASING):

LOG ID: 012562

WELL TYPE Oil Well

DRILL DATE:

1954//

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

558FT

DRILL DEPTH:

1,059FT

0

LG3023

DEPTH TO BED:

30FT

<u>UTM X</u> 737.130.03 <u>UTM Y</u> 4,302,415.71

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

#1 Uhlig, Harding & Erwin - formerly in name of Collins Brothers Oil

Company



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026025

WELL TYPE Private Well

1967/12/20 DRILL DATE:

TOWNSHIP 0

SECTION

ELEVATION:

550FT

DRILL DEPTH: 420FT **RANGE** 0 LG3065

> UTM X **UTMY** 4,261,969.39

726,785.70

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

0.25 MI FROM KELLER RD ON ACORD DRIVE **REMARKS**:

S.W.L. (AFTER CASING): 150

LOG ID: 020823

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1962/03/15

100FT

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

418FT

DRILL DEPTH:

95FT

LG3065 0

> **UTM X** 726,254.70

> > ZONE 15

UTMY 4,262,104.40

DEPTH TO BED:

30FT

27

REMARKS:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 007765

WELL TYPE Private Well

DRILL DATE:

1942//

190FT

TOWNSHIP RANGE SECTION 0 LG3065

ELEVATION:

575FT

DRILL DEPTH: DEPTH TO BED:

35FT

125

UTM X UTM Y

726,699.70 4,262,168.40 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 0.25 MI N OF HAGEMAN SCHOOL ON HAGEMAN RD

S.W.L. (AFTER CASING):

LOG ID: 007762

WELL TYPE Private Well

DRILL DATE:

1942//

TOWNSHIP 0

0

RANGE

SECTION

ELEVATION:

522FT

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

167FT

35FT

0

LG3065

UTM X

UTM Y

726.771.71

4,262,337.40

ZONE 15

SW NE ?: 0.5 MI N OF HAGEMAN SCHOOL ON BUTLER HILL RD, W

REMARKS:

FT

90

SD HWY 21



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006111

WELL TYPE Private Well

DRILL DATE: 1940/03/16

..---

0 0 LG3069

ELEVATION:

528FT

DRILL DEPTH: 145FT

<u>UTM X</u>

<u>UTM Y</u>

DEPTH TO BED: 60FT

RANGE

723,648.91

91 4,289,041.71 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: @ MARYLAND HEIGHTS ON FEE FEE RD & MIDLAND AVE.

SECTION

S.W.L. (AFTER CASING): 40

LOG ID: 003764

WELL TYPE Private Well

DRILL DATE:

1936/07/28

TOWNSHIP

TOWNSHIP

RANGE SECTION

ELEVATION:

722,963.91

505FT

DRILL DEPTH:

DEPTH TO BED:

137FT

54

0 0 LG3069

UTM X

<u>UTM Y</u> 4,289,372.72

65FT

FT

REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 024163

WELL TYPE

Private Well

DRILL DATE:

1966/02/07

TOWNSHIP RA

RANGE

SECTION

ELEVATION:

591FT

DRILL DEPTH:

520FT

0

0 LG3082

UTM X

UTM Y

DEPTH TO BED:

95FT

733,331.95 4,288,732.63

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 024262

WELL TYPE

262

Private Well

DRILL DATE:

1966/05/04

<u>TOWNSHIP</u>

0

RANGE

SECTION

ELEVATION:

521FT

DRILL DEPTH:

DEPTH TO BED:

145FT

95FT

0 LG3097

..--...

<u>UTM X</u> <u>UTM Y</u> 743,313.06 4,299,215.62

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025710

WELL TYPE

Stratigraphic test hole (oil & gas)

<u>DRILL DATE:</u> 1968/07/17

900/07/17

TOWNSHIP RA

0

RANGE SECTION

ELEVATION:

492FT

DRILL DEPTH:

375FT

0 LG3097

UTM X

<u>UTM Y</u>

DEPTH TO BED:

215FT

742,580.05 4,299,729.63

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

KS: #1-S E. TIGGEMANN; STRUCTURE TEST, GIVEN TO OWNER FOR

WATER WELL

LOG ID: 012545

WELL TYPE
Oil Well

DRILL DATE:

1954//

TOWNSHIP 0 RANGE SECTION

ELEVATION:

487FT

DRILL DEPTH:

1,200FT

0 LG3097

UTM X

UTM Y

DEPTH TO BED:

40FT

0 10000

743,511.06

4,299,070.62

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 McNALLY

S.W.L. (AFTER CASING):

LOG ID: 005848

WELL TYPE Private Well

DRILL DATE:

1939//

TOWNSHIP 0 <u>RANGE</u>

SECTION

ELEVATION:

532FT

DRILL DEPTH:

280FT

0 LG3097

<u>UTM X</u> 743,440.06 <u>UTM Y</u>

DEPTH TO BED:

80FT

4,299,361.62

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: N SD SPANISH POND RD, 1.5 MI E OF BELLEFONTAINE RD

S.W.L. (AFTER CASING):

LOG ID: 007978

WELL TYPE Private Well

DRILL DATE:

1942//

TOWNSHIP

RANGE

SECTION

ELEVATION:

537FT

DRILL DEPTH:

107211

0

0 LG3102

.

UTM Y

4,264,352.37

DEPTH TO BED:

231FT 25FT

<u>UTM X</u> 733.743.76

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: ON FORDER RD, 0.5 MI FROM TELEGRAPH RD

S.W.L. (AFTER CASING): 60



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007981

WELL TYPE Private Well

DRILL DATE: 1942/05/18

<u>TOWNSHIP</u> <u>RANGE</u> 0 0 <u>SECTION</u>

ELEVATION:

543FT

DRILL DEPTH:

235FT

0 LG3102

UTM X

<u>UTM Y</u>

DEPTH TO BED:

35FT

734,337.76

4,263,396.35

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: ON FOODER RD, 0.5 MI FROM TELEGRAPH RD

S.W.L. (AFTER CASING):

<u>SING):</u> 110

LOG ID: 005661

WELL TYPE Private Well

DRILL DATE:

1939/09/13

TOWNSHIP 0 RANGE SECTION

ELEVATION:

535FT

DRILL DEPTH:

215FT

0 LG3102

UTM X

UTM Y

DEPTH TO BED:

20FT

734,620.78

4,265,562.37

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

35

WELL TYPE

004454 Private Well

DRILL DATE:

LOG ID:

1937//

. . . .

<u>TOWNSHIP</u>

<u>RANGE</u>

SECTION

ELEVATION:

560FT

DRILL DEPTH:

300FT

0 0 LG3102

UTM X

UTM Y

DEPTH TO BED:

50FT

0.75 MI SE OF MEHLVILLE, E OF HWY 61

732,824.76

4,264,471.38

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

005029

Private Well

DRILL DATE:

1938//

TOWNSHIP

RANGE

SECTION

ELEVATION:

514FT

DRILL DEPTH:

0

0 LG3102

UTM X

734.003.77

UTM Y

DEPTH TO BED:

131FT 25FT

4,265,364.38

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 0.5 MI N OF MEHLVILLE

S.W.L. (AFTER CASING): 50



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002335

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Oil Well

1931// DRILL DATE:

1,200FT

150FT

TOWNSHIP RANGE SECTION 0 0

LG3102

ELEVATION:

568FT

UTM X

UTMY 4,265,578.38

734,215.78

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

80

FT

#1 SCHMALTZ - DRY OIL TEST **REMARKS**:

LOG ID: 006484

WELL TYPE Private Well

DRILL DATE:

1940//

TOWNSHIP

TOWNSHIP

RANGE

SECTION

SECTION

ELEVATION:

602FT

DRILL DEPTH:

223FT

0 LG3102 0

UTM X

UTMY

DEPTH TO BED: 30FT 732,550.76

4,264,848.38 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

60

FT

REMARKS:

REMARKS:

0.5 MI E OF TESSON RD ON HWY 77

LOG ID:

005036

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1938/09/25

525FT

15FT

0 0 LG3102

0.25 MI S OF MEHLVILLE ON HWY 61

RANGE

UTM X

ELEVATION:

UTM Y

571FT

732,643.76 4,264,701.38

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 006390

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1940//

324FT

45FT

60

TOWNSHIP 0

RANGE 0

SECTION LG3102

ELEVATION:

595FT

UTM X 734.453.77

UTM Y 4,264,890.37

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

NW COR OF SAPPINGTON BARRACKS RD AND LINDBERGH BLVD,

1 MI SE OF MELSVI



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003777

WELL TYPE Private Well

1936/09/21 DRILL DATE:

TOWNSHIP

SECTION

ELEVATION:

554FT

DRILL DEPTH:

DEPTH TO BED:

237FT 11FT

48

LG3102

UTM X UTMY

734,601.78

4,265,303.37

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

ON BUCKLEY RD, 0.25 MI N OF SAPPINGTON-BARRACKS STA. RD **REMARKS**:

0

S.W.L. (AFTER CASING):

WELL TYPE Private Well

005010 DRILL DATE:

LOG ID:

1938//

TOWNSHIP 0

RANGE

RANGE

0

SECTION

ELEVATION:

492FT

DRILL DEPTH:

395FT

LG3102 0

UTM X 735,058.76

UTMY 4,262,898.33

DEPTH TO BED:

20FT

45

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS: FORDER & TELEGRAPH RD

LOG ID: 006873

WELL TYPE Private Well

DRILL DATE:

1941//

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

583FT

DRILL DEPTH:

202FT

0 LG3102

UTM X 734,292.77 UTM Y

DEPTH TO BED:

35FT

28

4,264,871.37

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

1 MI E OF MEHLVILLE ON SAPPINGTON RD

LOG ID:

S.W.L. (AFTER CASING):

008791

WELL TYPE Private Well

DRILL DATE:

1944//

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

615FT

DRILL DEPTH:

DEPTH TO BED:

465FT

40FT

0 LG3111

UTM X

ZONE 15

728.746.74

UTM Y 4.265.223.42

S.W.L. (BEFORE CASING):

REMARKS:

NO SALT WATER: 200 YDS W OF JCT KENNERLY RD & HWY 21

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006089

WELL TYPE Private Well

1940/04/ DRILL DATE:

TOWNSHIP 0

SECTION

ELEVATION:

638FT

DRILL DEPTH:

DEPTH TO BED:

402FT 90FT LG3111

UTM X 727,978.74

UTMY 4,265,432.43

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: KENNERLY ACRES

S.W.L. (AFTER CASING):

200

LOG ID: 007029

WELL TYPE Private Well

DRILL DATE:

1941//

TOWNSHIP

RANGE

RANGE

0

SECTION

ELEVATION:

598FT

DRILL DEPTH:

150FT

0 LG3112 0

> **UTM X** 728,561.75

> > ZONE 15

ZONE 15

UTMY 4,266,417.44

DEPTH TO BED:

40FT

25

FT

FT

REMARKS:

formerly in name of A.W. Lepper - 10465 SAPPINGTON LANE

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

003517 **DRILL DATE:**

1935/12/20

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

555FT

DRILL DEPTH:

305FT

0 LG3116

UTM X 724,982.73

UTM Y 4,267,325.48

DEPTH TO BED:

10FT

REMARKS: 150' E OF #1

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

105

LOG ID: 003487

WELL TYPE Private Well

DRILL DATE:

1935/10/

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

555FT

DRILL DEPTH:

DEPTH TO BED:

493FT

25FT

0 LG3116

UTM X UTM Y

724.866.73 ZONE 15

4,267,286.48

S.W.L. (BEFORE CASING):

FT

REMARKS:

WATER BELOW 300' MINERALIZED-SALINE; NEAR FENTON;

PLUGGED BACK TO 305'

S.W.L. (AFTER CASING): 185



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004049

WELL TYPE Private Well

1936/12/30 DRILL DATE:

TOWNSHIP 0

SECTION

ELEVATION:

487FT

DRILL DEPTH:

265FT

LG3119

UTM X

UTMY 4,263,321.33

735,548.77 ZONE 15

S.W.L. (BEFORE CASING):

DEPTH TO BED:

25FT

85

REMARKS:

S.W.L. (AFTER CASING):

FT

LOG ID: 024930

WELL TYPE Private Well

DRILL DATE:

1966/09/14

TOWNSHIP 0

RANGE SECTION **ELEVATION:**

502FT

DRILL DEPTH:

105FT

LG329 0

RANGE

0

UTM X

UTMY

DEPTH TO BED:

60FT

743,885.06

4,299,313.61

ZONE 15

S.W.L. (BEFORE CASING):

NEAR SPANISH LAKE REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 025186

WELL TYPE Private Well

DRILL DATE: 1967/10/

TOWNSHIP RANGE SECTION 0

LG329

ELEVATION:

510FT

DRILL DEPTH:

130FT

0

UTM X 743,949.06

ZONE 15

UTM Y 4,299,275.61

DEPTH TO BED:

80FT

75

FT

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 024951

WELL TYPE Private Well

DRILL DATE:

1966/08/30

TOWNSHIP

RANGE 0

SECTION

ELEVATION:

492FT

DRILL DEPTH:

205FT

0

LG329

UTM X

UTM Y

DEPTH TO BED:

60FT

743,708.06

4,299,415.62

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

5,551 3/1/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025712

DEPTH TO BED:

WELL TYPE

Stratigraphic test hole (oil & gas)

40FT

1968/07/02 DRILL DATE:

TOWNSHIP RANGE 0 0

ELEVATION:

DRILL DEPTH: 465FT **SECTION** LG329

UTM X **UTMY**

744,070.07 4,299,469.61

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

#1-S A. WEBER- STRUCTURE TEST; GIVEN TO OWNER FOR

WATER WELL

LOG ID: 017955

WELL TYPE

Private Well

DRILL DATE:

1958/11/04

TOWNSHIP

0

RANGE SECTION **ELEVATION:**

522FT

483FT

DRILL DEPTH:

395FT

LG329 0

UTM X

UTMY

DEPTH TO BED:

70FT

270

744,260.07

4,299,453.61

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 003500

WELL TYPE

Private Well

DRILL DATE:

1935/12/11

TOWNSHIP

0

RANGE

SECTION LG329

ELEVATION:

514FT

DRILL DEPTH:

165FT

0

UTM X

UTM Y

DEPTH TO BED:

72FT

743,929.06

4,299,213.61

S.W.L. (BEFORE CASING):

REMARKS: 500' N OF VRAIN RD, 500' E OF SPANISH LAKE RD

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

017230

Stratigraphic test hole (oil & gas)

DRILL DATE:

1958//

TOWNSHIP

0

RANGE 0

SECTION

ELEVATION:

534FT

DRILL DEPTH:

DEPTH TO BED:

515FT

145FT

LG338

UTM X

UTM Y 733.481.02 4,301,793.73

ZONE 15

S.W.L. (BEFORE CASING):

#1-S M. JACOBSMEYER **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008478

WELL TYPE Private Well

1943/09/ DRILL DATE:

TOWNSHIP RANGE SECTION 0 0 LG357

ELEVATION:

548FT

DRILL DEPTH: DEPTH TO BED: 325FT 40FT

31

UTM X **UTMY**

724,427.89

4,286,349.67

ZONE 15

S.W.L. (BEFORE CASING):

FT

ON LACKLAND RD, 1 MI W OF LINDBERGH **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 010598

WELL TYPE Private Well

DRILL DATE:

1948/09/12

TOWNSHIP 0

RANGE SECTION **ELEVATION:**

555FT

DRILL DEPTH:

285FT

LG357 0

UTM X

UTMY

DEPTH TO BED:

55FT

723,859.89

4,286,005.68

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

60

REMARKS: 2.5 MI N OF OLIVE ST ON SCHEUTS RD

S.W.L. (AFTER CASING):

LOG ID: 003573

WELL TYPE Private Well

DRILL DATE:

1936/04/00

TOWNSHIP 0

RANGE SECTION LG357

ELEVATION:

583FT

DRILL DEPTH:

210FT

0

UTM X 724,572.88

UTM Y 4,285,309.66

DEPTH TO BED:

80FT

75

REMARKS:

ZONE 15 0.25 MI NE OF SCHUETZ RD, 0.98 MI W OF JCT WITH HWY 77

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 025364

WELL TYPE Private Well

DRILL DATE:

1967/05/26

TOWNSHIP 0

RANGE

SECTION LG358

ELEVATION:

506FT

DRILL DEPTH:

DEPTH TO BED:

140FT 45FT

0

UTM X UTM Y

723.783.89 4,286,815.68

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

BOWLING GREEN ST

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025256

DEPTH TO BED:

WELL TYPE Private Well

1967/02/25 DRILL DATE:

45FT

TOWNSHIP 0

SECTION

ELEVATION:

526FT

DRILL DEPTH: 305FT **RANGE** 0 LG358

UTM X

UTMY 4,286,875.68

723,999.89

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

MARYLAND HEIGHTS, ON FT MIMS RD, OFF OF PAGE AVE.

S.W.L. (AFTER CASING): 20

LOG ID: 024858

WELL TYPE

INJECTION WELL (NAT GAS-PROPANE STORAGE)

DRILL DATE:

1967/03/

TOWNSHIP

RANGE SECTION **ELEVATION:**

563FT

DRILL DEPTH:

1,713FT

0

LG360 0

UTM X

DEPTH TO BED: 60FT

S.W.L. (AFTER CASING):

UTMY

737,752.03 4,302,150.70 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

#2-UGS WOLF - OLD WELL (#12552) DEEPENED; THIS IS

COMPLETE

LOG ID: 025475

WELL TYPE

Private Well

DRILL DATE:

1967/07/19

TOWNSHIP

0

REMARKS:

RANGE

15745 OLD JAMESTOWN RD

SECTION

ELEVATION:

552FT

DRILL DEPTH:

230FT

0 LG360

UTM X 738,539.03

UTM Y 4,301,914.69

DEPTH TO BED:

105FT

80

FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

012528

Oil Well

DRILL DATE:

1953/10/

TOWNSHIP

RANGE

SECTION LG360

ELEVATION:

517FT

DRILL DEPTH:

1,148FT

0

0

DEPTH TO BED:

67FT

UTM X 737.823.03

UTM Y 4,302,296.70

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

#1 WAUGH; LOGGED ALSO AS #12510 (70-127', 350-495' ONLY) **REMARKS**:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018047

WELL TYPE

Stratigraphic test hole (oil & gas)

DRILL DATE:

TOWNSHIP 0

SECTION

ELEVATION:

558FT

DRILL DEPTH:

RANGE 0 LG360

UTM X 738,187.02

UTMY 4,300,854.69

DEPTH TO BED:

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

#1-S P. MUELLER; NO SAMPLES LOGGED - SAMPLES IN SHOE

BOX IN WAREHOUSE

LOG ID: 021187

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP 0

RANGE

SECTION ELEVATION: 553FT

DRILL DEPTH:

350FT

LG360 0

UTM X

UTMY

DEPTH TO BED:

75FT

738,563.03

ZONE 15

4,301,981.69

MANY MISSING SAMPLES

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

017061

Stratigraphic test hole (oil & gas)

DRILL DATE:

1958//

TOWNSHIP

RANGE

SECTION

ELEVATION:

577FT

DRILL DEPTH:

480FT

0

0

UTM Y

DEPTH TO BED:

45FT

LG360

UTM X 738,441.03

4,302,358.70

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1-S WOLFF - STRATIGRAPHIC TEST

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

012552

INJECTION WELL (NAT GAS-PROPANE STORAGE)

DRILL DATE:

1954//

TOWNSHIP

RANGE

SECTION

ELEVATION:

563FT

0

0

DRILL DEPTH:

DEPTH TO BED:

1,035FT 60FT LG360

UTM X UTM Y 737.773.03 4,302,217.70

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

#2 WOLF - OLD ROCK HILL WELL - DEEPENED 1967 (#24858) TO

1713'



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012559

DRILL DEPTH:

WELL TYPE Oil Well

DRILL DATE: 1954// TOWNSHIP RANGE SECTION ELEVATION: 525FT

1,024FT 0 0 LG360

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 35FT 737,601.03 4,301,792.70

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: #2 SAMMELMAN - DIECKMAN COMMUNITY

S.W.L. (AFTER CASING):

LOG ID: 010602

WELL TYPE Private Well

DRILL DATE: 1948/10/ TOWNSHIP RANGE SECTION ELEVATION: 557FT

DRILL DEPTH: 0 0 LG360

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 35FT 737,959.03 4,301,791.70

S.W.L. (BEFORE CASING): FT PEMARKS A CT O OF CURRINGOLOGICAL OF US OF CURRINGOLOGICAL CONTROL OF US OF CURRINGOLOGICA CONTROL OF US OF CURRINGOLOGICAL CONTROL OF US OF CURRINGOLOGICA CONTROL OF US O

REMARKS: LOT 6 OF SUBDIVISION OF US SURVEY #360

REMARKS:

S.W.L. (AFTER CASING): 100

LOG ID:

WELL TYPE

017851 Stratigraphic test hole (oil & gas)

<u>DRILL DATE:</u> 1958// <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 541FT

<u>DRILL DEPTH:</u> 465FT 0 LG361

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 95FT 735,375.03 4,304,241.73

#2-S HARDESTY DEV. CO.; STRUCTURE TEST

LG361

S.W.L. (BEFORE CASING):

•

S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

WELL TYPE

017856 Stratigraphic test hole (oil & gas)

450FT

<u>DRILL DATE:</u> <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u> 554FT

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 135FT 735,387.03 4,304,716.74

0

ZONE 15

0

S.W.L. (BEFORE CASING): REMARKS: #4-S HARDESTY DEV. CO.; STRUCTURE TEST; SEC. 31-36??, RG.

S.W.L. (AFTER CASING): 6 OR 7



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012487

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Monitoring Well

1,635FT

205FT

1,205FT

87FT

TOWNSHIP RANGE DRILL DATE: **SECTION ELEVATION:**

> 0 0 LG361

> > UTM X **UTMY**

735,490.03 4,303,570.73

485FT

556FT

ZONE 15

S.W.L. (BEFORE CASING):

#2 BRISCOE; "OBSERVATION WELL" **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 012501

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Oil Well

DRILL DATE: 1953/10/

TOWNSHIP RANGE SECTION 0

LG361 0

> **UTM X UTMY**

734,918.03 4,303,651.73

ZONE 15

ELEVATION:

S.W.L. (BEFORE CASING):

#1 RICHARD BELL REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 013263

WELL TYPE Private Well

DRILL DATE: 1954/08/08

TOWNSHIP RANGE SECTION 0 0

ELEVATION: 570FT

DRILL DEPTH: 630FT LG365 UTM X

DEPTH TO BED: 20FT 717,776.81 4,281,070.68 ZONE 15

UTM Y

S.W.L. (BEFORE CASING):

FT

150

REMARKS: NW CORNER OF JCT BABLER & CONWAY RDS

S.W.L. (AFTER CASING):

LOG ID: 005366

WELL TYPE Private Well

DRILL DATE: 1939// **TOWNSHIP RANGE SECTION** 0 0 LG365

ELEVATION: 512FT

DRILL DEPTH: 392FT

UTM X UTM Y

DEPTH TO BED: 50FT 717.834.81 4,280,591.67

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: formerly in name of Lawrence

S.W.L. (AFTER CASING): 20



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024537

WELL TYPE

WATER TEST WELL (HOLE)

25

DRILL DATE: 1966/11/07 **TOWNSHIP RANGE SECTION** 0 0 LG368

ELEVATION: 464FT

DRILL DEPTH: 46FT

UTM X **UTMY**

DEPTH TO BED:

0

702,849.73

ELEVATION:

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: MO RIVER PROFILE STUDY

S.W.L. (AFTER CASING):

LOG ID: 021196

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

TOWNSHIP RANGE SECTION

593FT

4,282,985.75

DRILL DEPTH: 350FT

LG369 0

UTM X UTMY

716,522.80 4,280,210.67

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

LOG ID:

WELL TYPE

Private Well 017957

DRILL DATE: 1958/11/10

TOWNSHIP RANGE SECTION 0

ELEVATION: 628FT

DRILL DEPTH:

475FT

165

25FT

0 LG369

UTM X UTM Y

DEPTH TO BED: 25FT 716,234.78 4,279,156.66

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 1 MI N OF CLAYTON RD ON HWY 141

S.W.L. (AFTER CASING):

LOG ID: 007429

WELL TYPE

Private Well

1941/10/14 **DRILL DATE:**

TOWNSHIP RANGE SECTION 0 0 LG369

ELEVATION: 610FT

DRILL DEPTH:

DEPTH TO BED:

412FT 25FT

UTM X UTM Y

716.469.79

4,279,823.67

ZONE 15

S.W.L. (BEFORE CASING):

FT

ON WOODS MILL RDS 0.5 MI S OF DANIEL BOONE HWY (40) **REMARKS:**

S.W.L. (AFTER CASING): 145



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004335

DRILL DEPTH:

WELL TYPE Private Well

1937// DRILL DATE:

473FT

DEPTH TO BED:

230FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

TOWNSHIP RANGE SECTION 0 0

LG369

ELEVATION:

UTM X 715,729.79

UTMY 4,280,747.68

ZONE 15

OLD WELL DEEPENED 230-473', WOODS MILL AND CONWAY RDS **REMARKS**:

LOG ID: 002662

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1932/10/00

TOWNSHIP 0

TOWNSHIP

0

RANGE

RANGE

0

SECTION LG369

ELEVATION:

508FT

DRILL DEPTH:

457FT 55FT

0

UTM X

ELEVATION:

UTM X

715,966.79

UTMY

590FT

UTM Y

4,280,142.67

715,899.80

4,280,736.68

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

SALT WATER - PLUGGED BACK TO 383'

LOG ID: 006634

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1940/09/26

277FT

DEPTH TO BED:

15FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 004247

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

1937//

DRILL DEPTH:

299FT 25FT **TOWNSHIP** 0

RANGE

0

SECTION

LG370

SECTION

LG369

DANIAL BOONE PARKWAY, 0.5 MI W OF WOODS MILL RD

ELEVATION:

598FT

UTM X 715.415.80

UTM Y 4,281,842.69

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING): 60



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002911

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1934/08/

1,000FT

TOWNSHIP RANGE SECTION 0 0 LG373

ELEVATION:

412FT

DRILL DEPTH: 1,00

240FT

<u>UTM X</u> 723,042.71 <u>UTM Y</u> 4,265,647.48

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: WELL FLOWS

S.W.L. (AFTER CASING):

LOG ID: 003577

WELL TYPE Private Well

DRILL DATE:

1936/04/18

TOWNSHIP

RANGE

SECTION

ELEVATION:

ZONE 15

ZONE 15

462FT

DRILL DEPTH:

205FT

0 0 LG373

<u>UTM X</u> 722,769.70 <u>UTM Y</u> 4,265,504.48

DEPTH TO BED:

35FT

50

FT

FT

REMARKS:

JUST W OF FENTON, 0.15 MI S OF HWY 30, 1ST DRIVE W OF

SMIZER MILL RD

LOG ID: 004091

WELL TYPE Private Well

DRILL DATE:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

1937/01/27

TOWNSHIP 0 <u>RANGE</u>

SECTION LG373 **ELEVATION**:

427FT

DRILL DEPTH:

389FT

0

IN SCHOOLYARD

<u>UTM X</u> 722,941.70 <u>UTM Y</u> 4,265,389.48

DEPTH TO BED:

65FT

30

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 008152

WELL TYPE Private Well

DRILL DATE:

1942//

TOWNSHIP

<u>RANGE</u>

SECTION

ELEVATION:

524FT

DRILL DEPTH:

DEPTH TO BED:

302FT

90FT

75

0

0 LG398

UTM X

UTM Y

743,993.06

4,296,839.59

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:

3/1/2007

5,560



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007976

DRILL DEPTH:

WELL TYPE Private Well

1942/09/02 **TOWNSHIP RANGE** DRILL DATE: **SECTION ELEVATION:** 525FT

> 0 0 LG398 201FT

UTM X **UTMY** DEPTH TO BED: 135FT

743,723.06 4,296,862.60

519FT

ZONE 15

S.W.L. (BEFORE CASING):

FT

LARIMORE, 1100' E OF LARIMORE RD **REMARKS:**

S.W.L. (AFTER CASING): 80

LOG ID:

WELL TYPE

1,550FT

024902

DRILL DEPTH:

INJECTION WELL (NAT GAS-PROPANE STORAGE)

TOWNSHIP DRILL DATE: 1967/03/17 **RANGE SECTION**

LG405 O 0

UTM X UTMY DEPTH TO BED: 180FT 733,921.03 4,303,067.73

ZONE 15

ELEVATION:

S.W.L. (BEFORE CASING): **REMARKS**: #2 CHAMP - INJECTION-WITHDRAWAL WELL - NAT GAS STORAGE

S.W.L. (AFTER CASING): **FIELD**

LOG ID:

WELL TYPE

Stratigraphic test hole (oil & gas) 018053

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 582FT

0 0 LG405 **DRILL DEPTH:**

UTM X UTM Y **DEPTH TO BED:** 733,173.03 4,303,096.74

ZONE 15

LG405

S.W.L. (BEFORE CASING): **REMARKS:** NO LOG MADE, SAMPLES STORED IN SHOE BOXES IN

WAREHOUSE S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

002332 Stratigraphic test hole (oil & gas)

1930// **TOWNSHIP DRILL DATE: RANGE SECTION ELEVATION:** 521FT

DRILL DEPTH: 955FT UTM X UTM Y

DEPTH TO BED: 733.657.02 4,302,854.73 75FT

0

ZONE 15

S.W.L. (BEFORE CASING):

0

#1 YOUNG **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004004

WELL TYPE

Noncommunity Public Well

1936/11/25 DRILL DATE:

TOWNSHIP RANGE SECTION 0 0

LG406

ELEVATION:

560FT

DRILL DEPTH: 355FT

UTM X 726,659.94

UTMY 4,290,920.70

ZONE 15

S.W.L. (BEFORE CASING):

DEPTH TO BED:

FT

FT

FT

REMARKS: **TAVERN ON HWY 40**

S.W.L. (AFTER CASING):

78

100FT

LOG ID:

WELL TYPE

Private Well

DRILL DATE:

003961

1936/10/22

TOWNSHIP

RANGE

SECTION

ELEVATION:

589FT

DRILL DEPTH:

100FT

0 LG406 0

> **UTM X** 726,089.94

UTM Y 4,291,059.71

DEPTH TO BED:

30FT

REMARKS:

ZONE 15 NW CORNER HWY 66 (LINDBERGH) & ST CHARLES RD (HWY 40)

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

50

LOG ID:

WELL TYPE Private Well

003453 **DRILL DATE:**

1935/09/

TOWNSHIP RANGE 0

SECTION LG410

ELEVATION:

627FT

DRILL DEPTH:

391FT

0

UTM X 733,769.99

ZONE 15

UTM Y 4,293,995.67

DEPTH TO BED:

40FT

40

REMARKS: CALVERTON RD, FERGUSON

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 003747

DRILL DATE:

DEPTH TO BED:

1936/08/22

TOWNSHIP

0

RANGE

SECTION LG410

ELEVATION:

628FT

DRILL DEPTH:

406FT 100FT 0

UTM X

UTM Y

734.448.00

4,294,663.67

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

DORN-DALE SUBDIVISION

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005670

WELL TYPE Private Well

DRILL DATE: 1939/07/

TOWNSHIP 0 RANGE SECTION

ELEVATION:

637FT

DRILL DEPTH:

406FT

0 LG415

UTM X

UTM Y

DEPTH TO BED:

45FT

712,734.78

4,281,566.70

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: STORE & BELLEFONTAINE

S.W.L. (AFTER CASING):

125

LOG ID: 005603

WELL TYPE Private Well

DRILL DATE:

1939/09/

TOWNSHIP

<u>RANGE</u>

SECTION

ELEVATION:

550FT

DRILL DEPTH:

235FT

0 0

0 LG415

<u>UTM X</u> 710,491.77 <u>UTM Y</u> 4,281,683.71

DEPTH TO BED:

S.W.L. (AFTER CASING):

30FT

73

S.W.L. (BEFORE CASING):

FT

REMARKS: CHESTERFIELD

LOG ID: 006998

WELL TYPE Private Well

DRILL DATE:

1941//

<u>TOWNSHIP</u>

<u>RANGE</u>

SECTION

ELEVATION:

629FT

DRILL DEPTH:

260FT

0 0

LG415

UTM X

<u>UTM Y</u>

DEPTH TO BED:

85FT

711,874.77

4,281,167.70

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING): FT

REMARKS:

S: SW CORNER OF JCT "SUPERHIGHWAY" AND CLARKSON RD

140

LOG ID:

WELL TYPE

003739

Industrial High Capacity Well

DRILL DATE:

1936/08/29

TOWNSHIP

RANGE

SECTION

ELEVATION:

555FT

DRILL DEPTH:

220FT

0

0 LG433

UTM X

UTM Y

718,240.85 4,285,276.71 ZONE 15

DEPTH TO BED:

40FT

FT

REMARKS: BEN BUSH

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

100

3/1/2007

5,563



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027190

WELL TYPE Unknown Well

TOWNSHIP RANGE DRILL DATE: **SECTION ELEVATION:** 430FT

> 0 0 LG47

DRILL DEPTH: 95FT UTM X **UTMY DEPTH TO BED:**

719,941.95 4,295,484.79

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS**: **RELIEF WELL #1**

S.W.L. (AFTER CASING):

LOG ID: 015897

WELL TYPE Private Well

TOWNSHIP DRILL DATE: 1957/03/11 **RANGE SECTION ELEVATION:** 440FT

0 LG47 0 DRILL DEPTH: 400FT

UTM X UTM Y DEPTH TO BED: 25FT 722,301.95 4,294,838.76

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** "CAN'T LOCATE"

S.W.L. (AFTER CASING): 85

LOG ID:

WELL TYPE

Stratigraphic test hole (oil & gas) 025109

DRILL DATE: 1967/07/22 **TOWNSHIP RANGE SECTION ELEVATION:** 433FT

LG474 0 0 **DRILL DEPTH:** 405FT

UTM X **UTMY DEPTH TO BED:** 125FT 736,673.03 4,304,778.73

ZONE 15 S.W.L. (BEFORE CASING):

REMARKS: #1-S ST. LOUIS CO PARK BD; GIVEN TO PARK BOARD FOR

WATER WELL S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

WELL TYPE

1,585FT

INJECTION WELL (NAT GAS-PROPANE STORAGE) 024863

DRILL DATE: 1966/06/20 **TOWNSHIP RANGE SECTION ELEVATION:** 558FT

UTM X UTM Y DEPTH TO BED: 737.077.03 4,303,119.71 155FT

0

LG474

#2-UGS ERWIN - INJECTION/WITHDRAWAL WELL

ZONE 15 S.W.L. (BEFORE CASING):

REMARKS:

0

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025171

WELL TYPE

Stratigraphic test hole (oil & gas)

DRILL DATE:

1967/08/26

TOWNSHIP 0

RANGE SECTION **ELEVATION:**

429FT

DRILL DEPTH:

425FT

0

LG474

UTM X

DEPTH TO BED: 125FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

736,426.03

UTMY 4,304,542.73

REMARKS:

ZONE 15

CEMENT

#2-S PELICAN ISLAND; STRUCTURE TEST; PLUGGED W/ 40 SX OF

LOG ID:

WELL TYPE

018048

Stratigraphic test hole (oil & gas)

DRILL DATE:

TOWNSHIP

RANGE

SECTION

ELEVATION:

500FT

DRILL DEPTH:

0 LG474 0

UTM X

UTMY

DEPTH TO BED:

738,704.03

ZONE 15

4,303,055.70

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

#1-S F.H. MUELLER; NO SAMPLES LOGGED - STORED IN

WAREHOUSE

LOG ID:

WELL TYPE

018044

INJECTION WELL (NAT GAS-PROPANE STORAGE)

DRILL DATE:

1959/00/00

TOWNSHIP

RANGE

SECTION

NO LOG MADE, SAMPLES IN WAREHOUSE

ELEVATION:

578FT

DRILL DEPTH:

0 0 LG474

UTM X

UTMY

DEPTH TO BED:

734,728.03 4,304,255.74

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

019956

INJECTION WELL (NAT GAS-PROPANE STORAGE)

DRILL DATE:

TOWNSHIP 0

RANGE SECTION

0

ELEVATION:

UTM X

567FT

DRILL DEPTH:

DEPTH TO BED:

1,410FT 170FT LG474

UTM Y

737.077.03

ZONE 15

4,303,119.71

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

#7-UGS (T-7?) JONES; NO SAMPLES LOGGED - STORED IN

WAREHOUSE



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020615

WELL TYPE

INJECTION WELL (NAT GAS-PROPANE STORAGE)

DRILL DATE:

1,468FT

0 0 LG474

RANGE

DRILL DEPTH: UTM X **UTMY**

TOWNSHIP

DEPTH TO BED: 737,077.03 4,303,119.71

ZONE 15

ELEVATION:

554FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

#9-UGS JONES; NO SAMPLES LOGGED - STORED IN **REMARKS**:

SECTION

WAREHOUSE

LOG ID:

WELL TYPE

INJECTION WELL (NAT GAS-PROPANE STORAGE) 019934

TOWNSHIP DRILL DATE: **RANGE SECTION ELEVATION:** 580FT

LG474 O 0 DRILL DEPTH: 1,410FT

UTM X UTM Y

DEPTH TO BED: 140FT 737,077.03 4,303,119.71 ZONE 15

S.W.L. (BEFORE CASING): #8-UGS JONES; NO SAMPLES LOGGED - SAMPLES STORED IN REMARKS:

S.W.L. (AFTER CASING): WAREHOUSE

LOG ID:

WELL TYPE

INJECTION WELL (NAT GAS-PROPANE STORAGE) 019152

DRILL DATE: 1960/06/ **TOWNSHIP RANGE SECTION ELEVATION:** 538FT

0 0 LG474 **DRILL DEPTH:** 1,940FT

UTM X **UTMY DEPTH TO BED:** 737,077.03 4,303,119.71 1,470FT

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** #6-UGS JONES - NO SAMPLES LOGGED ABOVE 1470'

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

INJECTION WELL (NAT GAS-PROPANE STORAGE) 020285

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 539FT

DRILL DEPTH: 1,580FT UTM X UTM Y

0

LG474

DEPTH TO BED: 737.077.03 4,303,119.71 140FT ZONE 15

S.W.L. (BEFORE CASING): #10-UGS JONES; NO SAMPLES LOGGED - SAMMPLES STORED IN **REMARKS:**

0

WAREHOUSE S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017844

DEPTH TO BED:

WELL TYPE

INJECTION WELL (NAT GAS-PROPANE STORAGE)

DRILL DATE: 1958// **TOWNSHIP RANGE SECTION** 0 0 LG474

ELEVATION:

525FT

DRILL DEPTH: 1,506FT

UTM X **UTMY** 4,302,765.71

737,201.03

ZONE 15

S.W.L. (BEFORE CASING):

#2-UGS BRINKMEYER; P#MOS018917844 **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

017852

Stratigraphic test hole (oil & gas)

DRILL DATE:

1958//

TOWNSHIP 0

RANGE SECTION **ELEVATION:**

579FT

DRILL DEPTH:

510FT

190FT

LG474 0

UTM X

UTM Y

DEPTH TO BED: 105FT 734,254.03

UTM X

737,345.03

4,304,486.74

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1-S J. WEHMER

S.W.L. (AFTER CASING):

LOG ID: 017847

WELL TYPE

Oil Well

DRILL DATE:

1958//

TOWNSHIP

0

RANGE

SECTION ELEVATION: 530FT

4,302,986.71

DRILL DEPTH:

1.030FT

LG474 0

UTMY

ZONE 15

DEPTH TO BED:

35FT

#1 SCHNEIDER ("SUNDERMEYER ET AL.")

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

019933

INJECTION WELL (NAT GAS-PROPANE STORAGE)

DRILL DATE:

TOWNSHIP

0

RANGE

SECTION

ELEVATION:

567FT

DRILL DEPTH:

DEPTH TO BED:

1,450FT 140FT 0 LG474

UTM X UTM Y

ZONE 15

737.081.03

4,303,119.71

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

#8-UGS LANGE; NO SAMPLES LOGGED - SAMPLES STORED IN

WAREHOUSE



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016599

WELL TYPE Oil Well

1958/08/ **TOWNSHIP RANGE** DRILL DATE: **SECTION ELEVATION:** 560FT

> 0 0 LG474 1,030FT

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 35FT

737,464.03 4,302,907.71

ZONE 15

S.W.L. (BEFORE CASING):

#2 SUNDERMEYER - DRY HOLE (OIL WELL) **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

INJECTION WELL (NAT GAS-PROPANE STORAGE) 013580

1955/04/ **TOWNSHIP** DRILL DATE: **RANGE SECTION ELEVATION:** 538FT

LG474 O 0 DRILL DEPTH: 1,411FT

UTM X UTM Y DEPTH TO BED: 150FT 737,081.03 4,303,115.71

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: #2-UGS JONES

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

INJECTION WELL (NAT GAS-PROPANE STORAGE) 016596

DRILL DATE: 1957/08/ **TOWNSHIP RANGE SECTION ELEVATION:** 515FT

LG474 0 0 **DRILL DEPTH:** 1.525FT

REMARKS:

UTM X **UTMY DEPTH TO BED:** 50FT 738,183.03 4,303,469.71

#? F.H. MUALLER; P#MOS018916596 - "GAS STORAGE"

LG474

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

WELL TYPE

1,347FT

INJECTION WELL (NAT GAS-PROPANE STORAGE) 012767

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 538FT

UTM X UTM Y DEPTH TO BED: 737.081.03 4,303,119.71 255FT

0

ZONE 15

0

S.W.L. (BEFORE CASING): #1-UGS JONES - POOR, CONTAMINATED SAMPLES **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015695

DEPTH TO BED:

WELL TYPE

INJECTION WELL (NAT GAS-PROPANE STORAGE)

DRILL DATE: 1956//

TOWNSHIP RANGE SECTION 0 0 LG474

ELEVATION:

530FT

DRILL DEPTH: 1,390FT

UTM X **UTMY**

737,237.03

4,303,197.71

ZONE 15

S.W.L. (BEFORE CASING):

#1-UGS SCHNEIDER **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

015696

INJECTION WELL (NAT GAS-PROPANE STORAGE)

DRILL DATE:

1956//

TOWNSHIP

RANGE SECTION

LG474

ELEVATION:

538FT

DRILL DEPTH:

1,445FT

O 0

UTM X

UTMY

DEPTH TO BED:

140FT

145FT

737,077.03

4,303,115.71

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #3-UGS Jones - deepened to 1,445 ft - see log #14510

S.W.L. (AFTER CASING):

LOG ID: 017226

WELL TYPE

Stratigraphic test hole (oil & gas)

DRILL DATE:

1958//

TOWNSHIP

#3-S HARDESTY

RANGE SECTION **ELEVATION:**

736,392.03

507FT

DRILL DEPTH:

435FT

0 0 LG474

UTM X

ZONE 15

80FT

UTM Y 4,303,998.72

DEPTH TO BED:

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

017062

Stratigraphic test hole (oil & gas)

DRILL DATE:

1958//

TOWNSHIP

RANGE SECTION **ELEVATION:**

509FT

DRILL DEPTH:

DEPTH TO BED:

400FT

50FT

0

0 LG474

UTM X

ZONE 15

734.153.03

UTM Y 4,303,393.73

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

#1-S NEWSTADT - STRATIGRAPHIC TEST HOLE **REMARKS**:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015010

WELL TYPE

INJECTION WELL (NAT GAS-PROPANE STORAGE)

DRILL DATE: 1956/08/ **TOWNSHIP RANGE SECTION** 0 0 LG474

ELEVATION:

538FT

DRILL DEPTH: 1,355FT

UTM X

UTMY 4,303,119.71

737,081.03

DEPTH TO BED:

155FT

ZONE 15

S.W.L. (BEFORE CASING):

#1-UGS PIEMAN - INJECTION WELL **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

017229

Stratigraphic test hole (oil & gas)

DRILL DATE:

1958//

TOWNSHIP 0

TOWNSHIP

0

0

RANGE

ELEVATION:

609FT

DRILL DEPTH:

530FT

0

UTM X

DEPTH TO BED:

135FT

LG474

SECTION

UTMY 733,615.03 4,304,368.75

ZONE 15

S.W.L. (BEFORE CASING):

S. BAPTIST CHURCH - STRATIGRAPHIC TEST REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

017237

Stratigraphic test hole (oil & gas)

DRILL DATE:

RANGE SECTION **ELEVATION:**

565FT

DRILL DEPTH:

485FT

0 LG474

UTM Y

DEPTH TO BED:

100FT

UTM X 734,884.03 4,304,392.74

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: **#1-S HARDESTY; STRUCTURE TEST**

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016003

Private Well

DRILL DATE:

1956/12/03

TOWNSHIP RANGE **ELEVATION:**

523FT

DRILL DEPTH:

DEPTH TO BED:

345FT 50FT 0 LG474

SECTION

UTM X UTM Y

738.462.03 4,303,255.70

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

110



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014510

WELL TYPE

INJECTION WELL (NAT GAS-PROPANE STORAGE)

DRILL DATE:

1956//

TOWNSHIP RANGE

0

SECTION LG474

ELEVATION:

541FT

DRILL DEPTH:

875FT

0

UTM X

UTMY

DEPTH TO BED:

140FT

737,061.03

4,303,056.71

S.W.L. (BEFORE CASING):

ZONE 15 #3-UGS Jones - deepenedto 1,445 ft - see log #15696 for complete log

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Oil Well

017357

1958//

TOWNSHIP

RANGE

SECTION

ELEVATION:

575FT

DRILL DATE: DRILL DEPTH:

1,035FT

0

LG474 0

UTM X

UTMY

DEPTH TO BED:

45FT

4,302,856.71

737,137.03 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

#2 BRINKMEYER - see log #17225 DEEPENED 450-1035

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

012971

Stratigraphic test hole (oil & gas)

DRILL DATE:

1954//

TOWNSHIP

RANGE

SECTION LG474

ELEVATION:

532FT

DRILL DEPTH:

375FT

0 0

UTM X

UTM Y

DEPTH TO BED:

325FT

737,954.03

4,303,587.71

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

SHALLOW TEST HOLE OF LACLEDE GAS, DEEPENED BY WISE

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

017064

Stratigraphic test hole (oil & gas)

DRILL DATE:

1958//

TOWNSHIP

RANGE

SECTION

ELEVATION:

620FT

550FT

0

0 LG474 UTM X

DRILL DEPTH: DEPTH TO BED:

165FT

UTM Y 4,304,175.75

733.303.03 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

#1 HERBERT NEIHAUSE; STRUCTURE TEST; MAY BE IN SECTION

S.W.L. (AFTER CASING):

34



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016598

DEPTH TO BED:

WELL TYPE

INJECTION WELL (NAT GAS-PROPANE STORAGE)

DRILL DATE: 1957/08/ **TOWNSHIP RANGE SECTION** 0 0 LG474

ELEVATION: 518FT

DRILL DEPTH: 1,440FT

UTM X

UTMY 4,302,794.71

45FT

737,557.03

ZONE 15

S.W.L. (BEFORE CASING):

#1-UGS SUNDERMEYER - GAS STORAGE **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 012526

WELL TYPE

Oil Well

DRILL DATE:

1953//

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

522FT

DRILL DEPTH:

955FT

LG474 0

UTM X

UTM Y

DEPTH TO BED:

S.W.L. (AFTER CASING):

30FT

737,545.03

ZONE 15

4,303,189.71

S.W.L. (BEFORE CASING):

REMARKS:

formerly in name of A. Travis - #1 GLASER-MEYERS (COMPLETED IN

1958)

LOG ID: 012556

WELL TYPE

Oil Well

DRILL DATE:

TOWNSHIP 0

RANGE SECTION **ELEVATION:**

528FT

DRILL DEPTH:

1.030FT

0 LG474

UTM X

UTM Y

DEPTH TO BED:

32FT

736,890.03 4,303,189.71

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

#2 PEIMAN - PAUL TOWNES - SENTINEL OIL CO

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Oil Well 012511

1953/10/ **DRILL DATE:**

TOWNSHIP RANGE

0

SECTION

ELEVATION:

UTM X

529FT

DRILL DEPTH:

1,033FT

0

LG474

UTM Y

DEPTH TO BED:

40FT

737.522.03

4,303,058.71

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

formerly in name of McGraw-Hughes Petroleum Company

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012496

WELL TYPE Oil Well

1953/10/ DRILL DATE:

TOWNSHIP 0

RANGE SECTION LG474

ELEVATION:

531FT

DRILL DEPTH:

1,075FT

UTM X

UTM Y 4,303,437.72

DEPTH TO BED:

37FT

736,894.03

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 012498

WELL TYPE Oil Well

DRILL DATE:

1953/10/

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

524FT

DRILL DEPTH:

DEPTH TO BED:

1,003FT

50FT

LG474 0

0

UTM X

UTMY

737,229.03

4,302,667.71

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

formerly in name of Grabol Contracting Company

S.W.L. (AFTER CASING):

LOG ID: 010844

WELL TYPE

Private Well

DRILL DATE:

1949/04/22

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

526FT

DRILL DEPTH:

300FT

0 LG474

UTM X

UTM Y

DEPTH TO BED:

45FT

737,345.03 4,303,600.71

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

100

LOG ID: 012499

WELL TYPE Oil Well

DRILL DATE:

1953/10/

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

549FT

DRILL DEPTH:

DEPTH TO BED:

1,036FT

65FT

0 LG474 UTM X

737.345.03

UTM Y 4,302,631.71

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

formerly in name of Grabol Contracting Company



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012549

DRILL DEPTH:

WELL TYPE Oil Well

1954// DRILL DATE:

1,025FT

DEPTH TO BED:

TOWNSHIP 0

RANGE 0

SECTION LG474

ELEVATION:

542FT

UTM X

UTMY 4,303,378.71

736,953.03

ZONE 15

S.W.L. (BEFORE CASING):

45FT

42FT

REMARKS: #2 SANDAU - formerly in name of Paul Townes

S.W.L. (AFTER CASING):

LOG ID: 012506

WELL TYPE Oil Well

DRILL DATE:

DEPTH TO BED:

1953/10/

TOWNSHIP

RANGE

SECTION LG474

ELEVATION:

526FT

DRILL DEPTH: 1,075FT 0 0

UTM X

UTMY

737,272.03

4,303,505.71 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

formerly in name of McKelvy-Sipoha

LOG ID:

012524

WELL TYPE Oil Well

DRILL DATE:

DEPTH TO BED:

1953//

DRILL DEPTH:

1,015FT

30FT

TOWNSHIP 0

RANGE 0

SECTION LG474

#1 SCHNEIDER - formerly in name of Paul Townes

ELEVATION:

539FT

UTM X

UTM Y 4,303,034.71

737,326.03 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

012495

Oil Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1953/10/

1,018FT

TOWNSHIP 0

RANGE 0

SECTION LG474

ELEVATION:

532FT

UTM X

UTM Y 4,303,078.71

737.225.03

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

35FT

REMARKS:

REMARKS:

formerly in name of Paul Townes



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012500

DRILL DEPTH:

WELL TYPE Oil Well

1953/10/ DRILL DATE:

1,015FT

DEPTH TO BED: 75FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP RANGE SECTION 0 0

LG474

ELEVATION:

546FT

UTM X 737,393.03

UTMY 4,302,548.71

ZONE 15

REMARKS: formerly in name of Graybol Contracting Company

LOG ID: 012502

WELL TYPE Oil Well

DRILL DATE:

1953/10/

TOWNSHIP 0

TOWNSHIP

0

RANGE

SECTION

SECTION

LG474

formerly in name of Graybol Contracting Company

ELEVATION:

535FT

DRILL DEPTH: DEPTH TO BED: 1,074FT 45FT

LG474 0

RANGE

0

UTM X

UTMY

737,549.03

4,303,457.71

ZONE 15

S.W.L. (BEFORE CASING):

formerly in name of McGaw-Hughes Petroleum Company - Plugged? REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 012505

WELL TYPE Oil Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1953/10/

1,045FT

50FT

REMARKS:

UTM X

ELEVATION:

UTM Y

522FT

737,817.03 4,302,635.70

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 012518

WELL TYPE Oil Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1953/10/

1,022FT

10FT

TOWNSHIP 0

RANGE 0

SECTION LG474

ELEVATION:

529FT

UTM X

UTM Y

737.685.03

4,303,018.71

ZONE 15

#2 WM. F. DOWDALL; formerly in name of McGaw-Hughes Petroleum **REMARKS**:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012192 **WELL TYPE**

Stratigraphic test hole (oil & gas)

DRILL DATE:

1953//

TOWNSHIP 0 RANGE SECTION

ELEVATION:

474FT

DRILL DEPTH:

455FT

0 LG474

UTM X UTM Y

DEPTH TO BED:

30FT

736,939.03

4,304,206.72

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

#1 HERMAN NIEHAUS; STRATIGRAPHIC TEST HOLE

S.W.L. (AFTER CASING):

LOG ID: 012517

WELL TYPE
Oil Well

DRILL DATE:

1953//

TOWNSHIP 0

<u>RANGE</u>

SECTION

ELEVATION:

535FT

DRILL DEPTH:

995FT

0 LG474

UTM X

UTM Y

DEPTH TO BED:

35FT

<u>0 1 W A</u>

4,303,410.71

737,681.03

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

#1 LEONARD HERRMANN; formerly in name of McGaw & Hughes

Petroleum

LOG ID: 012516

WELL TYPE

Oil Well

DRILL DATE:

1953/10/

TOWNSHIP 0 RANGE

SECTION LG474 **ELEVATION:**

519FT

DRILL DEPTH:

385FT

0

UTM X

UTM Y

DEPTH TO BED:

35FT

4,303,405.71

737,138.03 4, ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

formerly in name of Runyan - abandoned well

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

012539

Oil Well

DRILL DATE:

TOWNSHIP 0 **RANGE**

SECTION

ELEVATION:

519FT

DRILL DEPTH:

DEPTH TO BED:

1,015FT

35FT

0 LG474

UTM X

ZONE 15

UTM Y

737,221.03

4,303,401.71

S.W.L. (BEFORE CASING):

REMARKS:

#2 GRABBE - MAY NOT BE A LACLEDE GAS CO WELL TODAY

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012485

DRILL DEPTH:

WELL TYPE Oil Well

1953/10/ DRILL DATE:

1,035FT

DEPTH TO BED: 75FT **TOWNSHIP RANGE SECTION** 0 0 LG474

ELEVATION:

551FT

UTM X 737,426.03

UTMY 4,302,532.71

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: formerly in name of Graybol Contracting Company

S.W.L. (AFTER CASING):

LOG ID: 012494

WELL TYPE Oil Well

DRILL DATE:

1953/10/

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

541FT

DRILL DEPTH: DEPTH TO BED: 1,038FT 30FT

LG474 0

UTM X

UTMY

737,749.03 4,303,058.71

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: formerly in name of McGaw-Hughes Petroleum Company

S.W.L. (AFTER CASING):

LOG ID: 012493

WELL TYPE Oil Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1953/10/

1,106FT

50FT

0

REMARKS:

TOWNSHIP

RANGE 0

#1 HARRY W. ZIMMER

SECTION LG474

ELEVATION:

536FT

UTM X

UTM Y

737,987.03 4,303,570.71

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 012625

WELL TYPE Oil Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1954//

1,015FT

30FT

TOWNSHIP 0

RANGE 0

SECTION LG474

ELEVATION:

504FT

UTM Y

UTM X

737,541.03 4,303,359.71

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

#1 SIEMSEN - FORMER P.L. PITZER WELL

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012611

DEPTH TO BED:

WELL TYPE Oil Well

1954// DRILL DATE:

TOWNSHIP RANGE 0

SECTION

ELEVATION:

537FT

DRILL DEPTH:

985FT 45FT 0 LG474

UTM X

UTMY 4,303,294.71

737,417.03

ZONE 15

S.W.L. (BEFORE CASING):

#1 DAVID - FORMER RUNYON WELL **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 012608

WELL TYPE Oil Well

DRILL DATE:

1954/03/

TOWNSHIP 0

RANGE

SECTION LG474

ELEVATION:

531FT

DRILL DEPTH:

1,050FT

0

UTM X

UTMY

DEPTH TO BED:

25FT

736,813.03

4,303,393.72

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #2 DRIEMEYER - formerly in name of Paul Townes

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

012194

Stratigraphic test hole (oil & gas)

DRILL DATE:

1953//

TOWNSHIP

0

RANGE SECTION **ELEVATION:**

610FT

DRILL DEPTH:

510FT

0 LG474

> UTM X 733,483.03

UTM Y

DEPTH TO BED:

105FT

4,304,339.75

REMARKS: #1 H. CARRICO; MAY BE IN SECTION 26

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

012575

Oil Well

DRILL DATE:

TOWNSHIP

0

RANGE

SECTION

ELEVATION:

554FT

DRILL DEPTH:

995FT

0 LG474

> UTM X 737.664.03

> > ZONE 15

UTM Y 4,302,924.71

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

125FT

REMARKS:

#1 SUNDERMEYER (formerly in name of Collins Brothers)- 30-120

SAMPLES OUT OF PLAC



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012579

DRILL DEPTH:

WELL TYPE Oil Well

1954// DRILL DATE:

1,023FT

DEPTH TO BED: 30FT **TOWNSHIP RANGE** 0

#2 SCHNEIDER

SECTION 0 LG474

ELEVATION:

UTM X

531FT

UTMY 4,303,157.71

737,491.03

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 007414

WELL TYPE Private Well

DRILL DATE:

1941//

TOWNSHIP 0

TOWNSHIP

0

RANGE

SECTION

ELEVATION:

515FT

DRILL DEPTH:

391FT

LG474 0

UTM X 737,565.03

UTMY 4,303,796.71

DEPTH TO BED:

68FT

98

FT

REMARKS:

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Oil Well

012558 **DRILL DATE:**

1954//

1,045FT

REMARKS:

RANGE 0

SECTION

ELEVATION:

540FT

DRILL DEPTH: DEPTH TO BED:

50FT

LG474

UTM X

UTM Y

737,753.03 4,303,405.71

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 003744

WELL TYPE Private Well

DRILL DATE:

1936/05/05

TOWNSHIP

RANGE

SECTION

#1 J.G. WALTERS - formerly in name of J.G. Walters

ELEVATION:

UTM X

530FT

DRILL DEPTH:

DEPTH TO BED:

365FT 195FT

107

0

0 LG474

UTM Y

737.837.03

4,303,616.71

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

OFF HWY 140 ON OLD JAMESTOWN RD; "WELL IS FILLED UP" IN

1950



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005650

WELL TYPE Private Well

DRILL DATE:

1939/08/03 **TOWNSHIP** 0

RANGE SECTION 0 LG474

ELEVATION:

535FT

4,303,310.71

DRILL DEPTH: 283FT

UTM X **UTMY**

737,959.03

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 5818 PAMPLIN ST

S.W.L. (AFTER CASING):

100

100FT

LOG ID: 006119

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1940/07/05

TOWNSHIP

RANGE SECTION **ELEVATION:**

528FT

DRILL DEPTH:

405FT

0 LG474 0

UTM X

UTMY

DEPTH TO BED:

60FT

115

738,176.03

4,303,504.71

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID: 004808

WELL TYPE Private Well

TOWNSHIP RANGE SECTION 0

ELEVATION:

508FT

DRILL DATE: DRILL DEPTH:

465FT

1938/05/

0 LG474

UTM X UTM Y

DEPTH TO BED:

70FT

80

737,377.03 4,303,006.71

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

TOWNSHIP

0

268' WELL DEEPENED TO 465'; 300' S OF WELL #1

S.W.L. (AFTER CASING):

LOG ID: 006073

WELL TYPE Private Well

DRILL DATE:

1940/06/11

RANGE SECTION **ELEVATION:**

521FT

DRILL DEPTH:

DEPTH TO BED:

385FT 62FT LG474

UTM X UTM Y

738.411.03

4,303,373.70

ZONE 15

S.W.L. (BEFORE CASING):

FT

ON N SIDE OLD JAMESTOWN RD **REMARKS:**

0

S.W.L. (AFTER CASING):

115



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004981

WELL TYPE Private Well

1938/08/ DRILL DATE:

TOWNSHIP 0

FT

FT

RANGE SECTION 0 LG474

ELEVATION:

520FT

DRILL DEPTH:

DEPTH TO BED:

446FT

UTM X UTMY 4,303,076.70

738,761.03 ZONE 15

S.W.L. (BEFORE CASING):

225FT

REMARKS:

REMARKS:

ON MO RIVER BLUFF 300 YDS W PF DR. V.P. BLAIR WELL (#4808)

S.W.L. (AFTER CASING): 100

LOG ID: 003179

WELL TYPE Private Well

DRILL DATE:

1935/02/

TOWNSHIP 0

RANGE

500' S OF ACCOMODATION RD

SECTION ELEVATION: 542FT

DRILL DEPTH:

250FT

LG474 0

UTM X

ZONE 15

ZONE 15

737,682.03

UTMY 4,303,437.71

DEPTH TO BED:

45FT

S.W.L. (AFTER CASING): 107

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

026180

Noncommunity Public Well

DRILL DATE:

1968/05/09

TOWNSHIP

RANGE SECTION LG479

ELEVATION:

610FT

DRILL DEPTH:

646FT

0 0

> UTM X 705,531.72

UTM Y 4,280,495.70

DEPTH TO BED:

55FT

WILD HORSE CK RD, 1.25 MI E OF HWY 109; POOR LOG,

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

PARTIALLY SCANNED

LOG ID: 002721

WELL TYPE Private Well

DRILL DATE:

1933/06/

TOWNSHIP 0

RANGE 0

SECTION

ELEVATION:

644FT

DRILL DEPTH:

DEPTH TO BED:

584FT

55FT

LG48

UTM X UTM Y

ZONE 15

730.122.95

4,289,629.66

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011497

WELL TYPE

WATER TEST WELL (HOLE)

28FT

DRILL DATE: 1950/12/ **TOWNSHIP RANGE SECTION** 0 0

ELEVATION:

369FT

DRILL DEPTH:

LG50

UTM X **UTMY**

ZONE 15

732,483.68

4,254,038.21

DEPTH TO BED: 4FT S.W.L. (BEFORE CASING):

#9 MERAMEC PLANT - INTAKE **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

WATER TEST WELL (HOLE) 011496

DRILL DATE:

1590/12/

TOWNSHIP

RANGE

SECTION

ELEVATION:

368FT

DRILL DEPTH:

28FT

0 LG50 0

UTM X

UTMY

DEPTH TO BED:

4,254,038.21

732,483.68 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #8 MERAMEC PLANT - INTAKE

S.W.L. (AFTER CASING):

LOG ID: 011495

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1950/12/

TOWNSHIP RANGE 0

SECTION

ELEVATION:

360FT

DRILL DEPTH:

17FT

0 LG50

#5 MERAMEC PLANT - INTAKE

UTM X 732,483.68

UTM Y 4,254,038.21

DEPTH TO BED:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 011494

WATER TEST WELL (HOLE)

DRILL DATE:

1950/12/

TOWNSHIP

RANGE

SECTION

ELEVATION:

373FT

DRILL DEPTH:

DEPTH TO BED:

14FT

0 0 LG50

UTM X

732.483.68

UTM Y 4,254,038.21

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

#3 MERAMEC PLANT - INTAKE

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011493

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1950/12/

TOWNSHIP RANGE 0 0

ELEVATION:

374FT

DRILL DEPTH:

34FT

SECTION LG50

UTM X UT

.

<u>UTM Y</u> 4,254,038.21

732,483.68

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

REMARKS: #2 MERAMEC PLANT - INTAKE

S.W.L. (AFTER CASING):

LOG ID: 011492

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1950/12/

TOWNSHIP

RANGE

SECTION ELEVATION:

376FT

DRILL DEPTH:

0 0

LG50

IT. 4.37

ZONE 15

DEPTH TO BED:

о**г**т

73FT

<u>UTM X</u> 732,483.68 <u>UTM Y</u> 4,254,038.21

<u>D:</u> 10FT

REMARKS: #1 MERAMEC PLANT - INTAKE

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 004892

WELL TYPE

Private Well

DRILL DATE:

1938//

TOWNSHIP RANGE

ON BAVER RD

0

SE SECTION

ELEVATION:

549FT

DRILL DEPTH:

188FT

0 LG51

<u>UTM X</u> <u>UTM Y</u>

DEPTH TO BED:

30FT

727,011.72 4,264,071.42

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

002929 Private Well

1934/07/00

<u>TOWNSHIP</u>

RANGE SECTION

ELEVATION:

552FT

DRILL DATE:

DRILL DEPTH:

335FT

0

0 LG51

UTM X

LITMA

DEPTH TO BED:

155FT

727,094.72

<u>UTM Y</u> 4,264,193.43

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

3/1/2007 5.583



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006870

WELL TYPE Private Well

DRILL DATE: 1941/05/15

TOWNSHIP 0 RANGE SECTION

ELEVATION:

567FT

DRILL DEPTH:

409FT

LG51

UTM X UTM Y

726,978.72

4,264,707.43

DEPTH TO BED:

40FT

720,978.72

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

1 MI W OF TESSON RD ON SCHUESSLER RD; PLUGGED BACK TO

360'

LOG ID: 006836

WELL TYPE Private Well

DRILL DATE:

1941//

TOWNSHIP 0 RANGE SECTION

ELEVATION:

566FT

DRILL DEPTH:

<u>....</u> 0

LG51

......

DEPTH TO BED:

305FT 50FT 0 L

0

<u>UTM X</u> 726,878.72

ZONE 15

<u>UTM Y</u> 4,264,803.44

ON SCHUESSLER RD NEAR MERAMEC RIVER

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 007206

WELL TYPE Private Well

DRILL DATE:

1941//

TOWNSHIP 0 <u>RANGE</u>

SECTION

ELEVATION:

587FT

DRILL DEPTH:

400FT

0 LG654

UTM X

<u>UTM Y</u>

DEPTH TO BED:

200FT

725,333.95 4,292,738.73

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 1 MI W C

1 MI W OF LINDBURG ON S SD NATURAL BRIDGE RD

S.W.L. (AFTER CASING):

LOG ID: 023795

WELL TYPE Private Well

DRILL DATE:

1965/05/21

TOWNSHIP 0 **RANGE**

SECTION LG668 ELEVATION:

659FT

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

450FT

0

UTM X

UTM Y

698,875.65

4,278,325.68

5FT

FT

REMARKS:

ON WILD HOUSE CK RD, 1 MI S OF CENTAUR

S.W.L. (AFTER CASING):

220

3/1/2007

5,584



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024310

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1966/06/07 DRILL DATE:

441FT 10FT

RANGE SECTION 0

LG668

ELEVATION:

670FT

UTM X 698,596.65

UTMY 4,278,609.69

ZONE 15

S.W.L. (BEFORE CASING):

YIELD - 20 GPM @ 329' **REMARKS**:

TOWNSHIP

0

S.W.L. (AFTER CASING):

LOG ID: 005593

WELL TYPE Private Well

DRILL DATE:

1939/07/

TOWNSHIP

RANGE

SECTION LG729

ELEVATION:

608FT

DRILL DEPTH:

220FT

0 0

UTM X

UTMY

DEPTH TO BED: 75FT 722,686.93

4,291,553.74

ZONE 15

S.W.L. (BEFORE CASING):

NO WATER - ABANDONED; RT #1, ROBERTSON REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 008345

WELL TYPE

Private Well

DRILL DATE:

1942/05/14

TOWNSHIP 0

RANGE

SECTION LG766

ELEVATION:

552FT

DRILL DEPTH:

196FT

0

UTM X

DEPTH TO BED:

10FT

705,669.61

ZONE 15

UTM Y 4,268,850.53

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

145

REMARKS:

@ GLENCOE; ELEVATION MAY BE 452'

LOG ID:

WELL TYPE

Private Well 002896

DRILL DATE:

1934/07/

TOWNSHIP 0

RANGE

SECTION

ELEVATION:

508FT

DRILL DEPTH:

DEPTH TO BED:

460FT

50FT

0 LG776

UTM X

UTM Y 4,276,576.63

718.782.78

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

NOT IN USE BY JUNE, 1937; USING COUNTY WATER

S.W.L. (AFTER CASING): 35



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005488

WELL TYPE Private Well

DRILL DATE: 1939/07/

TOWNSHIP 0

<u>SECTION</u>

ELEVATION:

632FT

DRILL DEPTH:

420FT

0 LG776

RANGE

UTM X

<u>UTM Y</u>

DEPTH TO BED:

12FT

719,005.79 4,277,403.63

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: E SD OF MASON RD, 1 MI S OF CLAYTON RD

S.W.L. (AFTER CASING):

LOG ID: 001535

WELL TYPE

Noncommunity Public Well

175

DRILL DATE:

1905/00/00

TOWNSHIP 0

REMARKS:

REMARKS:

RANGE

SECTION

ELEVATION:

435FT

DRILL DEPTH:

1,152FT

0 LG879

UTM X

UTM Y

DEPTH TO BED:

40FT

716,733.69

4,268,202.55

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 007926

Noncommunity Public Well

DRILL DATE:

1942/09/09

TOWNSHIP

<u>RANGE</u>

SECTION

SITE NOW UNDER CHRYSLER PARKING LOT

ELEVATION:

448FT

DRILL DEPTH:

75FT

46

0 0

LG882

ZONE 15

UTM Y

DEPTH TO BED:

73FT

<u>UTM X</u> 721,611.73

4,269,270.53

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

003134 Private Well

DRILL DATE:

1934/10/00

TOWNSHIP

0

RANGE

SECTION

ELEVATION:

436FT

DRILL DEPTH:

DEPTH TO BED:

125FT

75FT

40

0 LG882

UTM X

<u>UTM Y</u> 4,269,285.53

721,491.73

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

S.W.L. (AFTER CASING):

3/1/2007

5,586



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024734

WELL TYPE Private Well

1966/06/24 DRILL DATE:

TOWNSHIP 0

SECTION

ELEVATION:

580FT

DRILL DEPTH:

645FT

LG886

UTM X

UTMY

DEPTH TO BED:

85FT

708,339.74

4,279,840.69

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

FT

FT

LOG ID: 012278

WELL TYPE Private Well

DRILL DATE:

1953/03/13

TOWNSHIP 0

RANGE SECTION **ELEVATION:**

553FT

DRILL DEPTH:

440FT

LG886 0

RANGE

0

UTM X

UTMY

DEPTH TO BED:

707,670.74

4,280,825.70

25FT

95

REMARKS:

ON CONWAY RD 1 MI W OF MASON RD

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 009472

WELL TYPE Private Well

1946/07/25

TOWNSHIP

RANGE SECTION **ELEVATION:**

582FT

DRILL DATE: DRILL DEPTH:

565FT

LG890 0

UTM X 725,826.91

UTM Y 4,288,349.68

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

20FT

149

REMARKS: ON ADIE RD; 12 GPM @ 565', 6 GPM AFTER PLUGGING BACK TO

554'

0

LOG ID:

008959

WELL TYPE Private Well

DRILL DATE:

380FT

TOWNSHIP 0

RANGE 0

SECTION

ELEVATION:

612FT

DRILL DEPTH:

DEPTH TO BED:

280FT

145

LG890

UTM X UTM Y

ZONE 15

725.531.91 ZONE 15

4,288,249.68

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

OLD WELL DEEPENED 280-380'; ON ADIE RD, 900' NE OF

LINDBURG



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007451

DEPTH TO BED:

WELL TYPE Private Well

130FT

145

1941// DRILL DATE:

TOWNSHIP RANGE SECTION 0 0

ELEVATION:

630FT

4,288,177.68

DRILL DEPTH: 415FT LG890

UTM X UTMY

725,565.91

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

W SIDE OF ADA (ADIE ?) RD, NEAR DR. R.J. PAYNE WELL (#4516) **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 008825

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP

RANGE SECTION **ELEVATION:**

580FT

DRILL DEPTH:

0

LG890 0

> **UTM X** 725,386.91

> > ZONE 15

UTMY 4,287,804.68

DEPTH TO BED:

95FT

105

205FT

REMARKS: LINDBURG & ADIE RDS

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

004516 **DRILL DATE:**

1937/10/

TOWNSHIP RANGE 0 0

SECTION

ELEVATION:

649FT

DRILL DEPTH:

405FT

LG890

UTM X

UTM Y 4,288,221.68

DEPTH TO BED:

50FT

725,751.91

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

formerly in nae of Dr. R.J. Payne - 642 Adie Rd, Overland

S.W.L. (AFTER CASING):

LOG ID: 008430

WELL TYPE Private Well

DRILL DATE:

1943/11/

TOWNSHIP

RANGE SECTION **ELEVATION:**

610FT

DRILL DEPTH:

0

0 LG9

UTM X

DEPTH TO BED:

50FT 25FT

729.913.79

ZONE 15

UTM Y 4,269,930.46

S.W.L. (BEFORE CASING):

FT

1 MI W OF HWY 30 ON GRANT RD **REMARKS:**

S.W.L. (AFTER CASING):

10



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003142

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH: 140FT

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING):

GRANT LANE REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 006730

WELL TYPE Private Well

DRILL DATE: 1940//

DRILL DEPTH: 206FT

DEPTH TO BED: 35FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 019559

WELL TYPE Private Well

DRILL DATE: 1960/08/23

DRILL DEPTH: 235FT

DEPTH TO BED: 35FT

S.W.L. (BEFORE CASING):

125 S.W.L. (AFTER CASING):

LOG ID: 007957

DEPTH TO BED:

WELL TYPE Private Well

1942// **DRILL DATE:**

DRILL DEPTH: 190FT

30FT S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 63 **TOWNSHIP RANGE SECTION** 0

0 LG9

ELEVATION:

UTMY 4,269,326.45

602FT

UTM X 730,200.78

ZONE 15

RANGE SECTION 0 LG902 0

UTM X

ELEVATION:

UTMY 4,261,596.38

521FT

726,936.70 ZONE 15

REMARKS:

FT

FT

TOWNSHIP

TOWNSHIP RANGE SECTION 0 0

LG909

ELEVATION:

503FT

UTM X UTM Y 698,903.64 4,277,509.67

ZONE 15

REMARKS: WILD HORSE CK RD, 5 MI SW OF CHESTERFIELD

> **TOWNSHIP** 0

RANGE 0

SECTION LG909

ELEVATION:

543FT

UTM X UTM Y 697.982.65

ZONE 15

4,278,792.69

2 MI N OF BABLER STATE PARK ON BLUFF OF MISSOURI RIVER **REMARKS**:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026474

WELL TYPE Private Well

TOWNSHIP RANGE DRILL DATE: **SECTION ELEVATION:** 605FT

0 0 LG936 **DRILL DEPTH:** 560FT

UTM X **UTMY** DEPTH TO BED: 45FT 717,069.78 4,277,745.65

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** formerly in name of D.r B.L. Valentine

S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE** Private Well 016675

DRILL DATE: 1957/08/02 **TOWNSHIP RANGE SECTION ELEVATION:** 509FT

0 LG936 0 DRILL DEPTH: 117FT

UTM X UTMY DEPTH TO BED: 25FT 717,511.77 4,276,266.63

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: 1 MI N OF MANCHESTER ON WIEDMAN RD S.W.L. (AFTER CASING): 20

LOG ID: **WELL TYPE** Private Well

004887

DRILL DEPTH:

DRILL DATE: 1938// **TOWNSHIP RANGE SECTION ELEVATION:** 530FT

0 0 LG936 **DRILL DEPTH:** 150FT

UTM X UTM Y **DEPTH TO BED:** 35FT 717,935.77 4,276,391.63

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: ON W SD WEIDMAN RD, HALFWAY BETWEEN MANCHESTER AND

30 **CLAYTON RDS** S.W.L. (AFTER CASING):

335FT

LOG ID: **WELL TYPE** Private Well 020401

1961/09/22 **TOWNSHIP RANGE DRILL DATE: SECTION ELEVATION:** 582FT

UTM X UTM Y DEPTH TO BED: 20FT 698.554.61 4,274,246.61

0

LG957

ZONE 15

S.W.L. (BEFORE CASING): FT NARROW 0.85 x 1 MI SECTION; YIELD - 34 GPM @ 167' **REMARKS:**

0

S.W.L. (AFTER CASING): 95



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023768

WELL TYPE

Outcrop Description

1965/10/04 DRILL DATE:

DRILL DEPTH: 215FT

DEPTH TO BED:

0 0 LG992

RANGE

ELEVATION:

495FT

UTM X 720,423.91

UTMY 4,290,997.75

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

BEGINS ON QUARRY FACE ALONG ROAD RAMP, TO DEEPEST

PART OF QUARRY

LOG ID: 006635

WELL TYPE Private Well

DRILL DATE:

1941//

TOWNSHIP

TOWNSHIP

RANGE

SECTION LG992

SECTION

ELEVATION:

490FT

DRILL DEPTH:

340FT

0 0

> **UTM X** 720,616.91

> > ZONE 15

ZONE 15

UTMY 4,290,766.75

DEPTH TO BED:

90FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

50

FT

FT

FT

REMARKS:

@ VIGUS, ACROSS RD FROM PENN SCHOOL

LOG ID: 003515

WELL TYPE Private Well

1936/01/20

TOWNSHIP RANGE SECTION 0 0

ELEVATION:

496FT

DRILL DATE: DRILL DEPTH:

268FT

LG9999

UTM X 743,544.06

UTM Y 4,299,958.62

DEPTH TO BED:

77FT

60

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016274

WATER TEST WELL (HOLE)

DRILL DATE:

1957/06/24

TOWNSHIP

RANGE

SECTION

ELEVATION:

UTM X

748.811.10

426FT

DRILL DEPTH:

125FT

3N 10W 18

UTM Y 4,298,363.55

DEPTH TO BED:

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

29

REMARKS: COLUMBIA BOTTOMS

3/1/2007

5,591



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026688

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

1968/07/11 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 500FT

> 3N 11W 25 305FT

UTM X **UTMY** DEPTH TO BED: 95FT 746,240.08 4,296,229.56

ZONE 15

S.W.L. (BEFORE CASING): COLUMBIA BOTTOMS RD AT HARIMORE **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 027106

WELL TYPE

Community Public Well

DRILL DATE: **TOWNSHIP RANGE SECTION** 1972/08/ **ELEVATION:** 572FT

3E 43N 1 DRILL DEPTH: 1,215FT

UTM X UTMY DEPTH TO BED: 5FT 706,380.56 4,262,837.43

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING): 176

LOG ID: 011418

WELL TYPE

Private Well

DRILL DATE: 1950/04/01 **TOWNSHIP RANGE SECTION ELEVATION:** 555FT

43N 3E **DRILL DEPTH:** 220FT

REMARKS:

REMARKS:

UTM X UTM Y

UTM Y

DEPTH TO BED: 10FT 706,430.56 4,262,881.43

1 MI S (OR W?) OF EUREKA; YIELD - 17 GPM @ 175'

ZONE 15 S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 150

LOG ID:

WELL TYPE

Private Well 006643

1940// **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 454FT

43N **DRILL DEPTH:** 320FT

DEPTH TO BED: 20FT 706.435.56 4,262,542.43

3E

@ BALD HILL FORD BRIDGE, S OF EUREKA

ZONE 15

UTM X

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 14



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021586

WELL TYPE

Community Public Well

1962/12/04 DRILL DATE:

DRILL DEPTH: 802FT

DEPTH TO BED: 30FT

S.W.L. (BEFORE CASING): 78 FT

S.W.L. (AFTER CASING): FT 55

TOWNSHIP RANGE SECTION 43N 3E 2

ELEVATION:

488FT

UTM X 704,510.55

UTMY 4,264,131.45

ZONE 15

located on Allenton Rd - YIELD - 140 GPM @ 110' **REMARKS:**

LOG ID: 007653

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1941/12/27

TOWNSHIP 43N

RANGE

SECTION

SECTION

3

ELEVATION:

533FT

DRILL DEPTH: 231FT

25FT

75

3E 2

UTM X

ELEVATION:

UTM X

702,912.53

UTMY

531FT

UTM Y

4,263,800.44

705,143.55 4,263,431.44 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS:

formerly in name of Robert Cochran (before 1947) - 1.25 miles W of

Eureka, S side of RR tracks

RANGE

3E

LOG ID: 023659

WELL TYPE

Private Well

DRILL DATE:

DRILL DEPTH: 255FT

DEPTH TO BED: 30FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 150

LOG ID:

WELL TYPE

025143

Community Public Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1967/10/17

256FT

55FT

TOWNSHIP 43N

TOWNSHIP

43N

RANGE

3E

SECTION 3

ELEVATION:

521FT

UTM Y

UTM X

702.964.54 4,264,164.44

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

POOR SAMPLES; YIELDS - 20 GPM @ 115', 60 GPM @ TD

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024709

DRILL DEPTH:

WELL TYPE Private Well

<u>DRILL DATE:</u> 1966/07/28 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 560FT

257FT 43N 3E 3

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 35FT 702,416.53 4,263,908.44

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: SW CORNER OF ALLENTON; YIELD - 10 GPM @ 154', 60 GPM @

TD

LOG ID: 017946

S.W.L. (AFTER CASING):

WELL TYPE Private Well 100

<u>DRILL DATE:</u> 1958/12/10 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 537FT

DRILL DEPTH: 230FT 43N 3E 3

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 40FT 702,488.53 4,264,113.44

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: YIELD - 17 GPM @ 170'

S.W.L. (AFTER CASING): 80

LOG ID: 018701 WELL TYPE Private Well

<u>DRILL DATE:</u> 1959/12/03 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 528FT

43N 3E 3

DRILL DEPTH: 230FT 45N 3L 3

<u>DEPTH TO BED:</u> 55FT 702,888.54 4,264,196.44 ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: IN ALLENTON

S.W.L. (AFTER CASING): 70

LOG ID: 022441

WELL TYPE Private Well

<u>DRILL DATE:</u> 1963/12/24 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 522FT

43N

DRILL DEPTH: 250FT UTM X UTM Y

<u>DEPTH TO BED:</u> 50FT 702,932.54 4,264,093.44

ZONE 15

3E

3

S.W.L. (BEFORE CASING): FT REMARKS: IN ALLENTON

S.W.L. (AFTER CASING): 70



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021154

DRILL DEPTH:

WELL TYPE Private Well

1962/06/06 DRILL DATE:

310FT

DEPTH TO BED: 15FT **TOWNSHIP RANGE SECTION** 43N

3E 3 **ELEVATION:**

573FT

UTM X

UTMY 4,263,914.44

702,736.53

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT **REMARKS:**

LOG ID: **WELL TYPE** 015380 Private Well

DRILL DATE:

1956/09/13

170

100

TOWNSHIP

SECTION RANGE 3

ELEVATION:

615FT

DRILL DEPTH:

333FT

3E 43N

UTM X

UTMY

DEPTH TO BED: 10FT 703,092.53

4,263,523.43

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: YIELD - 15 GPM @ 220'

S.W.L. (AFTER CASING):

WELL TYPE Private Well

014379 **DRILL DATE:**

LOG ID:

1955/12/22

TOWNSHIP 43N

RANGE SECTION 3

ELEVATION:

547FT

DRILL DEPTH:

255FT

REMARKS:

3E

UTM X 702,903.53

ZONE 15

UTM Y 4,263,667.43

DEPTH TO BED:

45FT

80

REMARKS: YIELD - 10 GPM @ 170'

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

011230

DRILL DATE:

1947/04/10

TOWNSHIP

SECTION RANGE

ELEVATION:

517FT

DRILL DEPTH:

120FT

43N

3E 3

UTM X 703,007.54

UTM Y 4,264,109.44

DEPTH TO BED:

45FT

IN ALLENTON

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022941

WELL TYPE Private Well

DRILL DATE: 1964/02/11

I1 <u>TOWNSHIP</u> 43N <u>SECTION</u>

4

ELEVATION:

541FT

UTMY

DRILL DEPTH:
DEPTH TO BED:

200FT 10FT

80

<u>UTM X</u>

700,702.52 4,264,204.43

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 1 MI W OF ALLENTON, ON SERVICE RD N SD I-44

RANGE

3E

S.W.L. (AFTER CASING):

LOG ID: 010504 WELL TYPE Private Well

DRILL DATE:

1947/10/03

TOWNSHIP

RANGE SECTION

ELEVATION:

560FT

DRILL DEPTH:

125FT

43N 3E

UTM X

<u>UTM Y</u> 4,264,228.43

DEPTH TO BED:

15FT

700,591.52 4 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 1 MI N OF HWY 66; YIELD - 20 GPM @ 40'

S.W.L. (AFTER CASING): 35

LOG ID: 007652

WELL TYPE Private Well

DRILL DATE:

1942/02/

TOWNSHIP RANGE SECTION

ELEVATION:

544FT

DRILL DEPTH:

178FT

43N 3E 4

UTM X UTM Y

DEPTH TO BED:

20FT

701,270.52 4,263,957.43

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 007749

WELL TYPE Private Well

DRILL DATE:

1942//

<u>TOWNSHIP</u>

REMARKS:

RANGE SECTION

FOX CREEK RD, 0.25 MI S OF HWY 66

ELEVATION:

701,330.52

505FT

DRILL DEPTH:

DEPTH TO BED:

180FT

40FT

3E

UTM X

<u>UTM Y</u> 4,264,093.44

43N

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: ON FOX CRK RD 0.5 MI N OF HWY 66

ZONE 15

45



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004263

WELL TYPE Private Well

1937/05/ DRILL DATE:

TOWNSHIP 43N

RANGE SECTION 3E 4

ELEVATION:

481FT

DRILL DEPTH:

DEPTH TO BED:

900FT 15FT

40

UTM X UTMY 700,638.52 4,264,132.43

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS:

located in Allenton - formerly in name of G.P. Peck Well #2 (before

4

1946)

LOG ID: 007023

WELL TYPE

DRILL DATE:

Private Well

TOWNSHIP 43N

SECTION RANGE

ELEVATION:

489FT

DRILL DEPTH:

110FT

3E

UTM X 701,757.52

ZONE 15

UTMY 4,263,873.43

DEPTH TO BED: 30FT

11

0.5 MI NW OF HWY 66 ON SW SD FOX CREEK RD **REMARKS**:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

026427

WELL TYPE Private Well

DRILL DATE:

1967/10/18

TOWNSHIP

RANGE SECTION **ELEVATION:**

715FT

DRILL DEPTH:

420FT 10FT

43N 3E 5

UTM X UTMY 699,596.50 4,263,050.41

DEPTH TO BED:

S.W.L. (AFTER CASING):

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

HILLVIEW DR, W OF OLD HWY 66, E OF PACIFIC; YIELD - 12 GPM

@ 318'

LOG ID:

WELL TYPE

028370

Community Public Well

DRILL DATE:

1980/05/28

TOWNSHIP 43N

SECTION RANGE

ELEVATION:

614FT

DRILL DEPTH:

DEPTH TO BED:

1,055FT 45FT

65

3E

UTM X UTM Y

700.419.51 ZONE 15

4,263,108.41

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

INTERVAL 450-525' LOGGED AS #28381 (ARRIVED AFTER REST

5

OF LOG FINISHED



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028381

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE

Community Public Well

1980/05/28 DRILL DATE:

1,055FT

45FT

TOWNSHIP 43N

RANGE 3E

SECTION 5

ELEVATION:

600FT

UTM X 699,679.50

UTMY 4,263,146.41

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

see also log #28370 - INTERVAL 450-525' LOGGED AS #28381

(ARRIVED AFTER REST OF LOG FINISHED

LOG ID:

WELL TYPE

019245

WATER TEST WELL (HOLE)

65

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

59FT

25FT

TOWNSHIP 43N

RANGE 3E

SECTION 5

ELEVATION:

754FT

UTM X

UTMY 4,263,088.41

699,540.50

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

NE CORNER OF PACIFIC

LOG ID: 019210

WELL TYPE Private Well

DRILL DATE:

1960/06/24

FT

TOWNSHIP

RANGE SECTION 3E 5

ELEVATION:

539FT

DRILL DEPTH:

150FT

43N

UTM X 699,879.51

UTMY 4,264,118.43

DEPTH TO BED:

25FT

46

REMARKS:

1 MI W NW OF HWY 66 ON FOX CRK RD; YIELD - 36 GPM @ 65'

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

024405

Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1966/04/13

175FT

10FT

TOWNSHIP 43N

RANGE 3E

SECTION 6

ELEVATION:

UTM X

573FT

UTM Y

698.956.50

4,262,986.40

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023400

WELL TYPE

Industrial High Capacity Well

1964/11/ DRILL DATE:

RANGE SECTION TOWNSHIP

43N 3E 7

DRILL DEPTH: 900FT UTM X **UTMY** DEPTH TO BED:

698,435.49 4,262,044.38

ELEVATION:

ZONE 15

480FT

478FT

477FT

502FT

LOG ID:

016309

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING):

60

WELL TYPE

Industrial High Capacity Well

DRILL DATE:

TOWNSHIP SECTION 1957/05/28 **RANGE**

43N 3E 7

ELEVATION:

DRILL DEPTH: 801FT

UTM X UTMY 698,303.49 4,262,051.38

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: E EDGE OF PACIFIC; YIELD - 314 GPM @ 260'

S.W.L. (AFTER CASING): 28

LOG ID: 006293

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1940//

43N 6E 106FT

TOWNSHIP

UTM X **UTMY**

DEPTH TO BED: 20FT 732,865.74 4,262,111.34

ELEVATION:

ZONE 15

S.W.L. (BEFORE CASING):

FT

65

REMARKS: 0.5 MI S OF OAKVILLE SCHOOL ON YEAGER RD

SECTION

10

RANGE

S.W.L. (AFTER CASING):

LOG ID: 006195

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1940/06/14

RANGE TOWNSHIP 43N 6E

195FT

35FT

SECTION 10

UTM X

UTM Y 733.140.75 4,262,368.34

ZONE 15

ELEVATION:

S.W.L. (BEFORE CASING): FT

0.25 MI N OF OAKVILLE SCHOOL ON YEAGER RD **REMARKS**:

S.W.L. (AFTER CASING): 95



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002793

WELL TYPE Private Well

DRILL DATE: 1933/10/00

<u>TOWNSHIP</u> <u>I</u> 43N

RANGE SECTION

ELEVATION:

542FT

DRILL DEPTH:

312FT

6E 11

UTM X

<u>UTM Y</u>

DEPTH TO BED:

20FT

733,848.75

4,261,856.33

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 004008

WELL TYPE Private Well

DRILL DATE:

1936/12/02

TOWNSHIP

RANGE SECTION

11

ELEVATION:

531FT

DRILL DEPTH:

281FT

43N 6E

UTM X

UTM Y

DEPTH TO BED:

2005

, 02

733,915.75

4,262,000.33

DEFIII IO BED.

200FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

123

REMARKS:

LOG ID:

WELL TYPE Private Well

027462DRILL DATE:

1970/08/

TOWNSHIP RA

RANGE SECTION

13

ELEVATION:

578FT

DRILL DEPTH:

465FT

43N 6E

UTM X

<u>UTM Y</u>

DEPTH TO BED:

45FT

735,501.75 4,261,156.30

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS:

145

LOG ID: 004243

WELL TYPE Private Well

DRILL DATE:

1937//

TOWNSHIP

RANGE SECTION

ELEVATION:

431FT

DRILL DEPTH:

85FT

43N

6E 13

ZONE 15

UTM Y

DEPTH TO BED:

15FT

<u>UTM X</u> 736,529.75

4,260,345.28

S.W.L. (BEFORE CASING):

REMARKS:

CLIFF CAVE - 50' W OF DEEP WELL (#3550)

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005200

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1938/12/ DRILL DATE:

398FT

40FT

TOWNSHIP 43N

RANGE 6E

SECTION 13

ELEVATION:

UTM X

UTMY 4,259,876.27

736,309.75

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

185

FT

REMARKS:

2 MI S OF OAKVILLE, 1.5 MI E OF TELEGRAPH RD ON SUSON RD

NEAR MS. RV.

LOG ID: 003550

WELL TYPE Private Well

DRILL DATE:

1936/03/00

TOWNSHIP

TOWNSHIP

43N

RANGE

SECTION

ELEVATION:

427FT

DRILL DEPTH: DEPTH TO BED: 1,070FT

60FT

43N

6E 13

UTM X

UTMY

736,529.75

4,260,301.28

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

POOR SAMPLES, MOSTLY MISSING INTERVALS

S.W.L. (AFTER CASING):

LOG ID: 003823

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1936/08/20

320FT

35FT

RANGE 6E

SECTION 14

ELEVATION:

576FT

UTM X

UTMY 4,260,763.30

734,348.74

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

90

FT

REMARKS:

W OF TELEGRAPH RD, S OF OAKVILLE ON PRIVATE RD

371FT

5FT

LOG ID: 003489

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1935/10/

TOWNSHIP 43N

RANGE

6E

SECTION

22

ELEVATION:

505FT

UTM X

UTM Y 4,259,111.29

732.854.72

ZONE 15

S.W.L. (BEFORE CASING):

FT

POOR SAMPLES - ABANDONED - SALINE WATER **REMARKS:**

S.W.L. (AFTER CASING):

241



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003510

WELL TYPE Private Well

1936/01/00 DRILL DATE:

43N

RANGE SECTION **ELEVATION:**

ZONE 15

432FT

DRILL DEPTH:

290FT

6E 22

UTM X 733,029.72

UTMY 4,259,326.29

DEPTH TO BED: 10FT

FT

36

REMARKS: #1 FREDMAR FARM

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 003937

WELL TYPE Private Well

DRILL DATE:

1935/10/

TOWNSHIP 43N

TOWNSHIP

SECTION RANGE

ELEVATION:

435FT

DRILL DEPTH:

236FT

6E

UTM X

UTMY 4,259,505.30

DEPTH TO BED:

40FT

30

733,067.72

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

REMARKS:

REMARKS:

IN VALLEY FLOOR NE OF VESPER HOME; DEEPENED 177-236,

22

7/1936

TOWNSHIP

43N

LOG ID: 003461

WELL TYPE Private Well

DRILL DATE:

SECTION RANGE

ELEVATION:

440FT

DRILL DEPTH:

236FT

6E 22

DEEPENED 177-236' IN 1936

UTM X

ZONE 15

733,242.72

UTMY 4,259,521.29

DEPTH TO BED:

18FT

30

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 002216

WELL TYPE Private Well

DRILL DATE:

1928/03/

TOWNSHIP

RANGE SECTION **ELEVATION:**

DRILL DEPTH:

284FT

43N

6E

DEPTH TO BED:

20FT

62

22

UTM X UTM Y 732,398.71 4,258,392.28

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007462

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1941// DRILL DATE:

370FT

35FT

TOWNSHIP 43N

RANGE 6E

SECTION 24

ELEVATION:

576FT

UTM X **UTMY** 4,258,883.26

735,738.73

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

"SUN-UP", WIND MILL ON WELL ON MISSISSIPPI RIVER BLUFF' 50

G/HOUR

LOG ID: 008996

WELL TYPE Oil Well

DRILL DATE:

1945/06/

TOWNSHIP

RANGE

SECTION 24

ELEVATION:

616FT

DRILL DEPTH: DEPTH TO BED: 160FT 40FT 43N 6E

UTM X

UTMY

4,259,534.28

735,247.74 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

S OF OAKVILLE - "CAN'T LOCATE"

LOG ID:

005344

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE:

1939/04/11

312FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

45FT

170

FT

FT

TOWNSHIP 43N

RANGE 6E

SECTION 24

ELEVATION:

592FT

UTM X

UTMY

736,150.74 4,259,725.27

ZONE 15

ON MISSISSIPPI RIVER BLUFFS @ SUSAN RD

S.W.L. (AFTER CASING):

LOG ID: 006078

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1940/05/

290FT

TOWNSHIP

43N

RANGE SECTION 6E

24

ELEVATION:

575FT

UTM X 735.741.73

UTM Y 4,258,832.26

ZONE 15

S.W.L. (BEFORE CASING):

50FT

REMARKS:

REMARKS:

75 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007471

WELL TYPE Private Well

1941// DRILL DATE:

TOWNSHIP 43N

RANGE SECTION 3

ELEVATION:

569FT

DRILL DEPTH:

233FT

6E

UTM X

UTMY 4,263,728.37

DEPTH TO BED:

30FT

65

732,581.75

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

ON E SIDE MEHL AVE, 0.5 MI S OF HWYS 61 & 67 **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 009203

WELL TYPE Private Well

DRILL DATE:

1946/05/

TOWNSHIP 43N

RANGE SECTION **ELEVATION:**

559FT

DRILL DEPTH:

217FT

6E

3

DEPTH TO BED:

UTM X 732,612.75

ZONE 15

UTMY 4,263,476.36

19FT

1 MI S OF HWY 61 ON MEHL AVE. **REMARKS**:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

100

LOG ID: 009201

WELL TYPE

Private Well

DRILL DATE:

1946/05/

TOWNSHIP

RANGE SECTION **ELEVATION:**

586FT

DRILL DEPTH:

153FT

43N 6E

UTM X

UTMY

DEPTH TO BED:

40FT

3

732,876.75 4,263,672.36

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 1 MI S OF HWY 61 ON MEHL AVE.

45 S.W.L. (AFTER CASING):

LOG ID: 008754

WELL TYPE

Private Well

DRILL DATE:

1944/07/24

TOWNSHIP

RANGE SECTION **ELEVATION:**

525FT

DRILL DEPTH:

DEPTH TO BED:

150FT

25FT

43N

6E 3

ZONE 15

UTM X 732,212.76

UTM Y 4,264,510.38

S.W.L. (BEFORE CASING):

REMARKS:

1 MI S OF MEHLVILLE ON HWYS 61 & 67

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008889

WELL TYPE Private Well

1945/09/01 DRILL DATE:

TOWNSHIP 43N

SECTION

3

ELEVATION:

572FT

DRILL DEPTH:

227FT

6E 3

RANGE

UTM X

UTMY 4,263,695.37

DEPTH TO BED:

40FT

732,708.75

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

ON E SD MEHL AVE, 1.5 MI S OF HWYS 61 & 67 **REMARKS**:

S.W.L. (AFTER CASING):

100

LOG ID: 009204

WELL TYPE Private Well

DRILL DATE:

1946/05/

TOWNSHIP 43N

RANGE SECTION **ELEVATION:**

578FT

DRILL DEPTH:

330FT

6E

UTM X

UTMY

DEPTH TO BED:

732,632.75

4,263,691.37

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

40FT

75

REMARKS:

1 MI S OF HWY 61 ON MEHL AVENUE

ZONE 15

LOG ID:

004062

WELL TYPE Private Well

DRILL DATE:

1936/12/28

TOWNSHIP

RANGE SECTION 3

ELEVATION:

540FT

DRILL DEPTH:

185FT

43N 6E

UTM X

UTM Y

DEPTH TO BED:

15FT

732,228.75 4,264,080.38

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

69

REMARKS:

LOG ID:

005564

WELL TYPE Private Well

DRILL DATE:

1939/07/22

TOWNSHIP

RANGE

SECTION

ELEVATION:

496FT

DRILL DEPTH:

DEPTH TO BED:

200FT

25FT

43N

6E 3 UTM X

UTM Y 4,264,287.38

731.892.75

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

48



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002215

DEPTH TO BED:

WELL TYPE Private Well

1928// DRILL DATE:

322FT

170FT

163

TOWNSHIP RANGE 43N

SECTION 34

ELEVATION:

DRILL DEPTH:

6E

UTM X **UTMY** 732,782.69 4,255,514.23

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: #1 #2 FREDMAR

S.W.L. (AFTER CASING):

WELL TYPE

Private Well 008467

1943/10/

TOWNSHIP 43N

RANGE SECTION

4

ELEVATION:

563FT

DRILL DEPTH:

LOG ID:

DRILL DATE:

275FT

6E

UTM X

UTMY

DEPTH TO BED:

35FT

730,812.74

4,263,053.37

ZONE 15

S.W.L. (BEFORE CASING):

45

0.5 MI W OF HWY 61 ON BUTLER HILL RD REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 011623

WELL TYPE Private Well

DRILL DATE: 1951/08/06

TOWNSHIP

RANGE SECTION **ELEVATION:**

555FT

DRILL DEPTH:

DEPTH TO BED:

235FT

40FT

80

43N 6E 4

UTM X

UTM Y 4,263,477.38

730,673.74

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: BUTLER HILL RD, 1/8 MI W OF HWYS 61 & 67

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

005102

1938/10/ **DRILL DATE:**

RANGE TOWNSHIP 43N

ELEVATION:

731.297.75

525FT

DRILL DEPTH:

DEPTH TO BED:

236FT 25FT 6E

UTM X

UTM Y 4,264,218.39

ZONE 15

S.W.L. (BEFORE CASING):

FT

0.3 MI W OF HWY 61 ON MATTESE SCHOOL RD **REMARKS**:

SECTION

S.W.L. (AFTER CASING):

75



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003635

WELL TYPE Private Well

<u>DRILL DATE:</u> 1936/06/02 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 497FT

DRILL DEPTH: 324FT 43N 6E

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 219FT 731,245.74 4,263,500.38

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: #1 TAVERN; OLD WELL DEEPENED 219-324'; PLUGGED BACK TO

S.W.L. (AFTER CASING): 55 305'

LOG ID: 005232

WELL TYPE Private Well

DRILL DATE: 1939/01/25 TOWNSHIP RANGE SECTION ELEVATION: 588FT

DRILL DEPTH: 258FT 43N 6E 4

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 40FT 730,284.74 4,263,544.39

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 0.25 MI N OF WASHINGTON SCHOOL ON KERTH RD

S.W.L. (AFTER CASING): 70

LOG ID: 003543

WELL TYPE Private Well

<u>DRILL DATE:</u> 1946/03/04 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 533FT

DRILL DEPTH: 243FT 43N 6E 4

UTM X UTM Y

<u>DEPTH TO BED:</u> 100FT 731,592.75 4,263,738.38

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: 1.5 MI S OF MEHLVILLE, ON E SD HWY 67

S.W.L. (AFTER CASING):

LOG ID: 023013

WELL TYPE Private Well

<u>DRILL DATE:</u> 1964/07/14 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 599FT

DRILL DEPTH: 350FT 43N 6E

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 45FT 727,043.71 4,263,106.41

6

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: MWY 21 & KELLER RD, 1.25 MI FROM HWY 21 (5795 KLLER RD)

S.W.L. (AFTER CASING): 80



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009708

WELL TYPE Private Well

DRILL DATE: 1947/09/05

TOWNSHIP RANGE SECTION
43N 6E 6

ELEVATION:

608FT

DRILL DEPTH:

371FT 43N

<u>UTM X</u> 727,046.71 <u>UTM Y</u>

DEPTH TO BED:

50FT

46.71 4,263,164.41

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 1500' E OF BUTLER HILL & TESSON FERRY RDS

S.W.L. (AFTER CASING): 135

LOG ID: 011212

WELL TYPE Private Well

DRILL DATE:

1947/10/

TOWNSHIP

RANGE SECTION 6E 6

ELEVATION:

553FT

DRILL DEPTH:
DEPTH TO BED:

140FT 20FT 43N 6E

<u>UTM X</u>

UTM Y

727,303.72

.72 4,264,117.42

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: BAVER RD

S.W.L. (AFTER CASING):

LOG ID: 011214 WELL TYPE Private Well

DRILL DATE:

1947/10/

TOWNSHIP

RANGE 6E **SECTION**

ELEVATION:

548FT

DRILL DEPTH:

65FT

43N

6

UTM X

UTM Y

DEPTH TO BED:

40FT

25

727,668.72 4,263,958.42

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: ON BAVER RD, 2 MI N OF HWY 21; ELEVATION MAY BE WRONG

S.W.L. (AFTER CASING):

LOG ID: 011221 WELL TYPE
Private Well

DRILL DATE:

1947/10/

TOWNSHIP 43N RANGE

SECTION

ELEVATION:

536FT

DRILL DEPTH:

DEPTH TO BED:

330FT

70FT

6E 6

UTM X

<u>UTM Y</u>

727,288.72

4,264,022.42

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 2 MI N OF HWY 21 ON BAVER RD; PLUGGED BACK TO 325'

S.W.L. (AFTER CASING): 50



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011803

WELL TYPE Private Well

1951/09/30 DRILL DATE:

345FT

TOWNSHIP RANGE 43N

SECTION

ELEVATION:

588FT

DRILL DEPTH:

6E

6

UTM X 726,951.71

UTM Y 4,263,024.41

ZONE 15

ZONE 15

DEPTH TO BED: 24FT

120

1.25 MI FROM HWY 21 ON KELLER RD

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT **REMARKS**:

LOG ID: 007427

WELL TYPE Private Well

DRILL DATE:

1941//

TOWNSHIP

RANGE

SECTION 6

ELEVATION:

588FT

DRILL DEPTH:

245FT

43N 6E

> UTM X 727,484.72

UTMY 4,264,253.42

DEPTH TO BED:

10FT

REMARKS:

REMARKS:

ON BAVER RD 1 MI W OF TESSON FERRY RD

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

68

LOG ID:

WELL TYPE

Private Well 002749

DRILL DATE:

1933/08/00

TOWNSHIP

FT

RANGE SECTION **ELEVATION:**

576FT

DRILL DEPTH:

140FT

43N 6E

UTM X

UTM Y

DEPTH TO BED:

15FT

727,249.72 4,264,199.42 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 007977

WELL TYPE

Private Well

DRILL DATE:

1942//

TOWNSHIP

RANGE

SECTION

6

ELEVATION:

513FT

DRILL DEPTH:

200FT

43N

6E 8

UTM Y

DEPTH TO BED:

50FT

UTM X 729.145.72

ZONE 15

4,261,959.37

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

ON KERTH RD



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008428

WELL TYPE Private Well

1943/10/ **RANGE** DRILL DATE: **TOWNSHIP SECTION ELEVATION:** 466FT

43N 6E 8 **DRILL DEPTH:** 70FT

UTM X **UTMY** DEPTH TO BED: 25FT 729,405.72 4,261,910.37

ON KERTH RD, 1 MI S OF BUTLER HILL RD

ON KEITH RD; YIELD MAY BE 25 G/HR, NOT /MIN

8

ZONE 15

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 30

LOG ID: **WELL TYPE** Private Well 008621

DRILL DATE: **TOWNSHIP RANGE SECTION** 1944/07/19 **ELEVATION:** 525FT

43N 6E 8 DRILL DEPTH: 215FT

UTM X UTMY DEPTH TO BED: 20FT 728,397.71 4,261,626.37

ZONE 15

S.W.L. (BEFORE CASING): FT **TESSON & NULL RDS** REMARKS:

REMARKS:

S.W.L. (AFTER CASING): 75

LOG ID: 008824

WELL TYPE Private Well

DRILL DATE: 1945/06/ **TOWNSHIP RANGE SECTION ELEVATION:** 530FT

43N 6E 8 **DRILL DEPTH:** 130FT

UTM X **UTM Y**

DEPTH TO BED: 20FT 729,757.72 4,262,051.37

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS:

50 S.W.L. (AFTER CASING):

LOG ID: 005973

WELL TYPE Private Well

1940/04/06 **TOWNSHIP RANGE SECTION DRILL DATE: ELEVATION:** 594FT

DRILL DEPTH: 264FT UTM X UTM Y

6E

DEPTH TO BED: 30FT 729.505.72 4,262,623.38

ZONE 15

S.W.L. (BEFORE CASING): FT

43N

REMARKS: S.W.L. (AFTER CASING): 140



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005903

DRILL DATE:

DEPTH TO BED:

WELL TYPE Private Well

1939/11/25

45FT

TOWNSHIP 43N

RANGE SECTION 6E 8

ELEVATION:

574FT

DRILL DEPTH: 272FT

UTM X

UTMY 4,262,357.38

729,289.72 ZONE 15

S.W.L. (BEFORE CASING):

FT

ON KEITH RD ABT 0.5 MI SW OF BUTLER HILL RD; 300 'S OF #1 **REMARKS**:

SECTION

8

S.W.L. (AFTER CASING): 122

LOG ID: 005971

WELL TYPE Private Well

DRILL DATE:

1940/03/21

TOWNSHIP

RANGE

ELEVATION:

594FT

DRILL DEPTH:

252FT

190

43N 6E

UTM X

UTMY

DEPTH TO BED: 45FT

729,505.72 4,262,623.38

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS: 0.25 MI SW OF BUTLER HILL RD ON KERTH RD NEAR

WASHINGTON SCHOOL

LOG ID: 006486

DRILL DATE:

WELL TYPE Private Well

1940/09/17

FT

TOWNSHIP RANGE SECTION 8

ELEVATION:

DRILL DEPTH:

257FT

43N 6E

UTM X **UTM Y** 4,262,157.37

DEPTH TO BED: 40FT 729,325.72

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

90

REMARKS: KERTH RD

LOG ID:

WELL TYPE Private Well

005972

1940/03/30 **DRILL DATE:**

RANGE TOWNSHIP

SECTION

ELEVATION:

594FT

DRILL DEPTH:

265FT

43N

6E 8

> UTM X 729.505.72

UTM Y

DEPTH TO BED:

25FT

225

4,262,623.38

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

3/1/2007

5,611



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 000206

DRILL DEPTH:

WELL TYPE Private Well

106FT

1905/10/00 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

> 43N 6E 8

UTM X **UTMY**

9

DEPTH TO BED: 11FT 729,325.72 4,262,153.37

ZONE 15

476FT

S.W.L. (BEFORE CASING): FT SW OF MATTESE; NO UNITS IDENTIFIED **REMARKS**:

S.W.L. (AFTER CASING): 20

LOG ID: 007476

WELL TYPE Private Well

DRILL DATE: 1941// **TOWNSHIP SECTION RANGE ELEVATION:** 519FT

43N 6E DRILL DEPTH: 210FT

UTM X UTMY

DEPTH TO BED: 15FT 730,742.73 4,261,973.36 ZONE 15

S.W.L. (BEFORE CASING): FT ON LEMAY FERRY RD S OF LINDBERGH BLVD, W SD ON HILL **REMARKS**:

S.W.L. (AFTER CASING): 113

LOG ID: 003808

WELL TYPE Private Well

DRILL DATE: 1936/08/27 **TOWNSHIP RANGE SECTION ELEVATION:** 561FT

43N 6E 9 **DRILL DEPTH:** 400FT

UTM X UTM Y

DEPTH TO BED: 20FT 730,835.73 4,261,935.35 ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

REMARKS:

135

S.W.L. (AFTER CASING):

LOG ID: 009746

WELL TYPE Private Well

RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION: 560FT

DRILL DEPTH: 250FT UTM X UTM Y DEPTH TO BED: 50FT 736.653.76 4,260,952.29

7E

18

ON MISSISSIPPI RIVER BLUFF, 1.5 MI E OF OAKVILLE

ZONE 15

S.W.L. (BEFORE CASING): FT

43N

S.W.L. (AFTER CASING): 155



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005901

WELL TYPE Private Well

1939// DRILL DATE:

TOWNSHIP 43N

RANGE SECTION 7E

ELEVATION:

545FT

UTMY

DRILL DEPTH: DEPTH TO BED: 250FT 25FT 18

UTM X

736,744.76 4,261,065.29

ZONE 15

S.W.L. (BEFORE CASING):

ON MISSISSIPPI RIVER BLUFF, 0.5 N OF CLIFF FACE **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 024942

WELL TYPE Private Well

DRILL DATE:

1966/10/21

TOWNSHIP

SECTION RANGE

1

ELEVATION:

752FT

DRILL DEPTH:

565FT

44N 3E

> **UTM X** 706,589.65

UTMY 4,273,019.59

DEPTH TO BED:

65FT

308

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: **NEAR GLENCOE - CHERRY HILLS**

S.W.L. (AFTER CASING):

LOG ID: 027036

WELL TYPE

Noncommunity Public Well

DRILL DATE:

TOWNSHIP RANGE 44N

SECTION

ELEVATION:

568FT

DRILL DEPTH:

515FT

3E 10

UTM X

DEPTH TO BED:

5FT

703,118.61

UTM Y 4,271,026.56

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

REMARKS:

MO CONSERVATION COMMISSION

340

LOG ID:

WELL TYPE

007408

Noncommunity Public Well

DRILL DATE:

1941/12/

TOWNSHIP 44N

RANGE 3E

SECTION

ELEVATION:

620FT

DRILL DEPTH:

DEPTH TO BED:

350FT

25FT

10

UTM X UTM Y

ZONE 15

702.904.61

4,271,805.57

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

MO CONSERVATION COMMISSION **REMARKS:**



RANGE

SECTION

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006455

WELL TYPE

Noncommunity Public Well

100

DRILL DATE: 1940/10/25

DRILL DEPTH: 302FT 44N 3E 10

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 5FT 703,117.61 4,271,032.56

ZONE 15

586FT

ELEVATION:

S.W.L. (BEFORE CASING): FT REMARKS: CONTAMINATED, RECASED @ 185' 1941; MO CONSERVATION

TOWNSHIP

COMMISSION

LOG ID:

S.W.L. (AFTER CASING):

WELL TYPE

023183 Noncommunity Public Well

DRILL DATE: 1964/09/22 TOWNSHIP RANGE SECTION ELEVATION: 775FT

DRILL DEPTH: 480FT 44N 3E 11

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 45FT 705,061.63 4,272,166.58

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: WRIGHT STORE NEAR JCT HWYS 100 & 109

S.W.L. (AFTER CASING): 330

LOG ID: 022358

WELL TYPE

Private Well

<u>DRILL DATE:</u> 1963/09/18 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 767FT

DRILL DEPTH: 505FT 44N 3E 11

<u>DTM X</u> <u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 75FT 705,439.64 4,272,031.58

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: GROVER

S.W.L. (AFTER CASING): 275

LOG ID:

WELL TYPE

006299 Private Well

DRILL DATE: 1940/06/ <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u> 776FT

DRILL DEPTH: 450FT UTM Y

3E

11

<u>DEPTH TO BED:</u> 45FT 704,596.63 4,272,115.58

ZONE 15

44N

S.W.L. (BEFORE CASING): FT REMARKS: ON CHRISTY AVE, IN POND, 0.5 MI S OF HWY 50

S.W.L. (AFTER CASING): 200



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007025

WELL TYPE Private Well

1941/05/02 DRILL DATE:

FT

RANGE SECTION

ELEVATION:

570FT

DRILL DEPTH:

306FT

3E 11

UTM X

704,087.62

UTMY 4,271,315.56

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS: formerly in name of Joe Getlin Well #1

S.W.L. (AFTER CASING): 100

LOG ID: 026185

WELL TYPE Private Well

DRILL DATE:

1968/08/06

TOWNSHIP

TOWNSHIP

44N

SECTION RANGE

3E

ELEVATION:

DRILL DEPTH:

226FT

44N

13

UTM X UTMY

ZONE 15

ZONE 15

706,998.63

4,270,661.56

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

65FT

REMARKS:

formerly in name of Otto Rudenich - @ BOUQUET; 10 GPM @ 124', 30

GPM @ TD

LOG ID: 026190

WELL TYPE Private Well

1968/12/06

TOWNSHIP

RANGE

ELEVATION:

570FT

DRILL DATE: DRILL DEPTH:

287FT

44N

SECTION 3E

UTM X

UTM Y

DEPTH TO BED:

80FT

706,763.62 4,269,434.54

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

GLENCOE, ON OLD STATE RD HALFWAY UP HILL FROM POST

13

OFFICE

LOG ID: 007422

WELL TYPE Private Well

1941/08/14

TOWNSHIP

RANGE

SECTION

ELEVATION:

440FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

112FT

50FT

44N

3E

13

UTM Y

706.805.62

UTM X

4,269,136.53

ZONE 15

S.W.L. (BEFORE CASING):

FT

GLENCOE, IN FRONT OF CHURCH 800' E OF MANLEY WELL **REMARKS:**

S.W.L. (AFTER CASING): 31



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005667

DRILL DEPTH:

WELL TYPE Private Well

1939/08/ DRILL DATE:

106FT

DEPTH TO BED: 20FT **TOWNSHIP** 44N

RANGE SECTION 3E

13

ELEVATION:

UTM X

UTMY 706,852.63 4,270,534.56

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

30

REMARKS:

formerly in name of Tony Sudheimer - @ GLENCOE, IN BACK OF

13

SECTION

14

HOBBS STORE ON HILL (FORMERLY TONY SUDHEIMER)

LOG ID: 006370

WELL TYPE Private Well

DRILL DATE:

1940//

TOWNSHIP

RANGE SECTION **ELEVATION:**

465FT

DRILL DEPTH:

110FT

44N 3E

@ GLENCOE

UTM X 706,932.62

ELEVATION:

UTM X

704,856.61

ZONE 15

ZONE 15

UTMY 4,269,124.53

616FT

UTM Y

4,269,919.54

DEPTH TO BED: 10FT

46

TOWNSHIP

44N

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE Private Well

026424 **DRILL DATE:**

1967/06/

359FT

15FT

REMARKS:

REMARKS:

formerly in name of William J. Neeley - E MELROSE RD; 20 GPM @

257'

LOG ID: 023126

WELL TYPE Private Well

DRILL DATE:

1964/08/06

TOWNSHIP

RANGE

RANGE

3E

SECTION

ELEVATION:

744FT

DRILL DEPTH:

DEPTH TO BED:

312FT 15FT 44N

3E 16

UTM X

UTM Y

700.605.58

4,269,782.53

ZONE 15

S.W.L. (BEFORE CASING):

FT

0.25 MI NE OF HENCKEN RD ON HWY 100; POOR SAMPLES **REMARKS**:

S.W.L. (AFTER CASING): 90



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023435

DRILL DEPTH:

WELL TYPE Private Well

<u>DRILL DATE:</u> 1964/11/27 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 701FT

275FT 44N 3E 16

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 20FT 700,660.57 4,269,469.53

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 17 GPM @ 125'

S.W.L. (AFTER CASING): 60

LOG ID: WELL TYPE
022036 Private Well

DRILL DATE: 1963/07/09 TOWNSHIP RANGE SECTION ELEVATION: 826FT

DRILL DEPTH: 488FT 44N 3E 16

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 45FT 701,712.58 4,269,283.53

S.W.L. (BEFORE CASING): FT PEMARKO ANNA OF ALL ENTON MELE AL COMO OF THE

S.W.L. (AFTER CASING): 347

REMARKS: 4 MI N OF ALLENTON; YIELD - 15 GPM @ 377'

5.11.2. (7.11.12.11.07.13.11.13);

LOG ID: WELL TYPE O10030 Private Well

DRILL DATE: 1948/03/08 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 834FT

DRILL DEPTH: 408FT 44N 3E 16

<u>DEPTH TO BED:</u> 400FT <u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 30FT 701,328.58 4,269,548.53

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 5 MI S OF HWY 66 ON ALLENTON RD.

S.W.L. (AFTER CASING): 225

LOG ID: WELL TYPE
024001 Private Well

<u>DRILL DATE:</u> 1965/09/23 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 675FT

DRILL DEPTH: 305FT 44N 3E 17

<u>DEPTH TO BED:</u> 40FT <u>UTM X</u> <u>UTM Y</u> 699,770.57 4,269,527.53

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: ON HWY 100 IN HOLLOW, MO., NEAR STOVAL TAVERN

S.W.L. (AFTER CASING): 178



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018942

WELL TYPE Private Well

1960/02/17 DRILL DATE:

RANGE TOWNSHIP SECTION 3E

ELEVATION:

675FT

DRILL DEPTH:

300FT

UTMY

DEPTH TO BED:

30FT

60

17

17

UTM X 699,544.56

4,269,491.53

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 200 YDS N OF HWY 100

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

022927 DRILL DATE:

1964/02/07

TOWNSHIP

44N

RANGE SECTION **ELEVATION:**

656FT

DRILL DEPTH:

282FT

44N 3E

UTM X

UTMY

DEPTH TO BED: 15FT 699,967.57

4,269,380.52

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: POSSIBLY POOR SAMPLES

S.W.L. (AFTER CASING):

LOG ID: 022440

WELL TYPE

Noncommunity Public Well

105

DRILL DATE:

1963/11/21

TOWNSHIP RANGE **SECTION** 17

ELEVATION:

647FT

DRILL DEPTH:

275FT

44N 3E

UTM X

UTM Y

DEPTH TO BED:

20FT

3E

699,675.56 4,269,217.52

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

125

FT

REMARKS:

LOG ID: 015375

WELL TYPE Private Well

DRILL DATE:

1956/07/27

TOWNSHIP 44N

RANGE SECTION **ELEVATION:**

UTM X

705FT

DRILL DEPTH:

DEPTH TO BED:

335FT

15FT

17

UTM Y

699.915.57

4,269,651.53

ZONE 15

S.W.L. (BEFORE CASING):

FT

0.25 MI N OF HWY 100 IN HOLLOW, MO.; 15 GPM @ 285' **REMARKS**:

S.W.L. (AFTER CASING):

205



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014839

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1956/04/30 DRILL DATE:

295FT

25FT

65

TOWNSHIP RANGE 44N 17

3E

SECTION

ELEVATION:

682FT

UTM X

UTMY 4,270,138.54

700,003.57

ZONE 15

S.W.L. (BEFORE CASING):

FT **REMARKS:** 30 GPM @ 100'

S.W.L. (AFTER CASING):

LOG ID: 024045

WELL TYPE Private Well

DRILL DATE:

1965/11/19

TOWNSHIP

RANGE SECTION **ELEVATION:**

759FT

DRILL DEPTH: DEPTH TO BED:

400FT 75FT

44N 3E 18 **UTM X**

UTMY

698,160.56

4,269,801.53

ZONE 15

S.W.L. (BEFORE CASING):

205

FT

REMARKS: 20 GPM @ 300'

S.W.L. (AFTER CASING):

LOG ID: 024006

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1965/11/01

365FT

20FT

150

TOWNSHIP RANGE 44N 3E

SECTION 18

ELEVATION:

650FT

UTM X

UTM Y 4,269,436.52

698,160.55 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

0.75 MI N OF HWY 100 ON BOUQUET RD

LOG ID: 019223

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1960/07/21

430FT

75FT

295

TOWNSHIP 44N

RANGE

3E

SECTION 18

ELEVATION:

796FT

UTM X UTM Y

698.838.56

4,269,342.52

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

0.75 MI N OF HWY 100 ON BOUQUET RD, 0.25 MI E ON PRIVATE

RD



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018956

DRILL DEPTH:

WELL TYPE Private Well

<u>DRILL DATE:</u> 1960/01/05 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 767FT

405FT 44N 3E 18

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 25FT 698,289.56 4,269,836.53

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 0.75 MI N OF HWY 100 NEAR HOLLOW, MO

S.W.L. (AFTER CASING): 265

LOG ID: 009044

WELL TYPE Private Well

DRILL DATE: 1946/01/24 TOWNSHIP RANGE SECTION ELEVATION: 772FT

DRILL DEPTH: 315FT 44N 3E 18

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 35FT 698,373.56 4,269,738.53

S.W.L. (BEFORE CASING): FT DEMARKS AND SELECTION OF A PROJECT DR

S.W.L. (AFTER CASING): 200 REMARKS: 1 MI N OF HWY 50 ON BOUQUET RD

LOG ID: 006887

WELL TYPE
Private Well

<u>DRILL DATE:</u> 1941// <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 760FT

DRILL DEPTH: 485FT 44N 3E 18

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 32FT 697,585.55 4,269,451.52

S.W.L. (BEFORE CASING): FT PEMARKO SEMUM OF PROME OF MANGUESTER PROCEDURAL.

REMARKS: 5.5 MI W OF PPONE, 2.5 MI N OF MANCHESTER RD; OLD WELL

S.W.L. (AFTER CASING): 155 DEEPND 375-485'

65

LOG ID: 024005

S.W.L. (AFTER CASING):

WELL TYPE Private Well

DRILL DATE: 1965/10/14 <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u> 643FT

DRILL DEPTH: 225FT UTM X UTM Y

3E

19

<u>DEPTH TO BED:</u> 40FT 698,251.55 4,268,806.51

S.W.L. (BEFORE CASING): FT SEMANCE ASSEMBLY OF THE PROPERTY OF

44N

REMARKS: 0.25 MI N OF HWY 100 ONB BOUQUET RD



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022933

WELL TYPE Private Well

1964/01/22 DRILL DATE:

TOWNSHIP 44N

RANGE SECTION 19

ELEVATION:

618FT

DRILL DEPTH:

203FT

3E

UTM X

UTMY 4,268,376.50

DEPTH TO BED:

75FT

15

698,106.54

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID: 018597

WELL TYPE Private Well

DRILL DATE:

1959/06/27

TOWNSHIP

RANGE SECTION **ELEVATION:**

653FT

DRILL DEPTH:

220FT

44N 3E

UTM X

UTMY

DEPTH TO BED:

35FT

40

4,268,758.51

697,566.54

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

FT

REMARKS:

LOG ID:

006646

WELL TYPE

Private Well

DRILL DATE:

1940/10/07

TOWNSHIP

RANGE

SECTION 19

19

ELEVATION:

636FT

DRILL DEPTH:

325FT

44N 3E

UTM X 698,249.53

ZONE 15

UTM Y 4,267,547.49

DEPTH TO BED:

25FT

122

REMARKS:

ON W SD FOX CREEK RD 1 MI S OF HWY 50, "SKY MEADOWS"

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

023098

Private Well

DRILL DATE:

1964/07/23

TOWNSHIP

RANGE

SECTION 2

ELEVATION:

772FT

DRILL DEPTH:

DEPTH TO BED:

520FT 30FT 44N 3E

UTM X 704,366.65

UTM Y 4,273,968.61

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

230

REMARKS:

1 MI N OF POND ON POND RD



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003888

WELL TYPE Private Well

1936/10/01 DRILL DATE:

TOWNSHIP 44N

FT

RANGE SECTION

ELEVATION:

751FT

DRILL DEPTH:

DEPTH TO BED:

511FT

3E 2

UTM X

UTMY 4,273,445.60

705,270.65 ZONE 15

S.W.L. (BEFORE CASING):

60FT

IN WOODS 0.45 MI W, 0.5 MI N OF TTR @ GROVER **REMARKS**:

S.W.L. (AFTER CASING):

275

LOG ID: 026377

WELL TYPE Private Well

DRILL DATE:

1967/09/20

TOWNSHIP

RANGE SECTION **ELEVATION:**

852FT

DRILL DEPTH:

460FT

44N 3E

UTM X

UTMY

DEPTH TO BED:

55FT

20

700,495.56 4,267,961.50

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 1.5 MI S OF HWY 100 ON HENKEN RD; 5 GPM @ 379'

S.W.L. (AFTER CASING):

LOG ID: 023802

WELL TYPE

Private Well

1965/07/07

TOWNSHIP RANGE **SECTION** 20

ELEVATION:

632FT

DRILL DATE: DRILL DEPTH:

257FT

44N 3E

> UTM X 699,368.56

UTM Y 4,268,997.52

DEPTH TO BED:

30FT

145

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 009843

WELL TYPE Private Well

DRILL DATE:

1946/10/16

TOWNSHIP 44N

RANGE

SECTION

ELEVATION:

DRILL DEPTH:

DEPTH TO BED:

260FT 15FT 3E 20

ON HWY 100 NE OF FOX CREEK RD

UTM X UTM Y 4,268,302.50

ZONE 15

ZONE 15

699.181.55

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

REMARKS:

400' FROM #50, 1600' FROM FOX CREEK RD

S.W.L. (AFTER CASING):

8



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005849

WELL TYPE

Noncommunity Public Well

1940/01/ **RANGE** DRILL DATE: **TOWNSHIP SECTION ELEVATION:**

44N 3E 20 **DRILL DEPTH:** 225FT

UTM X **UTMY** DEPTH TO BED: 35FT

699,115.55 4,268,863.51

632FT

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 40

LOG ID: 023684

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 819FT

44N 3E 21 DRILL DEPTH: 420FT

UTM X UTMY DEPTH TO BED: 55FT 701,583.57 4,268,958.52

HWY 100, GRAY SUMMIT

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 125

LOG ID: 022664

WELL TYPE Private Well

DRILL DATE: 1963/07/06 **TOWNSHIP RANGE SECTION ELEVATION:** 838FT

44N 3E 21 **DRILL DEPTH:** 525FT

UTM X **UTM Y DEPTH TO BED:** 50FT 700,756.56 4,267,837.50

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 021153

WELL TYPE Private Well

1962/06/15 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 716FT

44N 3E 21 **DRILL DEPTH:** 320FT

UTM X UTM Y DEPTH TO BED: 20FT 700.716.56 4,268,629.51

ZONE 15

S.W.L. (BEFORE CASING): FT "UNUSUAL SECTION" - MISSISSIPPIAN - PLATTIN ?? **REMARKS**:

75 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009542

DRILL DEPTH:

LOG ID:

WELL TYPE Private Well

1947/06/ DRILL DATE:

390FT

DEPTH TO BED: 15FT

RANGE TOWNSHIP SECTION 44N 3E

BIT LEFT IN HOLE

21

SECTION

SECTION

23

ELEVATION:

835FT

UTM X 700,756.55

ELEVATION:

UTM X

704,696.59

ELEVATION:

UTM X

704,696.59

ZONE 15

UTMY 4,267,607.49

605FT

UTMY

4,268,018.51

672FT

UTM Y

4,267,755.51

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE

Private Well 024711

1966/08/01 DRILL DATE:

DRILL DEPTH: 370FT

DEPTH TO BED: 5FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

44N 3E 23

RANGE

3E

RANGE

REMARKS: 2 MI NW OF EUREKA, OUT FORBY RD, N ON ALT RD, LFT TOP HILL ON DRIVE

TOWNSHIP

44N

TOWNSHIP

REMARKS:

LOG ID: 017228

WELL TYPE Private Well

DRILL DATE: 1958/04/

DRILL DEPTH: 410FT

DEPTH TO BED: 25FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 008153

WELL TYPE Private Well

1942/08/ **DRILL DATE:**

DRILL DEPTH: 390FT

DEPTH TO BED: 30FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

FT

220

TOWNSHIP 44N

RANGE

3E

SECTION

23

ELEVATION:

653FT

UTM X UTM Y 704.808.59

4,267,879.51 ZONE 15

ZONE 15

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024025

WELL TYPE Private Well

1965/12/31 DRILL DATE:

TOWNSHIP 44N

RANGE SECTION 3E

ELEVATION:

649FT

DRILL DEPTH:

359FT

25

UTM X 706,708.59

UTMY 4,266,907.50

DEPTH TO BED:

5FT

ZONE 15

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 018692

WELL TYPE Private Well

DRILL DATE:

1959/10/10

TOWNSHIP 44N

RANGE SECTION **ELEVATION:**

611FT

DRILL DEPTH:

310FT

3E 25

10 GPM @ 300', 15 GPM @ TD

UTM X 706,805.59

UTMY 4,266,358.49

DEPTH TO BED:

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

205

FT

FT

REMARKS: 1 MI N OF EUREKA; YIELD - 17 GPM @ 265'

LOG ID: 011341

WELL TYPE Private Well

DRILL DATE:

1950//

TOWNSHIP

RANGE

SECTION 25

ELEVATION:

724FT

DRILL DEPTH:

478FT

44N 3E

1.75 MI N OF EUREKA

UTM X 706,561.60

UTM Y 4,267,226.51

DEPTH TO BED:

70FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

200

LOG ID: 020120

WELL TYPE Private Well

DRILL DATE:

1961/04/06

TOWNSHIP

RANGE

SECTION 26

ELEVATION:

DRILL DEPTH:

DEPTH TO BED:

495FT 80FT

420

44N

3E

UTM X 704.980.59 UTM Y

4,267,351.50

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:

2 MI NW OF EUREKA ON ALT RD



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002783

WELL TYPE Private Well

DRILL DATE:

1933/12/05 **TOWNSHIP**

RANGE SECTION 44N 26

ELEVATION:

610FT

UTMY

4,266,689.49

DRILL DEPTH:

835FT

3E

UTM X

DEPTH TO BED:

704,155.57

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

110

LOG ID:

WELL TYPE

002433 Noncommunity Public Well

DRILL DATE:

1931/07/01

TOWNSHIP

SECTION RANGE

ELEVATION:

719FT

DRILL DEPTH:

575FT

3E 44N

27

UTM X

UTMY

DEPTH TO BED:

5FT

703,261.56

4,266,260.48

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

formerly in name of Associated Charities Well #1 - Frank Wyman,

owner(?)

LOG ID:

WELL TYPE

024908

Noncommunity Public Well

190

DRILL DATE:

1967/02/

TOWNSHIP

RANGE

ELEVATION:

902FT

44N

SECTION 28

701,904.56

DRILL DEPTH:

640FT

3E

UTM X

UTM Y

DEPTH TO BED:

85FT

4,267,102.49

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: ST. LOUIS COUNTY PARK BOARD

LOG ID:

WELL TYPE

027236

Noncommunity Public Well

DRILL DATE:

1972/11/29

TOWNSHIP

44N

REMARKS:

RANGE SECTION **ELEVATION:**

880FT

UTM Y

4,267,239.49

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

650FT

3E 28

ZONE 15

701,856.56

UTM X

60FT

FT

ST. LOUIS COUNTY PARK BOARD

S.W.L. (AFTER CASING):

482



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026860

WELL TYPE Private Well

<u>DRILL DATE:</u> 1969/06/16 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 640FT

DRILL DEPTH: 285FT 44N 3E 28

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 55FT 700,580.54 4,266,092.47

ZONE 15

UTM X

UTM Y

S.W.L. (BEFORE CASING): FT REMARKS: SCANNED 3 SAMIPLES ACTUALLY LOGGED 145-160'

S.W.L. (AFTER CASING): 150

LOG ID: 022438

WELL TYPE Private Well

DRILL DATE: 1963/11/11 TOWNSHIP RANGE SECTION ELEVATION: 882FT

DRILL DEPTH: 505FT 44N 3E 28

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 70FT 701,632.56 4,267,377.49

S.W.L. (BEFORE CASING): FT PEMARKO

REMARKS:

S.W.L. (AFTER CASING): 435

LOG ID: 023819

WELL TYPE Private Well

<u>DRILL DATE:</u> 1965/08/04 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 592FT

DRILL DEPTH: 170FT 44N 3E 29

<u>DEPTH TO BED:</u> 170FT <u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 35FT 699,493.53 4,266,156.46

ZONE 15

S.W.L. (BEFORE CASING): REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 026431

WELL TYPE Private Well

<u>DRILL DATE:</u> 1967/05/15 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 664FT

DRILL DEPTH: 277FT 44N

<u>DEPTH TO BED:</u> 10FT 699,637.53 4,266,635.47

3E

29

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: HARDESTY SUBDIVISION ON FOX CREEK RD; 10 GPM @ 225'

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024702

WELL TYPE Private Well

1966/07/01 DRILL DATE:

RANGE TOWNSHIP SECTION 44N 3E 3

ELEVATION:

796FT

DRILL DEPTH: 543FT

UTM X 702,765.63

UTMY 4,273,793.60

ZONE 15

DEPTH TO BED: 65FT S.W.L. (BEFORE CASING):

FT

286

1 MI NW OF POND ON MUELLER LANE **REMARKS**:

S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 024704

WELL TYPE Private Well

DRILL DATE:

1966/06/28

TOWNSHIP

RANGE SECTION 3

ELEVATION:

796FT

DRILL DEPTH:

523FT

44N 3E

UTM X

UTMY

DEPTH TO BED:

30FT

702,961.64

4,273,778.60

ZONE 15

S.W.L. (BEFORE CASING):

FT

284

S.W.L. (AFTER CASING):

LOG ID: 022336

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1963/10/11

TOWNSHIP RANGE **ELEVATION:**

797FT

DRILL DEPTH:

520FT

44N 3E

UTM X

DEPTH TO BED:

60FT

313

3

UTM Y 703,218.63 4,273,006.59

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

W OF POND ON HWY 100

S.W.L. (AFTER CASING):

LOG ID: 008378

WELL TYPE Private Well

1943/08/

TOWNSHIP

44N

RANGE

SECTION

SECTION

ELEVATION:

783FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

505FT

60FT

3E 3

UTM X

703,416.63

UTM Y

4,272,766.59 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

0.75 MI W OF POND ON HWY 50

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002576

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

44N

RANGE SECTION 3

ELEVATION:

UTM X

806FT

DRILL DEPTH: 202FT

UTMY

702,945.63

4,273,115.59

ZONE 15

S.W.L. (BEFORE CASING):

2 DRILLERS LOGS, GLEASON'S AND DRILLERS **REMARKS**:

3E

S.W.L. (AFTER CASING):

LOG ID: 005023

WELL TYPE Private Well

DRILL DATE:

1938/08/19

TOWNSHIP

TOWNSHIP

SECTION RANGE

ELEVATION:

798FT

DRILL DEPTH:

168FT

75

55FT

44N 3E

UTM X

UTMY

DEPTH TO BED: 90FT

702,925.63

4,272,996.59

S.W.L. (BEFORE CASING):

FT

REMARKS:

ON HWY 50, 1 MI W OF BIG CHIEF HOTEL, JUST W OF STORE

3

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Community Public Well

DRILL DATE:

002714

1933/03/00

TOWNSHIP

RANGE

SECTION

ELEVATION:

806FT

DRILL DEPTH:

429FT

44N

3E 3

UTM X

UTM Y

DEPTH TO BED:

60FT

703,769.63

4,272,873.59

S.W.L. (BEFORE CASING):

FT

REMARKS: @ POND, ON HWY 50; 2 "DRILLERS LOGS", ON BY GLEASON

ZONE 15

ZONE 15

S.W.L. (AFTER CASING):

200

LOG ID: 020848

WELL TYPE Private Well

DRILL DATE:

1962/01/30

TOWNSHIP 44N

RANGE

SECTION

ELEVATION:

605FT

DRILL DEPTH:

DEPTH TO BED:

185FT

20FT

3E 30

> UTM X UTM Y

698.898.54

4,267,316.48 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

1 MI N OF NEW HWY 66 ON FOX CK RD; YIELD 50 GPM @ 45'

S.W.L. (AFTER CASING): 30



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015394

DRILL DEPTH:

WELL TYPE Private Well

1952/08/24 DRILL DATE:

226FT

40FT

50

DEPTH TO BED:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

0.5 MISE OF HWY 100 ON FOX CREEK RD **REMARKS**:

RANGE

3E

LOG ID: 007418

WELL TYPE Private Well

DRILL DATE:

1941/08/03

TOWNSHIP 44N

TOWNSHIP

44N

RANGE 3E

SECTION 30

SECTION

30

ELEVATION:

590FT

640FT

UTMY

4,267,443.49

DRILL DEPTH: DEPTH TO BED: 180FT 65FT

104

72

UTM X 698,722.53

ELEVATION:

UTM X

698,394.53

ZONE 15

ZONE 15

UTMY 4,267,010.48

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

formerly in name of Kurt Schrader Fox Run - W side Fox Creek Rd, 0.5

miles S of Hwy 50

LOG ID: 007424

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE:

206FT

DEPTH TO BED: 100FT

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING):

1941/08/08

FT

TOWNSHIP 44N

RANGE 3E

SECTION 30

ELEVATION:

562FT

UTM X

UTM Y 4,266,545.47

698,902.53 ZONE 15

formerly in name of G.F. Thomas - W side Fox Creek Rd, 1 mile S of

Hwy 50

REMARKS:

LOG ID: 025358

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1966/12/19

400FT

40FT

TOWNSHIP 44N

RANGE 3E

SECTION 31

ELEVATION:

UTM X

770FT

697.704.50

UTM Y 4,265,282.44

ZONE 15

0.5 MI W OF FOX CK RD ON MODEL REALTY RD., 15 GPM @ 320',

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

20 @ TD



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026481

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1968/08/20 DRILL DATE:

185FT

50FT

RANGE TOWNSHIP SECTION 44N 3E

32

ELEVATION:

580FT

UTM X 699,614.52

UTMY 4,265,638.46

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

NO SAMPLES LOGGED, TOPS ONLY

LOG ID:

024662

WELL TYPE Private Well

DRILL DATE:

1966/08/06

TOWNSHIP

RANGE

SECTION

ELEVATION:

516FT

DRILL DEPTH:

154FT 20FT

3E 32 44N

UTM X

UTMY

699,306.52

4,265,173.45 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

30

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

027331

Noncommunity Public Well

DRILL DATE:

1973/09/01

TOWNSHIP

RANGE

SECTION 33

ELEVATION:

698FT

DRILL DEPTH:

730FT

44N

3E

UTM X

UTM Y

DEPTH TO BED:

30FT

200

701,512.53 4,264,538.44

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: LOCATED VERY CLOSE TO HOUSE SPRINGS FAULT COMPLEX

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

026640

Noncommunity Public Well

DRILL DATE:

1970/09/21

TOWNSHIP 44N

RANGE

SECTION

ELEVATION:

532FT

DRILL DEPTH:

DEPTH TO BED:

1,085FT

10FT

3E 34

UTM X

UTM Y

702.477.54 4,264,835.45 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028480

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

1981/09/23 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

> 44N 3E 34 900FT

UTM X **UTMY** DEPTH TO BED: 15FT 702,319.54 4,264,600.45

ZONE 15

532FT

530FT

706FT

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 025514

WELL TYPE Private Well

DRILL DATE: 1967/02/21 **TOWNSHIP SECTION RANGE**

44N 3E 34

DRILL DEPTH: 290FT DEPTH TO BED: 85FT

UTM X UTMY 702,606.54 4,264,637.45

ZONE 15

ELEVATION:

ELEVATION:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: SCANNED, TOPS ONLY; 10 GPM @ 215'; NOW UNDER SIX-FLAGS

SECTION

PARKING LOT

TOWNSHIP

LOG ID:

WELL TYPE

Noncommunity Public Well 026721

DRILL DATE: 1970/10/16

44N 3E 34 **DRILL DEPTH:** 1,100FT

REMARKS:

RANGE

DEPTH TO BED: 2FT UTM X UTM Y

702,731.55 4,265,832.47

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE

Noncommunity Public Well 023161

1964/06/29 **DRILL DATE:**

S.W.L. (BEFORE CASING):

922FT

90FT

35

FT

SECTION TOWNSHIP RANGE 44N 3E

34

ELEVATION: 509FT

UTM X UTM Y

702.660.54 4,264,366.45

ZONE 15

REMARKS: same as log #23031 - joined - observation well - CREVICE 196-225'

FΤ S.W.L. (AFTER CASING): 90



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023031

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

1964/06/29 DRILL DATE:

922FT

DEPTH TO BED: 90FT

S.W.L. (BEFORE CASING): 35 FT

S.W.L. (AFTER CASING): 90

REMARKS: FT

LOG ID:

WELL TYPE

022450

DRILL DATE:

1964/04/

70

FT

FT

DRILL DEPTH:

944FT

DEPTH TO BED: 70FT

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 024977

Community Public Well

DRILL DATE:

DRILL DEPTH: 820FT

DEPTH TO BED: 5FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

028953

Community Public Well

DRILL DATE: DRILL DEPTH: 2003/01/

865FT

DEPTH TO BED:

20FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

200

FT

REMARKS:

SECTION

ELEVATION:

509FT

UTM X 702,722.54

UTMY 4,264,367.45

ZONE 15

same as log #23161 - joined - observation well - CREVICE 196-225'

Noncommunity Public Well

TOWNSHIP 44N

TOWNSHIP

44N

RANGE 3E

RANGE

3E

SECTION 34

34

ELEVATION:

506FT

UTM X

UTMY

702,515.53

4,264,401.45

ZONE 15

YIELD - 20 GPM @ 150'; NEAR HOUSE SPRINGS FAULT SYSTEM

WELL TYPE

TOWNSHIP 44N

REMARKS:

RANGE SECTION 3E

located on Viola Lane - poor samples

35

ELEVATION:

615FT

UTM X 705,008.56

UTM Y 4,264,875.46

ZONE 15

WELL TYPE

190

TOWNSHIP 44N

RANGE 3E

SECTION 35

ELEVATION:

600FT

UTM Y

UTM X 705,271.56 4,264,857.46

ZONE 15



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013702

WELL TYPE Private Well

1955/03/21 DRILL DATE:

TOWNSHIP 44N

RANGE SECTION **ELEVATION:**

569FT

DRILL DEPTH:

164FT

3E 35

UTMY

DEPTH TO BED:

5FT

UTM X 704,798.55

4,264,526.46

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: @ ALLENTON

S.W.L. (AFTER CASING):

75

LOG ID:

WELL TYPE

015057

Noncommunity Public Well

DRILL DATE:

1956/05/23

TOWNSHIP

SECTION RANGE

ELEVATION:

490FT

DRILL DEPTH:

116FT

44N 3E 35

UTM X

UTMY 4,264,411.46

DEPTH TO BED:

35FT

47

705,334.56

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: maintenance building

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well

009192 **DRILL DATE:**

1946/04/11

TOWNSHIP

RANGE

SECTION 35

ELEVATION:

484FT

DRILL DEPTH:

180FT

44N 3E

UTM X

UTM Y

DEPTH TO BED:

40FT

705,185.56 4,264,388.46

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

ON HWY 66, 0.25 MI W OF EUREKA, 100 YDS N OF HWY

S.W.L. (AFTER CASING):

50

LOG ID: 005915

WELL TYPE Private Well

1939//

TOWNSHIP

44N

RANGE

SECTION

ELEVATION:

675FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

480FT

40FT

3E 35

UTM Y

UTM X 704,526.56

4,265,172.47 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

@ ALLENTON



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012391

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1953/06/20 DRILL DATE:

265FT

25FT

RANGE TOWNSHIP 44N

SECTION 3E 36

ELEVATION:

488FT

UTM X

UTMY 4,264,506.46

706,194.57

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

40

FT

REMARKS:

1/8 MI W OF EUREKA, S SD HWY 66, 1/8 MI W OF HWY B

LOG ID: 007979

WELL TYPE Private Well

DRILL DATE:

1942/07/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

550FT

DRILL DEPTH: DEPTH TO BED: 210FT 25FT

100

44N 3E 36

UTM X

706,282.57

UTMY 4,265,037.47

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: **NEAR EUREKA**

S.W.L. (AFTER CASING):

LOG ID: 019217

WELL TYPE Private Well

DRILL DATE:

1960/07/26

TOWNSHIP

RANGE SECTION **ELEVATION:**

820FT

DRILL DEPTH:

565FT

44N

3E

UTM X 702,137.62

UTM Y 4,273,085.59

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

50FT

340

ZONE 15 **REMARKS:** 0.25 MI E OF WILD HORSE CREEK RD ON HWY 100; YIELD - 17

4

GPM @ 365'

LOG ID:

WELL TYPE Private Well

018711 **DRILL DATE:**

1959/11/16

TOWNSHIP 44N

RANGE

SECTION

ELEVATION:

815FT

DRILL DEPTH:

DEPTH TO BED:

520FT 65FT

350

3E

UTM X

UTM Y

701.541.62 ZONE 15

4,273,077.59

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS:

0.25 MI N OF HWY 100 ON WILD HORSE CREEK RD; YIELD - 20

GPM @ 400'



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022931

WELL TYPE Private Well

1964/01/20 DRILL DATE: **TOWNSHIP RANGE SECTION**

44N 3E **ELEVATION:**

833FT

DRILL DEPTH: 560FT

UTM X 701,429.62

UTMY 4,273,389.60

ZONE 15

DEPTH TO BED: 60FT S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

370

LOG ID: 010931

WELL TYPE Private Well

DRILL DATE: 1949/05/27

TOWNSHIP RANGE

44N

ELEVATION:

808FT

4,273,255.59

DRILL DEPTH: 530FT 3E 4

SECTION

UTM X UTMY

ZONE 15

701,369.62

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING):

55FT

200

0.25 MI OFF HWY 50 ON WILD HORSE CREEK RD REMARKS:

LOG ID: 006613

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1940/10/

TOWNSHIP

RANGE SECTION 3E 4

ELEVATION:

766FT

DRILL DEPTH:

525FT

44N

UTM X UTM Y

DEPTH TO BED: 30FT 701,725.61 4,272,493.58 ZONE 15

S.W.L. (BEFORE CASING):

FT

175

REMARKS: POOR SAMPLES

S.W.L. (AFTER CASING):

LOG ID: 020452

WELL TYPE Private Well

DRILL DATE:

1961/10/06

SECTION TOWNSHIP RANGE 44N 5

ELEVATION: 725FT

UTM X

UTM Y

DRILL DEPTH: DEPTH TO BED: 370FT 15FT 3E

700.523.61 4,272,633.58

ZONE 15

FT

0.5 MI E OF HWY 100 ON HWY T; YIELD - 18 GPM @ 250'

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

205

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 019221

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1960/06/24 DRILL DATE:

410FT

230

115FT

TOWNSHIP RANGE SECTION 44N

3E 5

ELEVATION:

722FT

UTM X 699,277.60

UTMY 4,272,938.59

ZONE 15

S.W.L. (BEFORE CASING):

FT

HARDT RD, 0.25 MI NW **REMARKS:**

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 013830

Private Well

DRILL DATE:

1955/06/10

FT

TOWNSHIP 44N

RANGE

SECTION

ELEVATION: 774FT

ZONE 15

DRILL DEPTH: 445FT

3E 5

UTM X 699,701.60

UTMY 4,273,009.59

DEPTH TO BED: 35FT

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

255

FT **REMARKS**:

1 MI NW OF HWY 100 - HARDT RD, 2 OF WILD HORSE CREEK RD

LOG ID: 014638

WELL TYPE

Private Well

DRILL DATE:

1956/03/05

130

TOWNSHIP 44N

RANGE

SECTION 5

ELEVATION:

646FT

DRILL DEPTH:

420FT

3E

UTM X 700,484.61

UTM Y 4,273,533.60

DEPTH TO BED:

25FT

REMARKS:

ZONE 15 0.5 MI N OF HWY 100, 0.5 MI W OF WILDHORSE CREEK RD

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

026218 **DRILL DATE:**

DRILL DEPTH:

DEPTH TO BED:

1968/07/

287FT

35FT

TOWNSHIP 44N

RANGE 3E

SECTION

ELEVATION:

722FT

6

UTM X

UTM Y

698.266.59

4,273,261.59

ZONE 15

@ GLENCOE; YIELDS - 1- GPM @ 124', 20 GPM @ 185' **REMARKS:**

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013693

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1955/06/12 DRILL DATE:

473FT

10FT

TOWNSHIP RANGE SECTION 44N 6

3E

ELEVATION:

739FT

UTM X 698,335.60

UTMY 4,273,289.59

ZONE 15

S.W.L. (BEFORE CASING):

245

FT

FT

YIELD - 20 GPM @ 300' **REMARKS**:

S.W.L. (AFTER CASING):

WELL TYPE Private Well

DRILL DATE:

LOG ID:

009385

1946/07/23

TOWNSHIP

RANGE

SECTION

ELEVATION:

748FT

DRILL DEPTH:

500FT

44N

3E 6

UTM X

ZONE 15

698,091.59

UTMY 4,273,060.59

DEPTH TO BED:

35FT

REMARKS: ON HILL TOP W OF OSSENFORT RD, N OF HWY T NEAR JCT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

253

WELL TYPE

LOG ID: 022041

Private Well

DRILL DATE:

1963/06/17

TOWNSHIP 44N

RANGE 3E

SECTION

ELEVATION:

584FT

DRILL DEPTH:

250FT

15FT

7

UTM X

UTM Y

697,550.56

4,270,842.55

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: 2 MI N OF HWY 100 ON BOUQUET RD; YIELD - 30 GPM @ 110'

S.W.L. (AFTER CASING):

DEPTH TO BED:

55

LOG ID: 019369

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1960/08/19

420FT

90FT

TOWNSHIP 44N

RANGE 3E

SECTION

ELEVATION:

UTM X

761FT

UTM Y

698.646.58 4,271,469.56

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

0.25 MI E OF OSSENFORT & MELROSE

S.W.L. (AFTER CASING):

195



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020432

WELL TYPE Private Well

1961/09/13 DRILL DATE:

RANGE TOWNSHIP 44N 3E

ELEVATION:

761FT

DRILL DEPTH:

484FT

UTM X

UTMY

DEPTH TO BED:

40FT

SECTION

698,737.59 4,272,056.57

ZONE 15

S.W.L. (BEFORE CASING):

FT

YIELD - 20 GPM @ 340' **REMARKS**:

S.W.L. (AFTER CASING):

270

WELL TYPE Private Well

012337 DRILL DATE:

LOG ID:

1953/04/18

TOWNSHIP 44N

SECTION RANGE

7

ELEVATION:

753FT

DRILL DEPTH:

405FT

3E

UTM X

UTMY

DEPTH TO BED:

55FT

698,075.58

4,271,789.57

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

240

FT

FT

REMARKS:

0.25 MI NW OF HWY 50, 0.25 MI MELROSE & OSSENFORT RDS; 8

GPM @ 310'

LOG ID: 024018

WELL TYPE Private Well

1965/09/22

TOWNSHIP 44N

RANGE SECTION **ELEVATION:**

807FT

DRILL DATE: DRILL DEPTH:

500FT

3E

UTM X

ZONE 15

8

UTM Y 700,057.59 4,271,440.56

DEPTH TO BED:

25FT

345

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 019224

WELL TYPE Private Well

DRILL DATE:

1960/07/06

TOWNSHIP

44N

REMARKS:

RANGE

YIELD - 20 GPM @ 375'

SECTION 9

ELEVATION:

805FT

DRILL DEPTH:

DEPTH TO BED:

474FT

40FT

3E

UTM X UTM Y

701.163.59 4,271,054.56

ZONE 15

S.W.L. (BEFORE CASING):

FT

0.25 MI N OF MELROSE RD ON HWY 100 **REMARKS**:

S.W.L. (AFTER CASING):

280



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021922

WELL TYPE Private Well

1963/10/ DRILL DATE:

TOWNSHIP 44N

RANGE SECTION **ELEVATION:**

805FT

DRILL DEPTH: DEPTH TO BED: 446FT 25FT 3E 9

UTM X

UTMY 4,271,134.56

701,151.59

ZONE 15

S.W.L. (BEFORE CASING):

RT 1, GLENCOE **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

008360 DRILL DATE:

1943/08/

TOWNSHIP

SECTION RANGE 9

ELEVATION:

720FT

DRILL DEPTH:

490FT

44N 3E

> **UTM X** 701,935.61

UTMY 4,272,321.58

DEPTH TO BED:

65FT

50

FT

FT

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: ON HWY 50, 1.5 MI W OF POND

S.W.L. (AFTER CASING):

LOG ID: 009077

WELL TYPE Private Well

DRILL DATE:

1946/02/20

TOWNSHIP

RANGE SECTION 9

ELEVATION:

810FT

DRILL DEPTH:

295FT

44N 3E

> UTM X 701,199.60

UTM Y 4,271,377.56

DEPTH TO BED:

50FT

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

150

REMARKS:

300' S OF HWY 50, 0.25 MI E OF FOX CREEK

LOG ID: 002593

WELL TYPE Private Well

DRILL DATE:

1936/07/23

TOWNSHIP 44N

RANGE SECTION **ELEVATION:**

552FT

DRILL DEPTH:

DEPTH TO BED:

205FT

15FT

50

4E

UTM X

UTM Y 716.566.74 4,273,586.61

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

deepened from 203 to 445 feet 7/23/36 -see log #3898 - NO UNITS

IDENTIFIED



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003898

WELL TYPE Private Well

DRILL DATE: 1936/07/23

803FT

50

TOWNSHIP RANGE 44N 4E

ELEVATION:

552FT

DRILL DEPTH: 80

<u>UTM X</u>

<u>UTM Y</u>

DEPTH TO BED: 25FT

716,570.74

570.74 4,273,590.61

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: se

see log #2593 - OLD WELL DEEPENED 203-445' (1936), 445-803

SECTION

10

(1937)

LOG ID: 019319

WELL TYPE Private Well

DRILL DATE:

1960/08/25

TOWNSHIP

RANGE SECTION

ELEVATION:

470FT

DRILL DEPTH:

390FT

44N 4E

UTM X

UTM Y

DEPTH TO BED:

30FT

176

712,493.68

4,271,034.57

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 4 MI E OF BALLWIN

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

DRILL DATE:

1941/01/

TOWNSHIP

RANGE SECTION

ELEVATION:

595FT

DRILL DEPTH:

551FT

44N 4E

10

UTM X

UTM Y

DEPTH TO BED:

30FT

713,353.70 4,271,962.58

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

73

FT

REMARKS: YIELD - 6 GPM @ 250'

LOG ID: 024609

WELL TYPE
Private Well

DRILL DATE:

1966//

TOWNSHIP

RANGE

SECTION

ELEVATION:

608FT

DRILL DEPTH:

664FT

44N

4E 11

UTM X

UTM Y

DEPTH TO BED:

35FT

714,930.71 4,272,156.59

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

TOP OF ST. PETER AT BASE OF WELL



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018358

DRILL DEPTH:

WELL TYPE Private Well

1959/06/16 DRILL DATE:

100FT

DEPTH TO BED: 30FT

FT

FT

RANGE TOWNSHIP 44N 4E

SECTION 11

11

SECTION

11

ELEVATION:

533FT

UTM X 713,905.70

UTMY 4,272,350.59

ZONE 15

S.W.L. (BEFORE CASING):

80

REMARKS: 1 MI S OF BALLWIN ON REIS RD

S.W.L. (AFTER CASING):

LOG ID: 015667

WELL TYPE Private Well

DRILL DATE:

1956/11/12

TOWNSHIP

TOWNSHIP

44N

RANGE SECTION **ELEVATION:**

533FT

DRILL DEPTH:

257FT

44N 4E

> **UTM X** 713,857.70

ELEVATION:

UTM X

714,057.70

UTMY 4,272,279.59

556FT

UTMY

4,272,140.59

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

20FT

90

REMARKS:

1.5 MI S OF BALLWIN ON REIS RD

ZONE 15

ZONE 15

LOG ID: 014377

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1955/10/01

175FT

15FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

75

LOG ID: 010515

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1948/11/12

130FT

90FT

TOWNSHIP 44N

RANGE 4E

RANGE

4E

SECTION 11

ELEVATION:

540FT

UTM X UTM Y

713.781.70

4,271,903.58

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 2 MI S OF BALLWIN

S.W.L. (AFTER CASING):

80



(Click on Well Log ID to Access Image of Well Strip Log)

533FT

LOG ID: 020833

WELL TYPE Private Well

1961/12/05 **RANGE** DRILL DATE: **TOWNSHIP SECTION ELEVATION:**

44N 4E 12 **DRILL DEPTH:** 210FT

UTM X **UTMY** DEPTH TO BED: 20FT 715,820.72 4,272,321.59

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: 1/8 MI S OF HWY 100 ON SULPHUR SPRINGS RD

S.W.L. (AFTER CASING): 20

LOG ID: 021977

WELL TYPE Private Well

DRILL DATE: 1963/06/06 **TOWNSHIP SECTION RANGE ELEVATION:** 553FT

44N 4E 12 DRILL DEPTH: 429FT

UTM X UTMY DEPTH TO BED: 715,820.72 20FT 4,272,282.59

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** 1 MI NW OF JELLYSTONE PARK, N ON SULPHUR SPRINGS RD, RT

S.W.L. (AFTER CASING): 270 ON CANARY DR 5

LOG ID: 002640

WELL TYPE Private Well

DRILL DATE: 1932/09/ **TOWNSHIP RANGE SECTION ELEVATION:** 528FT

44N 4E 12 **DRILL DEPTH:** 300FT

UTM X **UTMY DEPTH TO BED:** 40FT 715,896.72 4,272,151.59

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

300FT

S.W.L. (AFTER CASING):

LOG ID: 003036

WELL TYPE Private Well

1924// **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 506FT

DRILL DEPTH: UTM X UTM Y

4E

13

DEPTH TO BED: 90FT 715,322.69 4,269,933.56

ZONE 15

44N

S.W.L. (BEFORE CASING): W OF VALLEY PARK **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003701

DRILL DEPTH:

WELL TYPE Private Well

1936/07/15 DRILL DATE:

185FT

DEPTH TO BED: 30FT

RANGE TOWNSHIP SECTION 44N

4E 14 **ELEVATION:**

519FT

UTM X 715,106.69

UTMY 4,269,953.56

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

SECTION OUT OF LINE WITH OTHERS IN AREA, BAD SAMPLES ??

S.W.L. (AFTER CASING):

LOG ID: 011337

WELL TYPE

Community Public Well

DRILL DATE:

1950/01/23

TOWNSHIP

RANGE

SECTION 15

ELEVATION:

456FT

DRILL DEPTH: DEPTH TO BED: 1,180FT 30FT 44N 4E

UTM X

UTMY

713,093.68

4,270,177.56

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

AT SWIMMING POOL, 2 MI S OF HWY 50

LOG ID:

003633

WELL TYPE Private Well

DRILL DATE:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

1936/06/02

TOWNSHIP 44N

RANGE

SECTION 15

ELEVATION:

465FT

DRILL DEPTH:

167FT

4E

UTM X 712,881.68

UTMY 4,270,271.56

DEPTH TO BED:

26FT

90

@ CABIN, 2 MI W OF BALLWIN RD, 1 MI N OF COLDWATER

REMARKS: SPRING

44N

LOG ID: 004044

WELL TYPE

Private Well

DRILL DATE:

1937/01/

TOWNSHIP

FT

FT

RANGE

SECTION

ELEVATION:

675FT

DRILL DEPTH:

DEPTH TO BED:

335FT 25FT

4E 15

UTM X

UTM Y

712.709.67

4,269,506.55

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

260

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003655

WELL TYPE Private Well

DRILL DATE:

1936/06/20 **TOWNSHIP**

RANGE SECTION 4E 15

ELEVATION:

627FT

DRILL DEPTH:

495FT

UTM X

UTMY

DEPTH TO BED: 20FT 712,665.67

4,269,420.55

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LOG ID:

WELL TYPE Private Well

022796 DRILL DATE:

1963/08/14

TOWNSHIP

44N

SECTION RANGE

ELEVATION:

533FT

DRILL DEPTH:

360FT

44N 4E

UTM X

UTMY

DEPTH TO BED:

30FT

80

16

711,703.67

4,270,452.56

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 024011

WELL TYPE Private Well

DRILL DATE:

1965/12/29

TOWNSHIP

SECTION RANGE

ELEVATION:

733FT

DRILL DEPTH:

605FT

44N 4E

UTM X

UTMY

DEPTH TO BED:

35FT

350

17

709,912.65 4,269,662.55

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 2 MI NW OF JEDBURG ON RIDGE RD

S.W.L. (AFTER CASING):

LOG ID: 025437

WELL TYPE Private Well

DRILL DATE:

1966/08/20

TOWNSHIP 44N

RANGE

SECTION 17

ELEVATION:

774FT

DRILL DEPTH:

DEPTH TO BED:

666FT

55FT

4E

UTM X UTM Y

ZONE 15

709.940.65

4,269,828.55

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

2 MI S OF OLD STATE RD ON RIDGE RD; YIELD - 15 GPM @ 502',

30 @ TD



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027268

WELL TYPE

Noncommunity Public Well

DRILL DATE:

RANGE TOWNSHIP SECTION 44N 4E 17

ELEVATION:

750FT

DRILL DEPTH: 640FT

UTM X 710,300.65

UTMY 4,269,968.55

ZONE 15

DEPTH TO BED: 35FT

REMARKS:

formerly in name of Amber Ridge School

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 016021

WELL TYPE Private Well

DRILL DATE:

1957//

TOWNSHIP

SECTION RANGE

17

19

ELEVATION:

771FT

DRILL DEPTH:

580FT

44N 4E

UTM X

UTMY

DEPTH TO BED:

65FT

290

708,923.65 ZONE 15

4,270,436.56

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 028909

WELL TYPE

Noncommunity Public Well

35

DRILL DATE:

2002/11/01

TOWNSHIP

SECTION RANGE

ELEVATION:

430FT

DRILL DEPTH:

275FT

44N 4E

> UTM X 708,019.62

> > ZONE 15

UTMY 4,268,176.52

DEPTH TO BED:

FT

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

006098

Private Well

DRILL DATE:

1940/05/25

TOWNSHIP

44N

RANGE SECTION **ELEVATION:**

540FT

DRILL DEPTH:

255FT

4E

UTM X

707.406.62

UTM Y 4,268,835.53

ZONE 15

S.W.L. (BEFORE CASING):

DEPTH TO BED:

FT

REMARKS:

OLD GRATZ FARM, ON BLUFF EDGE JUST E OF GLENCOE

19

S.W.L. (AFTER CASING):

155



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021682

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1962/09/28 DRILL DATE:

215FT

30FT

RANGE TOWNSHIP 44N 2

4E

SECTION

ELEVATION:

605FT **UTMY**

UTM X 713,954.71

4,273,160.60

ZONE 15

S.W.L. (BEFORE CASING):

60

FT

REMARKS: 0.5 MI FROM BALLWIN ON REIS RD

S.W.L. (AFTER CASING):

WELL TYPE Private Well

DRILL DATE:

LOG ID:

014373

1955/11/01

20FT

TOWNSHIP 44N

RANGE

SECTION 2

ELEVATION:

601FT

DRILL DEPTH: 240FT

4E

UTM X

UTMY

714,039.71

4,272,999.60

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 0.75 MI S OF BALLWIN

S.W.L. (AFTER CASING):

LOG ID:

DEPTH TO BED:

WELL TYPE Private Well

014840

DRILL DATE:

1956/03/14

75

65

TOWNSHIP 44N

RANGE

SECTION 2

ELEVATION:

585FT

DRILL DEPTH: DEPTH TO BED: 201FT

25FT

4E

UTM X

UTMY

713,923.71 4,272,538.59 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

145FT

25FT

FT

REMARKS:

LOG ID:

WELL TYPE

011865

Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1951/08/

TOWNSHIP 44N

RANGE 4E

SECTION 2

ELEVATION:

UTM X

615FT

UTM Y

714.079.71 ZONE 15

4,273,154.60

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

1 MI W OF HWY 50 ON RIES RD; "CAN'T LOCATE"



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010842

DEPTH TO BED:

WELL TYPE Private Well

1949/04/25 DRILL DATE:

190FT

15FT

55

44N

RANGE SECTION 4E

ELEVATION:

598FT

DRILL DEPTH:

TOWNSHIP

2

UTM X

UTMY 4,272,677.59

714,051.71 ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

1 MI S OF BALLWIN; "CAN'T LOCATE" **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 019218

WELL TYPE Private Well

DRILL DATE:

1960/06/07

TOWNSHIP

SECTION RANGE

ELEVATION:

459FT

DRILL DEPTH:

211FT

44N 4E 20

UTM X UTMY

709,747.63

4,268,409.53 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING): 5FT

REMARKS:

0.5 MI NW OF SHERMAN; YIELD - 32 GPM @ 100'

S.W.L. (AFTER CASING):

60

LOG ID:

WELL TYPE

016884

Private Well

DRILL DATE:

1957/10/16

TOWNSHIP

RANGE

ELEVATION:

627FT

DRILL DEPTH:

349FT

225

44N 4E 20

> UTM X 709,440.63

> > ZONE 15

UTMY 4,268,579.53

DEPTH TO BED:

FT

REMARKS:

1 MI W OF JEDBURG "PALISADES"; YIELD - 20 GPM @ 265"

SECTION

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

011747

WELL TYPE Multi-Family Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (AFTER CASING):

1950/08/20

330FT

2FT

225

TOWNSHIP 44N

RANGE 4E

SECTION 20

ELEVATION:

UTM X

709.551.63

UTM Y

4,268,520.53

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

RT 1, GLENCOE, ON LINE BETWEEN LOTS 18 & 20, W PALISADES

ON MERAMEC RV



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004234

WELL TYPE Private Well

1937/05/10 DRILL DATE:

TOWNSHIP 44N

SECTION

ELEVATION:

484FT

UTMY

4,268,350.53

DRILL DEPTH:

150FT

75

4E 20

RANGE

UTM X

709,745.63

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 005734

WELL TYPE Private Well

DRILL DATE:

1939//

TOWNSHIP

SECTION RANGE

20

23

ELEVATION:

565FT

DRILL DEPTH:

325FT

44N 4E

UTM X

UTMY

DEPTH TO BED:

80FT

709,854.63 4,268,307.53 ZONE 15

S.W.L. (BEFORE CASING):

ON BLUFF @ PALIADES - JEDBERG (SEE #5505) REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

026979

Noncommunity Public Well

DRILL DATE:

1971/11/12

TOWNSHIP

RANGE SECTION

ST LOUIS COUNTY PARK BOARD

ELEVATION:

714,165.66

500FT

DRILL DEPTH:

500FT

44N 4E

UTM X

ZONE 15

UTMY 4,267,661.54

DEPTH TO BED:

80FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 025327

WELL TYPE Private Well

DRILL DATE:

1967/02/02

TOWNSHIP 44N

SECTION RANGE

ELEVATION:

548FT

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (AFTER CASING):

564FT 15FT 4E 25

UTM X

UTM Y

716.258.67

ZONE 15

4,266,333.53

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

1.5 MI S OF VALLEY MT RANCH & I-44; YIELDS - 37 GPM @ 256', 60

@ 350'



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013300

WELL TYPE

Noncommunity Public Well

1955/02/03 DRILL DATE:

RANGE TOWNSHIP 44N

SECTION

ELEVATION:

535FT

DRILL DEPTH:

150FT

4E 25

UTM X

UTMY 4,266,356.53

DEPTH TO BED:

715,610.66

ZONE 15

S.W.L. (BEFORE CASING):

32 13 FT

FT

FT

REMARKS:

REMARKS:

BOY SCOUTS OF AMERICA

LOG ID: 026952

S.W.L. (AFTER CASING):

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1971/10/08

TOWNSHIP

SECTION RANGE

26

27

ELEVATION:

624FT

DRILL DEPTH:

675FT

44N 4E

UTM X

UTMY

DEPTH TO BED:

40FT

ST LOUIS COUNTY PARK BD

714,984.67 4,267,552.54

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 028265

Noncommunity Public Well

163

DRILL DATE:

1979/07/25

TOWNSHIP

RANGE SECTION **ELEVATION:**

490FT

DRILL DEPTH:

465FT

44N 4E

UTM X

UTMY

DEPTH TO BED:

20FT

712,587.64 4,266,953.52

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

007218

Industrial High Capacity Well

DRILL DATE:

1941/08/26

TOWNSHIP 44N

RANGE SECTION **ELEVATION:**

505FT

DRILL DEPTH:

DEPTH TO BED:

204FT

60FT

4E 27

UTM X UTM Y

712,511.64

4,267,052.52

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

ANNUNITION DUMP, W OF #1

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007219

WELL TYPE

Industrial High Capacity Well

1941/10/02 DRILL DATE:

RANGE TOWNSHIP SECTION 44N 4E 27

ELEVATION:

DRILL DEPTH:

285FT

UTM X 712,787.65

UTMY 4,267,178.52

516FT

DEPTH TO BED: 35FT

ZONE 15

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

AMMUNITION DUMP - 300 YDS N OF #1 **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 007031

WELL TYPE

Industrial High Capacity Well

DRILL DATE:

1941/07/21

TOWNSHIP

SECTION RANGE

ELEVATION:

517FT

DRILL DEPTH:

253FT

44N 4E

> **UTM X** 712,647.64

UTMY 4,266,938.52

DEPTH TO BED:

30FT

FT

REMARKS:

AMMUNITION DUMP; PLUGGED BACK TO 235'

27

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

50

LOG ID: 004300

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1937/06/

TOWNSHIP

RANGE SECTION 29

ELEVATION:

497FT

DRILL DEPTH:

250FT

44N 4E

UTM X

UTMY

DEPTH TO BED:

15FT

708,910.61

4,266,577.50

S.W.L. (BEFORE CASING):

REMARKS: #4 CRESCENT: 1/8 MI SW ON HILL

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

003835

Noncommunity Public Well

DRILL DATE:

1936/10/

TOWNSHIP

RANGE SECTION **ELEVATION:**

UTM X

608FT

DRILL DEPTH:

387FT

44N

4E

29

UTM Y

DEPTH TO BED:

16FT

710.151.62

4,266,789.51

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: CRESCENT PLANT, 0.5 MI E ON HILL

S.W.L. (AFTER CASING):

213



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008784

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1944// DRILL DATE:

200FT

RANGE TOWNSHIP 44N

SECTION

ELEVATION:

650FT

40FT

4E 3

UTM X 712,862.70

UTMY 4,273,057.60

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

1 MI S OF HWY 50 ' "CAN'T LOCATE"

LOG ID: 026205

WELL TYPE Private Well

DRILL DATE:

1968/09/27

TOWNSHIP

TOWNSHIP

44N

44N

RANGE

SECTION

SECTION

30

ELEVATION:

510FT

DRILL DEPTH: DEPTH TO BED: 220FT 20FT

44N

4E 30

UTM X

UTMY

4,266,347.50

708,635.60 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

@ CRESCENT

S.W.L. (AFTER CASING):

LOG ID: 022263

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1963/08/21

155FT

75

5FT

S.W.L. (BEFORE CASING):

FT

REMARKS:

RANGE

4E

UTM X

ELEVATION:

UTMY

482FT

708,710.60

4,266,032.50

ZONE 15

@ CRESCENT, 3RD HOUSE W OF AL'S BAR, 121 DIERE RD.

S.W.L. (AFTER CASING):

LOG ID: 014841

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1956/01/24

145FT

5FT

TOWNSHIP

RANGE SECTION

30

4E

ELEVATION:

470FT

UTM X

708,558.60

UTM Y 4,266,145.50

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING): 65



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026425

WELL TYPE Private Well

1967/05/29 DRILL DATE:

TOWNSHIP 44N

RANGE SECTION **ELEVATION:**

440FT

DRILL DEPTH:

250FT 20FT 4E 31

UTM X

UTMY 4,265,121.48

707,827.59 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: POOR LOG, MAINLY SCANNED

LOG ID:

WELL TYPE

003615

Noncommunity Public Well

25

DRILL DATE:

1936/05/22

TOWNSHIP

SECTION RANGE

ELEVATION:

439FT

DRILL DEPTH:

1,110FT

44N

4E 32

UTM X

UTMY

DEPTH TO BED:

15FT

14

710,026.60

4,264,712.48 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS: formerly in name of Bridgehead Inn Well #2 (W.D. Crowell) at Times

Beach & Meramec River

LOG ID: 003623

WELL TYPE Private Well

1936/05/28

TOWNSHIP

44N

RANGE

#3 FEE; 110' N OF WELL #2

SECTION 32

ELEVATION:

453FT

DRILL DATE: DRILL DEPTH:

182FT

4E

UTM X

UTM Y 4,264,688.48

DEPTH TO BED:

20FT

710,082.60

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

020082

Noncommunity Public Well

DRILL DATE:

1961/03/

TOWNSHIP 44N

RANGE

SECTION

ELEVATION:

491FT

DRILL DEPTH:

DEPTH TO BED:

450FT

10FT

70

4E 33

> UTM X UTM Y

710.368.61

4,265,266.49

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:

St. Louis County Park Board - county park on Hwy 66 0.25 miles E of

Times Beach



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018138

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (AFTER CASING):

WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1959//

450FT

30FT

RANGE TOWNSHIP SECTION 44N

4E 34 **ELEVATION:**

700FT

UTM X 713,418.64

UTMY 4,265,923.51

ZONE 15

S.W.L. (BEFORE CASING): FT

325

REMARKS:

AT TOP OF HILL AT MAIN ENTRANCE ON HWY 66 - AMMUNITION

PLANT

LOG ID:

007738

WELL TYPE

Industrial High Capacity Well

DRILL DATE:

1942//

TOWNSHIP

RANGE

SECTION 34

ELEVATION:

665FT

DRILL DEPTH:

405FT

44N

4E

UTM X 713,525.64

UTMY 4,265,892.51

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

25FT

REMARKS:

ZONE 15 AMMUNITION DUMP; PLUGGED AND ABANDONED IN 1939; UNDER

HIGHWAY 66

LOG ID:

WELL TYPE

027439

Noncommunity Public Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

700FT

35FT

TOWNSHIP RANGE 44N 4E

ELEVATION: UTM X

704FT

UTM Y 716,155.65 4,264,865.51

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: Well #2 - SAMPLES SCANNED

LOG ID:

WELL TYPE

024708

Noncommunity Public Well

DRILL DATE:

1966/07/07

TOWNSHIP 44N

RANGE

4E

SECTION 36

SECTION

36

ELEVATION:

UTM X

528FT

DRILL DEPTH: DEPTH TO BED: 350FT

UTM Y

716.669.66 4,264,962.51 ZONE 15

S.W.L. (BEFORE CASING):

40FT

Clubhouse Well #1 **REMARKS:**

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016652

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE

Noncommunity Public Well

1957/07/05 DRILL DATE:

153FT

5FT

TOWNSHIP 44N

RANGE SECTION 4E 36

ELEVATION:

571FT

UTM X

UTMY 4,265,321.51

715,879.65 ZONE 15

35

REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

FT 40

FT

BEAUMONT RESERVATION

LOG ID:

025414

WELL TYPE Private Well

DRILL DATE:

1966/12/27

TOWNSHIP

RANGE

SECTION 5

ELEVATION:

ZONE 15

ZONE 15

732FT

DRILL DEPTH:

666FT

44N 4E

> **UTM X** 709,173.67

UTMY 4,272,645.59

DEPTH TO BED: 40FT S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

1 MI S OF ELLISVILLE ON OLD STATE RD; YIELDS - 10 GPM @ 380',

30 @ 482

LOG ID: 023103

WELL TYPE

Private Well

DRILL DATE:

1964/08/12

TOWNSHIP

RANGE

SECTION 5

0.75 MI S OF HWY 100 ON OLD STATE RD

ELEVATION:

706FT

DRILL DEPTH:

645FT

44N 4E

> UTM X 708,841.67

UTM Y 4,272,926.59

DEPTH TO BED:

35FT

265

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

020507 **DRILL DATE:**

DRILL DEPTH:

DEPTH TO BED:

1961/09/29

645FT

40FT

100

TOWNSHIP 44N

RANGE 4E

SECTION 5

ELEVATION:

731FT

UTM X

UTM Y

709.220.67

4,272,527.59

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

formerly in name of Melvin McFaddin - YIELDS - 15 GPM @ 340', 45

GPM @ TD



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021109

WELL TYPE Private Well

1962// DRILL DATE:

TOWNSHIP 44N

RANGE SECTION 5

ELEVATION:

737FT

DRILL DEPTH:

528FT

4E

UTM X

UTMY

DEPTH TO BED:

40FT

5

709,169.67

4,272,435.59

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

formerly in name of D..R. Robinson

LOG ID:

WELL TYPE Private Well

004340 DRILL DATE:

1937/06/

TOWNSHIP

RANGE SECTION **ELEVATION:**

725FT

DRILL DEPTH:

155FT

44N 4E

UTM X

UTMY

DEPTH TO BED:

45FT

100

4,273,525.60

709,401.68 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 005659

WELL TYPE

Private Well

DRILL DATE:

1939/07/10

TOWNSHIP

RANGE SECTION **ELEVATION:**

638FT

DRILL DEPTH:

308FT

44N

4E 5

DEPTH TO BED:

40FT

UTM X UTM Y 710,089.69

4,273,509.60

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

@ ELLISVILLE

85

LOG ID: 007145

WELL TYPE Private Well

DRILL DATE:

1941//

TOWNSHIP 44N

RANGE

SECTION

ELEVATION:

622FT

DRILL DEPTH:

DEPTH TO BED:

325FT

75FT

4E 5

> UTM X 708.952.67

UTM Y 4,272,918.59

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

ON N SD CARMAN RD, JUST W OF DIETRICH RD

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021219

WELL TYPE Private Well

1962/09/ DRILL DATE:

240

TOWNSHIP 44N

RANGE SECTION 6

ELEVATION:

719FT

DRILL DEPTH:

DEPTH TO BED:

710FT 55FT

4E

UTM X

UTMY 4,272,833.59

707,419.66

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

FT

REMARKS: YIELD - 22 GPM @ 265' ZONE 15

LOG ID: 009054

WELL TYPE Private Well

DRILL DATE:

1946/02/10

TOWNSHIP

SECTION RANGE

ELEVATION:

705FT

DRILL DEPTH:

476FT

44N 4E 6

UTM X

UTMY

DEPTH TO BED:

45FT

150

707,916.67 4,273,666.60 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

LOG ID:

003743

WELL TYPE

Private Well

DRILL DATE:

1936/08/10

TOWNSHIP

RANGE SECTION

6

ELEVATION:

727FT

DRILL DEPTH:

525FT

44N 4E

UTM X 707,240.66

ZONE 15

UTM Y 4,273,012.59

DEPTH TO BED:

70FT

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

024184

Noncommunity Public Well

200

DRILL DATE:

1966/04/01

TOWNSHIP

RANGE SECTION **ELEVATION:**

735FT

DRILL DEPTH:

583FT

44N

4E 7 UTM X

UTM Y

DEPTH TO BED:

75FT

707,304.64

4,271,465.57

ZONE 15

S.W.L. (BEFORE CASING):

WELL #2 **REMARKS**:

S.W.L. (AFTER CASING):



RANGE

SECTION

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024175

WELL TYPE

Noncommunity Public Well

1966/03/23 DRILL DATE:

44N 4E **DRILL DEPTH:**

565FT

UTM X **UTMY** DEPTH TO BED: 25FT 707,340.65 4,272,283.58

TOWNSHIP

ZONE 15

ELEVATION:

ZONE 15

715FT

S.W.L. (BEFORE CASING):

REMARKS: WELL #1

S.W.L. (AFTER CASING):

LOG ID: 005921

WELL TYPE

Private Well

1940// **TOWNSHIP SECTION** DRILL DATE: **RANGE ELEVATION:** 745FT

44N 4E 7 DRILL DEPTH: 570FT

UTM X UTMY DEPTH TO BED: 707,733.65 4,271,338.57 100FT

ON OLD STATE RD

ZONE 15 S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 370

LOG ID: 016812

WELL TYPE

Private Well

DRILL DATE: 1957// **TOWNSHIP RANGE SECTION ELEVATION:** 696FT

44N 4E 9 **DRILL DEPTH:** 375FT

UTM X UTM Y **DEPTH TO BED:** 20FT 711,044.67 4,271,167.57

3.1 MI S OF ELLISVILLE

4E

9

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 013482

1955/03/03 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 596FT

DRILL DEPTH: 515FT UTM X UTM Y DEPTH TO BED: 710,513.66 4,270,923.57 65FT

ZONE 15

S.W.L. (BEFORE CASING): FT formerly in name of R. Hoffmeister - @ ELLISVILLE **REMARKS:**

44N

S.W.L. (AFTER CASING): 140



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002208

WELL TYPE Private Well

DRILL DATE: 1926//

<u>TOWNSHIP</u> 44N RANGE SECTION

ELEVATION:

651FT

4,271,320.51

DRILL DEPTH:

DEPTH TO BED:

600FT 115FT 5E 12

UTM X UTM Y

725,722.77

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

REMARKS: AT SCHOOL

S.W.L. (AFTER CASING):

<u>SING):</u> 190

LOG ID: 011238

WELL TYPE Private Well

DRILL DATE:

1947//

TOWNSHIP

RANGE SECTION

ELEVATION:

590FT

DRILL DEPTH:

983FT

44N 5E

<u>UTM X</u> 725,515.76 <u>UTM Y</u> 4,270,172.50

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

15FT

123

REMARKS:

ZONE 15 @ 93 ROTT RD, KIRKWOOD; FOR SWIMMING POOL, H2S GAS,

MINERALIZED

LOG ID: 012416

WELL TYPE Private Well

DRILL DATE:

1953/08/04

TOWNSHIP

RANGE 5

<u>SECTION</u>

13

ELEVATION:

ZONE 15

652FT

DRILL DEPTH:

315FT

44N

13

<u>UTM X</u> 725,824.77 <u>UTM Y</u> 4,270,955.51

DEPTH TO BED:

25FT

35

REMARKS:

1421 S KIRKWOOD RD, 1/8 MI N OF HWY 66 ON HWY 61

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 002829

WELL TYPE Private Well

DRILL DATE:

1930/06/

TOWNSHIP 44N <u>RANGE</u>

SECTION 16 **ELEVATION:**

415FT

DRILL DEPTH:

DEPTH TO BED:

1,345FT 70FT 5E

UTM X

UTM Y

721,248.74

4,270,651.55

ZONE 15

REMARKS: DEEPENED TWICE, 950-1287 (1934), 1287-1345 (1940)

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013376

DRILL DEPTH:

WELL TYPE

Community Public Well

1930/11/ DRILL DATE:

1,430FT

DEPTH TO BED: 110FT **TOWNSHIP RANGE SECTION** 44N 5E 17

ELEVATION:

422FT

UTM X 719,819.72

UTMY 4,269,562.55

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

original log #2785 - old well deepened twice, first to 1,275 ft in 1938 (see

log #11540), then to 1,410 ft in 1951 (see log #13376) - formerly in

LOG ID: 011540

WELL TYPE

Community Public Well

DRILL DATE:

1938//

TOWNSHIP

RANGE

SECTION 17

ELEVATION:

422FT

DRILL DEPTH:

1,275FT

44N

5E

UTM X

UTMY

DEPTH TO BED:

110FT

720,036.73 4,270,303.55

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

original log #2785 - old well deepened twice, first to 1,275 ft in 1938 (see

log #11540), then to 1,410 ft in 1951 (see log #13376) - formerly in

LOG ID: 002785

WELL TYPE

Community Public Well

DRILL DATE:

1930/11/

TOWNSHIP

RANGE SECTION **ELEVATION:**

422FT

DRILL DEPTH:

1,152FT

44N

5E 17

UTM X

UTM Y

DEPTH TO BED:

110FT

719,996.73

4,270,369.55

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

original log #2785 - old well deepened twice, first to 1,275 ft in 1938 (see

log #11540), then to 1,410 ft in 1951 (see log #13376) - formerly in

LOG ID:

WELL TYPE

014364

Private Well

DRILL DATE:

1955/07/27

TOWNSHIP

RANGE

SECTION 18

ELEVATION:

533FT

DRILL DEPTH:

220FT

44N

5E

UTM X 717,406.71

UTM Y 4,270,608.58

DEPTH TO BED:

15FT

REMARKS:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

85

FT



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006314

DRILL DEPTH:

WELL TYPE Private Well

1940// DRILL DATE:

310FT

DEPTH TO BED: 40FT

TOWNSHIP RANGE SECTION 44N

5E 18 **ELEVATION:**

522FT

UTM X 717,065.71

UTMY 4,270,899.58

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

CRESCENT RD NEAR JCT W/ HANNA RD; "LITTLE SALT IN WATER"

S.W.L. (AFTER CASING): 110

LOG ID: 007750

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1942/02/05

35FT

TOWNSHIP

RANGE

SECTION

ELEVATION:

633FT

DRILL DEPTH: 230FT 44N

5E 2

UTM X

UTMY

723,529.78

4,274,226.56

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: NEAR O.K. HATCHERY

S.W.L. (AFTER CASING): 85

LOG ID: 006109

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1940//

365FT

90FT

25

TOWNSHIP 44N

RANGE 5E

SECTION 20

ELEVATION:

474FT

UTM X

UTM Y 4,268,972.54

720,105.72 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

OLD WELL DEEPENED; S SD HWY 66 W OF BOWLES AVE @

TOURIST COURT

LOG ID: 004326

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1937/06/

200FT

55FT

TOWNSHIP 44N

RANGE 5E

SECTION 20

ELEVATION:

469FT

UTM X

UTM Y

720.009.71

4,268,776.54

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

HWY 66 & BOWLES AVE



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025487

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1956/01/05 DRILL DATE:

315FT

50FT

200

RANGE 5E 21

SECTION

ELEVATION:

600FT

UTM X 721,074.71

UTMY 4,267,777.52

ZONE 15

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: POOR SAMPLES

TOWNSHIP

44N

LOG ID: 018280

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

1959/02/11

TOWNSHIP

RANGE 5E

SECTION

ELEVATION:

590FT

DRILL DEPTH:

325FT

44N

21

UTM X 720,421.71

ELEVATION:

UTM X

720,405.71

UTMY 4,267,987.53

565FT

UTM Y

4,268,209.53

TOWNSHIP

44N

15FT FT

80

REMARKS:

REMARKS:

REMARKS:

ON BOWLES AVE, 0.5 MI W OF CHRYSLER PLANT

SECTION

21

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 021884

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

325FT

DEPTH TO BED: 50FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 015654

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

1956/11/08

205FT

30FT

TOWNSHIP 44N

RANGE 5E

RANGE

5E

SECTION 21

ELEVATION:

509FT

UTM X 720.710.71

UTM Y 4,267,916.52

ZONE 15

FT

0.25 MI S OF HOREN DR, 0.25 MI W OF LARKEN WILLIAMS RD

S.W.L. (AFTER CASING):

45



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003497

WELL TYPE

Noncommunity Public Well

1935/10/30 DRILL DATE:

TOWNSHIP RANGE 44N 5E

ELEVATION:

502FT

DRILL DEPTH:

245FT

21

SECTION

UTM X

DEPTH TO BED: 38FT 720,227.72

UTMY 4,269,178.54

ZONE 15

S.W.L. (BEFORE CASING):

FT

AT LARKIN RD & BOWLES AVE. **REMARKS**:

S.W.L. (AFTER CASING):

90

LOG ID: 018572

WELL TYPE Private Well

DRILL DATE:

1959/09/18

TOWNSHIP 44N

SECTION RANGE

ELEVATION:

438FT

DRILL DEPTH:

105FT

5E

UTM X

UTMY

DEPTH TO BED:

80FT

22

4,268,748.52

722,135.73 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: YIELD - 20 GPM @ 75'

S.W.L. (AFTER CASING):

LOG ID: 016998

WELL TYPE

Industrial High Capacity Well

DRILL DATE:

1968/02/

TOWNSHIP

RANGE SECTION 22

ELEVATION:

440FT

DRILL DEPTH:

170FT

44N 5E

> UTM X 722,731.73

UTM Y

DEPTH TO BED:

75FT

4,268,641.51

S.W.L. (BEFORE CASING):

FT

REMARKS: PLYMOUTH PLANT #2 - "CAN'T LOCATE", ON CRYSLER PLANT

ZONE 15

S.W.L. (AFTER CASING):

70

GROUND

LOG ID:

010927

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP

44N

SECTION RANGE

ELEVATION:

593FT

DRILL DEPTH:

3/1/2007

DEPTH TO BED:

300FT 40FT

5E 24

UTM X

UTM Y

725.785.74

4,268,022.48

5,663

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

SALT WATER BELOW 195', FRESH @ 190' (0.66 GPM)



TOWNSHIP

44N

TOWNSHIP

44N

TOWNSHIP

44N

REMARKS:

REMARKS:

REMARKS:

RANGE

RANGE

RANGE

5E

5E

5E

SECTION

24

SECTION

27

SECTION

27

DRILLED TO SUPPLY SWIMMING POOL

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

726,653.76

ELEVATION:

UTM X

721,942.71

ELEVATION:

UTM X

722,902.71

ZONE 15

ZONE 15

ZONE 15

650FT

UTMY

4,268,793.48

559FT

UTMY

4,267,155.51

590FT

UTM Y

4,266,499.49

LOG ID: 002767

DRILL DEPTH:

WELL TYPE Private Well

1933/10/ DRILL DATE:

450FT

DEPTH TO BED:

35FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 017973

Private Well

DRILL DATE: DRILL DEPTH: 1959/02/22

510FT

DEPTH TO BED: 70FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 002422

WELL TYPE Private Well

DRILL DATE:

1931/03/00

DRILL DEPTH:

418FT

40FT

200

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 004100

WELL TYPE Private Well

DRILL DATE:

1937/02/15

DRILL DEPTH:

238FT 40FT

35

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

TOWNSHIP 44N

RANGE

SECTION

5E 28

ELEVATION:

468FT

UTM X UTM Y 721.745.71 4,266,628.50

ZONE 15

N SD SMIZEER MILL RD, 3 MI FROM HWY 30, 150' W OF #3 (#3628) **REMARKS**:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003628

WELL TYPE Private Well

1936/06/05 DRILL DATE:

RANGE TOWNSHIP 44N

SECTION

ELEVATION:

469FT

DRILL DEPTH:

390FT

5E 28

UTM X

UTMY

DEPTH TO BED:

30FT

721,697.71

4,266,664.50

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID:

WELL TYPE

005255 Industrial High Capacity Well

56

DRILL DATE:

1938//

TOWNSHIP

SECTION RANGE 5E

ELEVATION:

600FT

DRILL DEPTH:

DEPTH TO BED:

580FT

40FT

44N

28

SECTION

UTM X

721,565.71

UTMY

4,267,213.51

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 80 GAL/HR @ 500'

S.W.L. (AFTER CASING):

LOG ID: 011566

WELL TYPE

Private Well

DRILL DATE:

1951/05/28

TOWNSHIP

RANGE

ELEVATION:

628FT

DRILL DEPTH:

205FT

44N 5E

UTM X

UTM Y

DEPTH TO BED:

30FT

60

FT

29

719,051.69 4,267,156.53

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

003622

DEPTH TO BED:

Private Well

DRILL DATE:

1936/05/

TOWNSHIP

SECTION RANGE

ELEVATION:

UTM X

564FT

DRILL DEPTH:

165FT

25FT

44N

5E 29

UTM Y

719.663.70

4,267,291.53

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

1000' NW OF JCT OF HAWKINS AND SMIZER RDS

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006114

DRILL DEPTH:

WELL TYPE Private Well

1940// DRILL DATE:

570FT

DEPTH TO BED: 30FT

S.W.L. (AFTER CASING):

TOWNSHIP RANGE SECTION 44N 5E 29

ELEVATION:

590FT

UTM X 720,134.70

UTMY 4,267,211.52

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

SMIZER MILL & BOWLES AVE, NEW ROCK HOUSE ON RIDGE W

OF BOWLES

LOG ID: 012049

WELL TYPE Private Well

DRILL DATE:

1952//

TOWNSHIP

RANGE

SECTION

3

ELEVATION:

542FT

DRILL DEPTH: DEPTH TO BED: 225FT 35FT 44N

5E

UTM X

UTMY 4,273,586.56

722,834.77

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

TOWNSHIP

44N

AT JCT BALLAS & DOUGHERTY FERRY RDS.

S.W.L. (AFTER CASING):

LOG ID: 010447

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1948/10/27

260FT

DEPTH TO BED: 5FT

S.W.L. (BEFORE CASING):

76

FT

REMARKS:

5E 3

SECTION

RANGE

UTM X

ELEVATION:

480FT UTM Y

723,242.77 4,273,282.55

ZONE 15

ON SUGAR CK RD, 400' E OF BALLAS RD, S SD; WATER SALTY

LOG ID:

002716

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (AFTER CASING):

WELL TYPE Private Well

DRILL DATE:

1933/04/06

240FT

TOWNSHIP

44N

RANGE

5E

SECTION 3

ELEVATION:

509FT

UTM X 722.445.77 UTM Y

4,273,396.56

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

#1 ROWE, S SIDE DOUGHERTY FERRY RD @ JCT W/ SUGER

CREEK RD



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004562

DRILL DEPTH:

WELL TYPE Private Well

1937/08/ DRILL DATE:

300FT

DEPTH TO BED: 70FT **TOWNSHIP RANGE SECTION** 44N 5E 3

ELEVATION:

602FT

UTM X 723,333.78

UTMY 4,274,108.56

ZONE 15

N SD DOUGHERTY FERRY RD, 1.5 MI W OF GEYER RD **REMARKS**:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 006301

WELL TYPE Private Well

DRILL DATE:

1940/08/

TOWNSHIP

RANGE SECTION **ELEVATION:**

524FT

DRILL DEPTH:

194FT

44N 5E

> **UTM X** 723,138.77

> > ZONE 15

UTMY 4,273,384.56

DEPTH TO BED:

S.W.L. (BEFORE CASING):

30FT

REMARKS:

BALLES RD & ADAMS AVE, KIRKWOOD - "WATER SALTY" 1941

3

S.W.L. (AFTER CASING): 149

LOG ID: 007444

WELL TYPE Private Well

DRILL DATE:

1941//

TOWNSHIP 44N

RANGE 5E

SECTION

ELEVATION:

546FT

DRILL DEPTH:

425FT

30

UTM X

UTM Y

DEPTH TO BED:

20FT

140

718,331.69 4,267,007.54 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS: W SD SMIZER MILL RD

LOG ID:

WELL TYPE Private Well

008828

1945/01/24

TOWNSHIP

RANGE

SECTION 33

ELEVATION:

UTM X

570FT

DRILL DATE: DRILL DEPTH:

534FT

44N

5E

UTM Y

DEPTH TO BED:

50FT

721,379.69

4,265,340.49

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

ON HWY 30 1 MI W OF FENTON

S.W.L. (AFTER CASING): 130



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013262

WELL TYPE Private Well

1954/11/24 DRILL DATE:

TOWNSHIP RANGE 44N

SECTION

ELEVATION:

495FT

DRILL DEPTH: 265FT

S.W.L. (BEFORE CASING):

5E 34

UTM X 722,369.70

UTMY 4,264,978.48

DEPTH TO BED: 20FT

FT

ZONE 15

S.W.L. (AFTER CASING): 40

0.25 MI S OF HWY 30 ON SALINE RD, W OF FENTON **REMARKS**:

LOG ID: 003120

WELL TYPE Private Well

DRILL DATE:

1934/10/00

TOWNSHIP 44N

RANGE SECTION **ELEVATION:**

551FT

DRILL DEPTH:

840FT

5E 34

UTM X

UTMY

DEPTH TO BED:

30FT

721,957.69

4,264,859.48

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 019063

WELL TYPE Private Well

DRILL DATE:

1960//

100

TOWNSHIP

RANGE SECTION

DES PERES RD, OWNER UNKNOWN

ELEVATION:

721,629.77

535FT

DRILL DEPTH:

306FT

44N 5E 4

UTM X

UTM Y

DEPTH TO BED:

5FT

4,273,956.58

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 017676

WELL TYPE Private Well

DRILL DATE:

1958/09/29

TOWNSHIP 44N

RANGE

SECTION

ELEVATION:

547FT

DRILL DEPTH:

DEPTH TO BED:

302FT

20FT

5E

UTM X

UTM Y

FT

4,273,836.57

ZONE 15

721.765.77

S.W.L. (BEFORE CASING):

REMARKS:

DES PERES RD, 0.25 MI N OF DOUGHERTY FERRY RD

S.W.L. (AFTER CASING):

100



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014001

WELL TYPE Private Well

1955/08/03 DRILL DATE:

TOWNSHIP 44N

RANGE SECTION 5E

ELEVATION:

546FT

DRILL DEPTH: DEPTH TO BED: 300FT 10FT

UTM X

721,621.77

UTMY 4,273,776.57

ZONE 15

S.W.L. (BEFORE CASING):

FT

YIELD - 9 GPM @ 200' **REMARKS**:

S.W.L. (AFTER CASING):

120

LOG ID: 008339

WELL TYPE Private Well

DRILL DATE:

1942/08/17

TOWNSHIP

SECTION RANGE

ELEVATION:

488FT

DRILL DEPTH:

100FT

44N 5E

UTM X

UTMY

DEPTH TO BED:

40FT

4

4,274,161.58 721,046.77

ZONE 15

S.W.L. (BEFORE CASING):

ON BARRETT STATION RD, 0.25 MI N OF DEPOT REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 002330

WELL TYPE

Community Public Well

DRILL DATE:

1930/10/

TOWNSHIP

RANGE SECTION **ELEVATION:**

514FT

DRILL DEPTH:

350FT

44N 5E

UTM X

DEPTH TO BED:

15FT

5

UTM Y 719,677.75 4,273,053.58

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: #1 MERAMEC HILLS

S.W.L. (AFTER CASING):

60

LOG ID:

WELL TYPE Private Well

003715

1936/09/21

TOWNSHIP 44N

RANGE

SECTION

ELEVATION:

595FT

DRILL DATE: DRILL DEPTH:

302FT

5E 5

UTM X

UTM Y

718.881.75 4,273,993.60 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

25FT

FT **REMARKS:**

S.W.L. (AFTER CASING):

145



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002818

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1934/10/00 DRILL DATE:

290FT

25FT

TOWNSHIP RANGE SECTION 44N 5

5E

ELEVATION:

583FT

UTM X 718,825.75

UTMY 4,274,048.60

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 005900

WELL TYPE Private Well

DRILL DATE:

1940/01/

TOWNSHIP

RANGE 5E

SECTION

ELEVATION:

605FT

DRILL DEPTH:

187FT

44N

5

UTM X 719,226.75

UTMY 4,273,492.59

DEPTH TO BED: 30FT S.W.L. (BEFORE CASING):

REMARKS: ON CARMEN RD

TOWNSHIP

S.W.L. (AFTER CASING):

128

FT

LOG ID: 022911

WELL TYPE Private Well

DRILL DATE:

1964/07/25

44N

RANGE

SECTION 6

ELEVATION:

507FT

DRILL DEPTH: DEPTH TO BED: 180FT

135FT

5E

UTM X

UTM Y

717,018.74 4,274,105.61

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

0.25 MI E OF MANCHESTER RD ON HWY 141

30

LOG ID: 002496

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1931/10/

218FT

10FT

FT

TOWNSHIP

44N

RANGE 5E

SECTION

ELEVATION:

622FT

6

UTM X

UTM Y

716.927.74 4,273,607.61

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

formerly in name of Dr. M.A. Bliss - #1 BLISS

S.W.L. (AFTER CASING):

118



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007205

WELL TYPE

Community Public Well

1941// DRILL DATE:

TOWNSHIP 44N

SECTION RANGE

7

ELEVATION:

531FT

DRILL DEPTH:

330FT

5E

UTM X

UTMY 4,271,128.58

DEPTH TO BED:

25FT

75

716,941.72

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: ON HANNA RD

S.W.L. (AFTER CASING):

LOG ID: 010939

WELL TYPE Private Well

DRILL DATE:

1948/10/06

TOWNSHIP

SECTION RANGE

ELEVATION:

562FT

DRILL DEPTH:

305FT

44N

5E

UTM X

UTMY

DEPTH TO BED:

60FT

718,336.73

4,271,146.58

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

BETWEEN VALLEY PARK & MANCHESTER ON HWY 141

7

7

S.W.L. (AFTER CASING):

LOG ID: 011134

WELL TYPE

Private Well

DRILL DATE:

1949/10/23

TOWNSHIP

RANGE SECTION **ELEVATION:**

583FT

DRILL DEPTH:

415FT

44N 5E

UTM X

UTM Y

DEPTH TO BED:

75FT

105

717,154.72

4,271,824.59

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS:

formerly in name of Walter Griot - ON MARTHA DR, 1000' FT N OF

HANNA RD

LOG ID: 003749

WELL TYPE

Private Well

DRILL DATE:

1936/08/22

TOWNSHIP

RANGE SECTION **ELEVATION:**

606FT

DRILL DEPTH:

205FT

44N

5E 7

UTM Y 4,272,117.59

DEPTH TO BED:

65FT

UTM X 717.836.73

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

70

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007066

DRILL DEPTH:

WELL TYPE Private Well

1941/05/10 DRILL DATE:

237FT

DEPTH TO BED: 10FT

SECTION TOWNSHIP RANGE 44N

5E 7 **ELEVATION:**

641FT

UTM X 717,932.73

UTMY 4,271,996.59

ZONE 15

S.W.L. (BEFORE CASING):

W SD MERAMEC STATION RD, 0.25 MI N OF BIG BEND RD **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 026480

WELL TYPE Private Well

DRILL DATE:

1968/08/20

TOWNSHIP 44N

RANGE

SECTION 9

ELEVATION:

518FT

DRILL DEPTH: DEPTH TO BED: 275FT 50FT

5E

UTM X

UTMY

721,076.75

4,272,085.56 ZONE 15

S.W.L. (BEFORE CASING):

SCANNED, NO SAMPLES LOGGED - TOPS ONLY REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 019078

WELL TYPE

Private Well

DRILL DATE:

1960/05/04

TOWNSHIP 44N

RANGE SECTION **ELEVATION:**

464FT

DRILL DEPTH:

130FT

44N

5E

UTM X 720,598.75

UTM Y 4,271,931.56

DEPTH TO BED:

25FT

65

FT

REMARKS:

ON BIG BEND RD BETWEEN BARRETTS STATION & DOUGHERTY

FERRY RDS

LOG ID:

WELL TYPE

Private Well 014156

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

DRILL DATE:

1955/08/29

RANGE TOWNSHIP

SECTION 9

9

ELEVATION:

454FT

DRILL DEPTH:

DEPTH TO BED:

145FT 30FT 5E

UTM X

UTM Y

720.461.75

4,272,048.57

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

40

FT

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014221

WELL TYPE Private Well

1955/08/05 DRILL DATE:

TOWNSHIP 44N

RANGE SECTION 5E

ELEVATION:

461FT

DRILL DEPTH:

140FT

9

UTMY

DEPTH TO BED:

25FT

50

UTM X 720,449.75

4,272,119.57

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

FT

REMARKS:

LOG ID:

WELL TYPE Private Well

007225 DRILL DATE:

1941//

TOWNSHIP

SECTION RANGE

ELEVATION:

590FT

DRILL DEPTH:

250FT

44N 5E

UTM X

UTMY

DEPTH TO BED:

40FT

720,771.75

ZONE 15

4,271,939.56

167

REMARKS:

ON BIG BEND 0.5 MI E OF MISSOURI-PACIFIC OVERPASS

9

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

006182

Private Well

DRILL DATE:

1940/05/

TOWNSHIP

RANGE SECTION **ELEVATION:**

470FT

DRILL DEPTH:

125FT

44N 5E 9

> UTM X 720,497.75

> > ZONE 15

UTM Y 4,272,079.57

DEPTH TO BED:

40FT

62

REMARKS: 2 MI E OF VALLEY PARK ON BIG BEND & MO PAC OVERPASS

18

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

012397

Private Well

DRILL DATE:

TOWNSHIP

SECTION RANGE

ELEVATION:

610FT

DRILL DEPTH:

350FT

44N 6E

UTM X

UTM Y

DEPTH TO BED:

145FT

65

727.460.78 4,270,581.49

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

IN CRESTWOOD, 500' S OF E WATSON RD, 0.5 MI E OF LINDBERG

BLVD



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003763

WELL TYPE Private Well

1936/08/06 DRILL DATE:

RANGE TOWNSHIP SECTION 44N 6E

ELEVATION:

614FT

DRILL DEPTH: 150FT

UTM X

UTMY

DEPTH TO BED: 45FT 727,756.78

4,270,765.49

S.W.L. (BEFORE CASING):

REMARKS:

FT

FT

FT

REMARKS:

ZONE 15 ON OLD WATSON RD, SW OF LONE STAR TOURIST CAMP

S.W.L. (AFTER CASING):

60

WELL TYPE

LOG ID: 004010

Private Well

DRILL DATE:

1936/12/04

TOWNSHIP

RANGE SECTION

18

18

ELEVATION:

605FT

DRILL DEPTH:

202FT

44N 6E

UTM X

UTMY

DEPTH TO BED:

40FT

60

728,236.77 4,269,809.48 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

E SD SAPPINGTON RD **REMARKS**:

LOG ID: 004018

WELL TYPE

Private Well

DRILL DATE:

1936/11/27

TOWNSHIP

RANGE SECTION **ELEVATION:**

627FT

DRILL DEPTH:

192FT

44N 6E 18

> UTM X 727,668.78

UTM Y 4,270,868.49

DEPTH TO BED:

55FT

70

N SD OF NEW WATSON RD

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

009022

Private Well

DRILL DATE:

TOWNSHIP 44N

RANGE SECTION **ELEVATION:**

631FT

DRILL DEPTH:

108FT

6E 19

> UTM X 727.809.77

UTM Y

DEPTH TO BED:

55FT

4,269,208.47

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: DENNY RD AND LINDBERGH BLVD.

S.W.L. (AFTER CASING):

20



RANGE

6E

SECTION

20

SECTION

20

SECTION

21

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

729,937.77

ELEVATION:

UTM X

729,933.78

ELEVATION:

UTM X

730,048.78

ZONE 15

ZONE 15

ZONE 15

554FT

UTMY

4,268,337.45

575FT

UTMY

4,268,755.45

532FT

UTM Y

4,268,917.45

LOG ID: 006384

DRILL DEPTH:

WELL TYPE Private Well

1940/08/03 DRILL DATE:

218FT

DEPTH TO BED: 22FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

FT

FT

REMARKS:

ON W SD BAPTIST CHURCH RD BETWEEN HWY 30 AND LINDBERGH RD

TOWNSHIP

TOWNSHIP

44N

44N

44N

TOWNSHIP

44N

LOG ID: 005305

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH: 1939/02/15

280FT

45

DEPTH TO BED: 40FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

0.5 MI S OF HWY 30 BAPTIST CHURCH REMARKS:

RANGE

@ AFFTON ON HWY 30

6E

RANGE

6E

48

LOG ID: 006641

WELL TYPE Private Well

DRILL DATE:

1940/09/16

DRILL DEPTH:

162FT

23

DEPTH TO BED: 25FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 008756

WELL TYPE Private Well

DRILL DATE:

1943//

DRILL DEPTH: 460FT

DEPTH TO BED:

45FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 65 **TOWNSHIP**

REMARKS:

REMARKS:

RANGE 6E

SECTION

22

ELEVATION:

551FT

UTM X UTM Y 732.624.80 4,269,209.43

ZONE 15

OLD WELL (#8293) DEEPENED; E SD TESSON RD, 0.7 MI S OF

HWY 30



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008293

WELL TYPE Private Well

1943// **RANGE** DRILL DATE: **TOWNSHIP SECTION ELEVATION:** 551FT

44N 6E 22 **DRILL DEPTH:** 187FT

UTM X UTMY DEPTH TO BED: 45FT 732,668.80 4,269,161.43

ZONE 15

S.W.L. (BEFORE CASING): FT WELL DEEPENED (SEE #8756) IN 1945; E SD TESSON RD, 0.7 MI S **REMARKS**:

OF HWY 30

LOG ID: 003759

S.W.L. (AFTER CASING):

WELL TYPE Private Well

DRILL DATE: 1936/08/11 **TOWNSHIP RANGE SECTION ELEVATION:** 458FT

44N 6E 26 DRILL DEPTH: 135FT

UTM X UTMY DEPTH TO BED: 30FT 733,482.79 4,267,292.40

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

65

S.W.L. (AFTER CASING): 18

LOG ID: 006302

WELL TYPE Private Well

SECTION DRILL DATE: 1940// **TOWNSHIP RANGE ELEVATION:** 598FT

44N 6E 28 198FT

REMARKS:

DRILL DEPTH: UTM X UTM Y

DEPTH TO BED: 30FT 731,527.77 4,266,661.41

1.5 MI W OF MEHLVILLE ON HWY 77

ZONE 15 S.W.L. (BEFORE CASING): FT

40 S.W.L. (AFTER CASING):

LOG ID: 005646

WELL TYPE Private Well

1939/10/ **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 608FT

44N 6E 28 **DRILL DEPTH:** 155FT

UTM X UTM Y DEPTH TO BED: 40FT 731,390.77 4,266,757.42

ZONE 15 S.W.L. (BEFORE CASING): FT

2 MI W OF MEHLVILLE ON W SD HWY 77 **REMARKS**: S.W.L. (AFTER CASING): 35



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004331

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1937// DRILL DATE:

127FT

30FT

TOWNSHIP 44N

RANGE SECTION 6E 29

ELEVATION:

613FT

UTM X 728,465.75

UTMY 4,266,488.44

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

40

FT

FT

FT

REMARKS:

0.25 MI N OF KENNERLY RD ON SAPPINGTON, DIRFLINGERE

SUBDV.

LOG ID: 005814

WELL TYPE Private Well

DRILL DATE:

1939/12/

TOWNSHIP

RANGE SECTION **ELEVATION:**

604FT

DRILL DEPTH:

128FT

44N 6E

30

UTM X UTMY

728,295.75

4,266,940.45 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

40FT

30

REMARKS:

REMARKS:

SAPPINGTON & CONCORD SCHOOL RDS

S.W.L. (AFTER CASING):

LOG ID: 005004

WELL TYPE Private Well

DRILL DATE:

1938/08/

TOWNSHIP 44N

RANGE 6E

SECTION

ELEVATION:

660FT

DRILL DEPTH:

253FT

30

UTM X 727,574.75

UTM Y 4,266,975.45

DEPTH TO BED:

40FT

50

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 008604

WELL TYPE Private Well

DRILL DATE:

1944/07/19

TOWNSHIP 44N

RANGE

SECTION 33

ELEVATION:

598FT

DRILL DEPTH:

DEPTH TO BED:

120FT 5FT 6E

4305 GRACE AVE.

UTM X 731.132.76

UTM Y 4,266,153.41

ZONE 15

ZONE 15

20 S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

FT

REMARKS:

0.5 MI W OF LINDBERGH BLVD ON CONCORD SCHOOL RD

3/1/2007

5,677



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005905

WELL TYPE Private Well

RANGE DRILL DATE: **TOWNSHIP SECTION ELEVATION:** 585FT

44N 6E 33 **DRILL DEPTH:** 125FT

UTM X **UTMY** DEPTH TO BED: 35FT 730,971.76 4,266,066.41

ZONE 15

S.W.L. (BEFORE CASING): FT 5 BLKS W OF HWY 77 ON CONCORD SCHOOL RD **REMARKS**:

S.W.L. (AFTER CASING): 46

LOG ID: **WELL TYPE** 005204 Private Well

DRILL DATE: 1938// **TOWNSHIP SECTION RANGE ELEVATION:** 555FT

44N 6E 33 DRILL DEPTH: 300FT

UTM X UTMY DEPTH TO BED: 35FT

730,615.75 4,264,865.40 ZONE 15

S.W.L. (BEFORE CASING): BETWEEN ASSUMPTION SCHOOL & MATTESE CRK, 0.5 MI E OF REMARKS:

S.W.L. (AFTER CASING): MATTESE SCH RD

LOG ID: **WELL TYPE**

Noncommunity Public Well 006884

110FT

DRILL DATE: 1941/02/21 **TOWNSHIP RANGE SECTION ELEVATION:** 610FT

44N 6E 33 **DRILL DEPTH:** 405FT

UTM X UTM Y **DEPTH TO BED:** 210FT 730,370.74 4,264,618.40

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: OLD WELL DEEPENED 210-405'; ON MATTESE RD

100 S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE** Private Well 008294

1943// **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 555FT

DRILL DEPTH: UTM X UTM Y

DEPTH TO BED: 30FT 731,812.76 4,265,904.40

6E

34

ZONE 15

44N

S.W.L. (BEFORE CASING): FT **REMARKS**: 300 YDS S OF HWY 61 ON VONTALGE RD

S.W.L. (AFTER CASING): 25



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002674

DRILL DATE:

003552

WELL TYPE Private Well

1932/11/07 **TOWNSHIP RANGE SECTION** 44N 6E 8

REMARKS:

DRILL DEPTH: 230FT

UTM X **UTMY** DEPTH TO BED: 18FT 729,845.80 4,272,427.49

ZONE 15

ELEVATION:

634FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE** Private Well

TOWNSHIP SECTION DRILL DATE: 1936/03/19 **RANGE ELEVATION:** 606FT

44N 6E DRILL DEPTH: 402FT

UTM X UTMY DEPTH TO BED: 20FT 729,785.80 4,271,680.48

8

ZONE 15

S.W.L. (BEFORE CASING): FT S SD HWY 66 JUST E OF MO PAC RR TRACKS REMARKS:

S.W.L. (AFTER CASING): 40

LOG ID: **WELL TYPE**

Industrial High Capacity Well 015994

DRILL DATE: 1957/02/10 **TOWNSHIP RANGE SECTION ELEVATION:** 518FT

44N 6E 9 **DRILL DEPTH:** 580FT

UTM X UTM Y **DEPTH TO BED:** 365FT 731,476.81 4,272,080.47

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** 8070 WATSON RD; "WATER CONTAINS SULPHUR AND SALT"

70 S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE** Private Well 011574

1951/07/05 **RANGE DRILL DATE: TOWNSHIP SECTION ELEVATION:** 586FT

45N 3E 12 **DRILL DEPTH:** 148FT UTM X UTM Y

DEPTH TO BED: 40FT 706.962.73 4,280,705.70

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 105



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025645

DRILL DEPTH:

WELL TYPE Private Well

1967/04/25 DRILL DATE:

485FT

DEPTH TO BED: 45FT

S.W.L. (BEFORE CASING):

TOWNSHIP RANGE SECTION 45N 3E

15

ELEVATION:

612FT

UTM X 702,518.70

UTM Y 4,280,044.71

ZONE 15

S.W.L. (AFTER CASING):

REMARKS:

WILD HORSE CREEK RD

LOG ID: 016429

WELL TYPE Private Well

DRILL DATE:

1957/08/05

TOWNSHIP

RANGE 3E

SECTION

ELEVATION:

703FT

DRILL DEPTH: DEPTH TO BED: 678FT 35FT

215

45N

23

UTM X

UTMY

705,117.70

4,278,354.67

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: YIELD - 25 GPM @ 215'

S.W.L. (AFTER CASING):

LOG ID: 002791

WELL TYPE Private Well

DRILL DATE:

1933/12/

TOWNSHIP 45N

RANGE SECTION **ELEVATION:**

688FT

DRILL DEPTH:

655FT

40FT

3E

DEPTH TO BED:

UTM X 704,525.69

UTM Y 4,278,067.67

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

250

LOG ID: 005394

WELL TYPE Private Well

DRILL DATE:

1939/05/

TOWNSHIP

RANGE

SECTION 23

23

ELEVATION:

630FT

DRILL DEPTH:

DEPTH TO BED:

566FT

45FT

45N

3E

UTM X

REMARKS:

704,420.70

UTM Y 4,278,770.68

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

S.W.L. (AFTER CASING):

161



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020513

WELL TYPE Private Well

1961/10/11 DRILL DATE:

TOWNSHIP 45N

RANGE SECTION 3E

ELEVATION:

542FT

DRILL DEPTH:

DEPTH TO BED:

515FT 25FT

85

24

UTM X

UTMY 4,278,138.67

705,816.70

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: SHEPARD RD, 0.25 MI W OF STRECKER RD

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

024694 DRILL DATE:

1966/09/09

TOWNSHIP

RANGE SECTION **ELEVATION:**

751FT

DRILL DEPTH:

555FT

45N 3E

UTM X 705,576.67

UTMY 4,275,736.63

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

50FT

185

FT

REMARKS: NO RESIDUES

LOG ID: 018178

WELL TYPE

Private Well

DRILL DATE:

1959/04/14

TOWNSHIP RANGE SECTION 3E

ELEVATION:

752FT

DRILL DEPTH:

512FT

45N

25

25

UTM X

UTM Y

DEPTH TO BED:

40FT

705,617.68 4,275,938.64

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

290

FT

REMARKS:

LOG ID:

020379

WELL TYPE

Private Well

DRILL DATE:

1961/10/27

TOWNSHIP

RANGE SECTION **ELEVATION:**

632FT

DRILL DEPTH:

537FT

45N 3E

25

UTM X

UTM Y

DEPTH TO BED:

40FT

705.668.68 4,276,409.64

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: YIELD - 19 GPM @ 325'

S.W.L. (AFTER CASING): 185



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025994

WELL TYPE Private Well

1967/12/10 **RANGE** DRILL DATE: **TOWNSHIP SECTION ELEVATION:** 710FT

45N 3E 26 570FT

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 55FT 705,362.67 4,275,794.63

ZONE 15

S.W.L. (BEFORE CASING): FT 1 MI E OF HWY 109, 0.5 MI OFF SHEPARD RD **REMARKS**:

S.W.L. (AFTER CASING): 190

LOG ID: 022660

WELL TYPE Private Well

DRILL DATE: 1963/05/24 **TOWNSHIP SECTION RANGE ELEVATION:** 727FT

45N 3E 26 DRILL DEPTH: 590FT

UTM X UTMY DEPTH TO BED: 20FT 704,431.68 4,276,608.65

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 022912

WELL TYPE Private Well

DRILL DATE: 1964/01/29 **TOWNSHIP RANGE SECTION ELEVATION:** 723FT

45N 3E 26 **DRILL DEPTH:** 620FT

UTM X UTM Y **DEPTH TO BED:** 50FT 704,427.67 4,275,986.64

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: 2 MI N OF HWY 100 ON HWY 109; YIELD -1320 G/HR @ 285'

270 S.W.L. (AFTER CASING):

LOG ID: 012714

WELL TYPE Private Well

1953/08/26 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 722FT

DRILL DEPTH: 615FT UTM X UTM Y

3E

26

DEPTH TO BED: 30FT 704,766.68 4,276,612.65

ZONE 15 S.W.L. (BEFORE CASING): FT

45N

YIELD - 14 GPM @ 350' **REMARKS**:

225 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015216

WELL TYPE Private Well

1956/06/22 DRILL DATE:

RANGE TOWNSHIP 45N

SECTION

ELEVATION:

700FT

DRILL DEPTH:

570FT

3E 27

UTM X 703,140.67

ZONE 15

ZONE 15

ZONE 15

UTMY 4,276,559.65

DEPTH TO BED: 20FT S.W.L. (BEFORE CASING):

FT

FT

FT

REMARKS:

S.W.L. (AFTER CASING):

170

2 MI N OF POND OFF HWY 209; YIELD - 25 GPM @ 225'

LOG ID: 023648

WELL TYPE Private Well

DRILL DATE:

490FT

TOWNSHIP 45N

SECTION RANGE

ELEVATION:

786FT

DRILL DEPTH:

3E 32

> **UTM X** 700,324.62

UTMY 4,274,580.62

DEPTH TO BED:

60FT

105

50

REMARKS:

WILD HORSE CREEK RD, RT 1, CHESTERFIELD

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

025537 **DRILL DATE:**

1967/09/19

TOWNSHIP

RANGE

SECTION 32

"CAN'T LOCATE", NO SAMPLES LOGGED, NO TOPS

ELEVATION:

666FT

DRILL DEPTH:

45N 3E

> UTM X 700,041.63

UTM Y 4,274,896.62

DEPTH TO BED:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 020104

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1961/05/09

531FT

35FT

TOWNSHIP 45N

RANGE

SECTION 32

ELEVATION:

723FT

REMARKS:

3E

UTM X

UTM Y

700.029.63 4,275,184.63

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

225

2 MI N OF HWY 100 ON WILD HORSE CRK RD



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017853

DEPTH TO BED:

WELL TYPE Private Well

1958/10/02 DRILL DATE:

523FT

TOWNSHIP 45N

RANGE

SECTION 32

ELEVATION:

757FT

DRILL DEPTH:

35FT

3E

UTM X

UTMY 4,275,497.63

700,511.64 ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

YIELD - 13 GPM @ 260' **REMARKS**:

S.W.L. (AFTER CASING):

260

LOG ID: 006979

WELL TYPE Private Well

DRILL DATE:

1941//

TOWNSHIP

RANGE

SECTION ELEVATION: 748FT

DRILL DEPTH:

280FT

45N 3E 32

UTM X

700,411.63

UTMY 4,275,509.63

DEPTH TO BED:

27FT

140

REMARKS:

ON REIGER RD, 0.3 MI W OF POND RD

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

WELL TYPE Private Well

004664 **DRILL DATE:**

LOG ID:

1937//

REMARKS:

RANGE

SECTION 33

ELEVATION:

803FT

DRILL DEPTH:

397FT

45N 3E

UTM X 702,069.63

UTM Y 4,274,382.61

DEPTH TO BED:

40FT

125

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 004665

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1937//

485FT

90FT

255

TOWNSHIP

RANGE

SECTION

ELEVATION:

782FT

45N

TOWNSHIP

3E 33

UTM X

UTM Y 4,274,627.62

701,850.64

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

IN PASTURE 0.25 MI FROM WELL #3

ON TOP OF HILL AT FARM HOUSE

ZONE 15

3/1/2007

5,684



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012858

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE

Community Public Well

1954/06/ DRILL DATE:

580FT

25FT

TOWNSHIP 45N

RANGE 3E

SECTION 35

ELEVATION:

767FT

UTM X **UTMY** 705,280.66 4,274,895.62

ZONE 15

S.W.L. (BEFORE CASING):

350

FT

REMARKS:

JCT HWY 109 & SHEPARD RD; YIELD - 10 GPM @ 450'

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

007447 DRILL DATE:

1941//

TOWNSHIP 45N

RANGE 3E

SECTION 36

ELEVATION:

722FT

DRILL DEPTH: DEPTH TO BED: 295FT 50FT

UTM X

UTMY

705,591.66

4,274,044.61

ZONE 15

S.W.L. (BEFORE CASING):

60

FT

FT

FT

S.W.L. (AFTER CASING):

WELL TYPE

Private Well

DRILL DATE:

LOG ID:

011696

1950/11/16

TOWNSHIP

RANGE

SECTION

ELEVATION:

601FT

DRILL DEPTH:

405FT

45N

4E 13

UTM X 715,378.79

UTM Y 4,279,968.67

DEPTH TO BED:

50FT

125

REMARKS:

REMARKS: ABT 0.5 MI W OF WOODS MILL RD ON DANIEL BOONE PARKWAY

(40)

LOG ID:

007654

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE

Private Well

DRILL DATE:

1941/12/14

TOWNSHIP 45N

RANGE 4E

SECTION

ELEVATION:

UTM X

528FT

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

408FT 60FT 13

UTM Y

715.406.79

4,280,186.68

ZONE 15

ZONE 15

ON HILLTOP S SD NEW HWY 40; "COULDN'T LOCATE" **REMARKS**:

S.W.L. (AFTER CASING):

120



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005891

WELL TYPE Private Well

1939/10/31 DRILL DATE:

RANGE TOWNSHIP SECTION 45N

ELEVATION:

518FT

UTMY

DRILL DEPTH: DEPTH TO BED: 226FT 50FT

20

4E 14

UTM X

714,831.78

4,279,923.67

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

S OF "SUPERHIGHWAY" BETWEEN SCHOETTER RD AND WOODS

MILL RD

LOG ID: 024925

WELL TYPE Private Well

DRILL DATE:

1966/07/

TOWNSHIP

SECTION RANGE

ELEVATION:

608FT

DRILL DEPTH:

485FT

45N 4E

UTM X

UTMY

DEPTH TO BED:

40FT

16

711,382.75 4,279,225.67

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: **NEAR CHESTERFIELD**

S.W.L. (AFTER CASING):

LOG ID: 004846

WELL TYPE Private Well

DRILL DATE:

1938/06/

TOWNSHIP RANGE

CHESTERFIELD

ELEVATION:

613FT

DRILL DEPTH:

735FT

45N

SECTION 4E

UTM X

UTM Y

DEPTH TO BED:

25FT

711,135.75 4,279,097.67

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

003964

Private Well

DRILL DATE:

1936/10/26

TOWNSHIP 45N

RANGE

SECTION

16

ELEVATION:

592FT

DRILL DEPTH:

DEPTH TO BED:

797FT

85FT

FT

4E 16

UTM X

UTM Y 4,280,425.69

710.855.76 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

150

REMARKS:

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003440

DRILL DEPTH:

WELL TYPE Private Well

1935/07/00 DRILL DATE:

502FT

DEPTH TO BED: 20FT

RANGE TOWNSHIP SECTION 45N 4E

17

ELEVATION:

635FT

UTM X 708,705.73

UTMY 4,279,003.68

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 018128

WELL TYPE Private Well

DRILL DATE:

1959/04/24

TOWNSHIP 45N

SECTION RANGE

ELEVATION:

540FT

DRILL DEPTH:

625FT

4E 18

UTM X

UTMY

DEPTH TO BED:

20FT

100

708,331.73

4,279,002.68

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: YI9ELD - 22 GPM @ 190'

S.W.L. (AFTER CASING):

LOG ID: 010641

WELL TYPE Private Well

DRILL DATE:

1947/02/22

TOWNSHIP 45N

SECTION RANGE

ELEVATION:

600FT

DRILL DEPTH:

675FT

4E

UTM X 707,567.72

UTM Y 4,279,315.68

DEPTH TO BED:

25FT

200

REMARKS:

0.5 MI N OF KITS MILL RD; YIELD - 10.5 GPM @ 250'

18

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

026395

Private Well

DRILL DATE:

1967/12/06

TOWNSHIP 45N

RANGE

SECTION

ELEVATION:

542FT

DRILL DEPTH:

DEPTH TO BED:

425FT 85FT

4E 19

UTM X

UTM Y

707,428.71 4,277,915.66

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009188

WELL TYPE Private Well

RANGE DRILL DATE: **TOWNSHIP SECTION ELEVATION:** 633FT

> 45N 4E 20 305FT

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 20FT

710,056.73 4,278,197.66

ZONE 15

S.W.L. (BEFORE CASING): FT 2 MI N OF ELLISVILLE **REMARKS**:

S.W.L. (AFTER CASING): 50

LOG ID: 005243

WELL TYPE Private Well

DRILL DATE: 1938// **TOWNSHIP SECTION RANGE ELEVATION:** 635FT

45N 4E 20 DRILL DEPTH: 680FT

UTM X UTMY DEPTH TO BED: 65FT 708,916.73 4,278,781.67

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** "WATER LEVEL DROPPED 87' - 110' WHEN ST PETER SS WAS HIT"

S.W.L. (AFTER CASING): 110

LOG ID: 026215

WELL TYPE Private Well

DRILL DATE: 1968/05/ **TOWNSHIP RANGE SECTION ELEVATION:** 655FT

45N 4E 21 **DRILL DEPTH:** 461FT

UTM X UTM Y

DEPTH TO BED: 710,692.74 4,278,817.67 25FT ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** WILSON RD, 0.5 N OF CLARKSON RD; YIELD 10 GPM @ 359'

S.W.L. (AFTER CASING):

LOG ID: 026421

WELL TYPE Private Well

1967/11/27 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 610FT

45N 4E 21 **DRILL DEPTH:** 565FT

UTM X UTM Y DEPTH TO BED: 711.572.75 4,278,873.67 45FT

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: OLD CLARKSON RD, CHESTERFIELD; YIELDS - 0.5 GPM @ 155', 2

GPM @ 200' S.W.L. (AFTER CASING): 65



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 019667

WELL TYPE

Industrial High Capacity Well

1960/08/30 DRILL DATE:

RANGE TOWNSHIP 45N

SECTION

21

ELEVATION:

614FT

DRILL DEPTH: 745FT

UTM X

UTMY

DEPTH TO BED: 25FT

711,065.74

ZONE 15

4,278,889.67

S.W.L. (BEFORE CASING):

FT

FT

1 MI S OF HWY 40 ON CLARKSON RD; YIELD - 20 GPM @ 240' **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 004799

WELL TYPE

Industrial High Capacity Well

70

DRILL DATE:

1938/05/

TOWNSHIP

SECTION RANGE

4E

ELEVATION:

669FT

DRILL DEPTH:

800FT

45N 4E

> **UTM X** 711,356.74

UTMY 4,278,415.66

DEPTH TO BED:

75FT

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

175

REMARKS:

500' SW OF #1; PUMPS SALT WATER NOW; FRESH WHEN

21

DRILLED

LOG ID: 002718

WELL TYPE

Private Well

DRILL DATE:

1933/04/

TOWNSHIP

RANGE

SECTION

ELEVATION:

664FT

DRILL DEPTH:

464FT

45N

4E 21

UTM X

UTM Y

DEPTH TO BED:

65FT

711,449.74

4,278,580.67

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 1 MI N OF CLAYTON RD ON CLARKSON RD

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

004268

Private Well

1937/05/

TOWNSHIP

RANGE

SECTION

ELEVATION:

695FT

DRILL DATE:

675FT

45N

4E

24

DRILL DEPTH: DEPTH TO BED:

80FT

200

UTM X 716.454.78

UTM Y 4,278,344.65

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

ON CLAYTON RD @ WOODS MILL RD; "CAN BE BAILED DRY AT

150 G P HR"



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009239

DRILL DEPTH:

002860

WELL TYPE Private Well

1946/04/ **RANGE** DRILL DATE: **TOWNSHIP SECTION ELEVATION:** 666FT

> 45N 4E 25 730FT

> > **REMARKS**:

UTM X **UTMY** DEPTH TO BED: 650FT

HENRY AVE, CHESTERFIELD - PLUGGED

ON CLAYTON RD, 0.5 MI W OF BAXTER RD

715,392.76 4,276,797.64

ZONE 15

S.W.L. (BEFORE CASING): FT

Private Well

S.W.L. (AFTER CASING): 155

LOG ID: **WELL TYPE**

TOWNSHIP SECTION DRILL DATE: 1934/05/ **RANGE ELEVATION:** 665FT

45N 4E 25 DRILL DEPTH: 625FT

UTM X UTMY DEPTH TO BED: 25FT 715,799.75 4,276,083.63

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 150

LOG ID: **WELL TYPE** Private Well 008340

DRILL DATE: 1942/06/29 **TOWNSHIP RANGE SECTION ELEVATION:** 654FT

45N 4E 26 **DRILL DEPTH:** 364FT

REMARKS:

UTM X UTM Y

DEPTH TO BED: 100FT 713,620.74 4,276,723.64

ZONE 15 S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 114

LOG ID: **WELL TYPE** Private Well 005619

1939/06/29 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 650FT

45N 4E 26 420FT **DRILL DEPTH:**

UTM X UTM Y DEPTH TO BED: 714,579.75 4,276,311.63 110FT

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 140



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007420

WELL TYPE Private Well

1941/06/28 DRILL DATE:

RANGE TOWNSHIP SECTION 45N

ELEVATION:

650FT

DRILL DEPTH:

350FT

4E 27

UTM X

UTMY

DEPTH TO BED:

80FT

105

712,936.74 4,276,829.64

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

ON N SD CLAYTON RD 0.5 MI W OF BAXTER RD, 0.5 MI E OF

GANAHAL DAIRY

LOG ID: 004558

WELL TYPE Private Well

DRILL DATE:

1937/10/

TOWNSHIP

RANGE

SECTION 27

ELEVATION:

688FT

DRILL DEPTH:

325FT

45N

4E

UTM X

UTMY

DEPTH TO BED:

75FT

712,348.73 ZONE 15

4,276,527.64

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

S SD CLAYTON RD W OF BAXTER RD; SECTION CORRELATED

WITH WELL #4120

LOG ID: 020095

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1961/07/17

TOWNSHIP

RANGE

SECTION

ELEVATION:

651FT

DRILL DEPTH:

780FT

45N

4E

28

UTM Y

DEPTH TO BED:

20FT

196

UTM X 710,679.73 4,277,338.65

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

WEST PAR GOLF COURSE, CLARKSON & MILL RD

S.W.L. (AFTER CASING):

LOG ID: 003591

WELL TYPE

Private Well

DRILL DATE:

1936/05/09

TOWNSHIP 45N

RANGE

SECTION 28

ELEVATION:

656FT

DRILL DEPTH:

DEPTH TO BED:

260FT

30FT

4E

UTM X

UTM Y

710,315.72

4,276,807.64

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

60

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006632

WELL TYPE Private Well

1940/09/06 DRILL DATE:

TOWNSHIP 45N

RANGE SECTION

29

ELEVATION:

665FT

DRILL DEPTH:

414FT

4E 28

UTM X

UTMY

DEPTH TO BED:

50FT

86

711,295.73

4,277,273.65

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: KEHRS MILL RD 1 MI N OF CLAYTON RD

S.W.L. (AFTER CASING):

LOG ID: 020406

WELL TYPE Private Well

DRILL DATE:

1961/09/08

TOWNSHIP

RANGE

SECTION ELEVATION: 697FT

DRILL DEPTH:

660FT

250

45N 4E

UTM X

UTMY

DEPTH TO BED: 40FT 709,239.71

4,276,325.64

ZONE 15

S.W.L. (BEFORE CASING):

FT

YIELD - 17 GPM @ 280' REMARKS:

S.W.L. (AFTER CASING):

WELL TYPE

Private Well

DRILL DATE:

LOG ID:

005669

1939/09/

TOWNSHIP

SECTION RANGE

ELEVATION:

635FT

DRILL DEPTH:

365FT

45N 4E

ON STRECKER RD

UTM X 707,208.69

UTM Y 4,276,129.64

DEPTH TO BED:

130FT

180

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 008368

WELL TYPE Private Well

DRILL DATE:

1942/06/07

TOWNSHIP 45N

RANGE

SECTION

30

ELEVATION:

726FT

DRILL DEPTH:

DEPTH TO BED:

670FT

50FT

270

4E

31

UTM X

UTM Y

708.530.69

4,274,792.62

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS:

REMARKS:

formerly in name of C.W. Kuhlman - 0.7 MI N OF HWY 50 ON

STRECKER RD



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002992

WELL TYPE Private Well

1934/09/00 DRILL DATE:

RANGE TOWNSHIP SECTION 45N 4E

ELEVATION:

703FT

DRILL DEPTH: DEPTH TO BED: 300FT 25FT

153

31

UTM X

UTMY

708,386.69 4,274,913.62

ZONE 15

S.W.L. (BEFORE CASING):

FT

STRECKER RD, 2 MI N OF MANCHESTER RD **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 012977

WELL TYPE Private Well

DRILL DATE:

1954//

TOWNSHIP

RANGE

SECTION 32

ELEVATION:

741FT

DRILL DEPTH:

305FT

45N 4E

UTM X

UTM Y

DEPTH TO BED:

45FT

125

709,239.69

4,274,964.62

ZONE 15

S.W.L. (BEFORE CASING):

FT

0.7 MI N OF HWY 50, 0.3 MI S OF CLAYTON RD ON HUTCHISON RD REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

002734

Private Well

DRILL DATE:

1933/06/

TOWNSHIP

RANGE

SECTION

ELEVATION:

732FT

DRILL DEPTH:

500FT

45N

4E

32

35FT

UTM X 709,950.69

UTM Y 4,274,102.61

DEPTH TO BED:

220

FT

AT ELLISVILLE

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE Private Well

002541

1932/03/03

TOWNSHIP 45N

RANGE

SECTION 32

ELEVATION:

718FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

355FT

4E

UTM Y

UTM X 709.398.69

4,274,098.61

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

OLD STATE RD & MO HWY 50, ELLISVILLE - POOR LOG



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005332

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE

Noncommunity Public Well

503FT

50FT

1938/04/ DRILL DATE:

RANGE TOWNSHIP SECTION 32

45N 4E

> UTM X **UTMY** 4,274,675.62

709,930.70

ELEVATION:

ZONE 15

S.W.L. (BEFORE CASING):

POOR SAMPLES - BURLINGTON-KEOKUK TOO THICK **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 008343

WELL TYPE

Private Well

DRILL DATE:

1942/07/08

TOWNSHIP

RANGE

SECTION 33

ELEVATION:

695FT

738FT

DRILL DEPTH:

175FT

45N 4E

> **UTM X** 711,511.71

UTMY 4,274,409.61

DEPTH TO BED:

30FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

52

FT

REMARKS:

N SD HWY 50, 0.5 MI E OF ELLISVILLE

LOG ID: 002550

WELL TYPE

Private Well

DRILL DATE:

1932/04/

TOWNSHIP

RANGE 4E

ELEVATION:

688FT

DRILL DEPTH:

610FT

45N

33

SECTION

UTM X

UTM Y

DEPTH TO BED:

15FT

711,618.71 4,274,313.61

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

@ PORTABLEL CITY BETWEEN ELLISVILLE & BALLWIN

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

008783

Private Well

DRILL DATE:

1944//

TOWNSHIP

RANGE

SECTION

ELEVATION:

619FT

DRILL DEPTH:

200FT

45N

35

DEPTH TO BED:

40FT

4E

UTM X 714.669.74

ZONE 15

UTM Y 4,275,729.63

S.W.L. (BEFORE CASING):

REMARKS:

W OF BAXTER RD NEAR MANCHESTER

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005371

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1939// DRILL DATE:

527FT

95FT

TOWNSHIP 45N

RANGE 4E

SECTION 36

ELEVATION:

672FT

UTM X 716,423.75

UTMY 4,275,682.63

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

REMARKS:

IN MANCHESTER ON HENRY AVE; PUMPED DRY IN JUNE, 1954

S.W.L. (AFTER CASING): 100

LOG ID: 002817

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1934/02/

TOWNSHIP 45N

RANGE 4E

SECTION 36

ELEVATION:

620FT

800FT

15FT

UTM X

UTMY 4,274,315.61

715,262.73

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 002592

DRILL DATE:

DEPTH TO BED:

1932/06/

DRILL DEPTH:

102FT

20FT

TOWNSHIP 45N

RANGE 4E

SECTION 36

ELEVATION:

574FT

#1 SANDFAS

UTM X

UTM Y

715,474.74 4,274,482.61

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 002683

WELL TYPE

Private Well

S.W.L. (BEFORE CASING):

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1932/12/00

805FT

195FT

TOWNSHIP 45N

RANGE 4E

SECTION 9

ELEVATION:

585FT

UTM X UTM Y

711.168.76 4,280,756.69

ZONE 15

FT

REMARKS:

REMARKS:

#1 HUMPHREY (OR HUMPHREY ST)

S.W.L. (AFTER CASING):

140



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004807

WELL TYPE Private Well

1938/04/ DRILL DATE:

TOWNSHIP 45N

SECTION

ELEVATION:

627FT

DRILL DEPTH: DEPTH TO BED: 623FT 75FT

170

10

UTM X

722,187.84

UTMY 4,281,386.64

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: SW CORNER BALLAS AND LADUE RDS

RANGE

5E

S.W.L. (AFTER CASING):

LOG ID: 004152

WELL TYPE Private Well

DRILL DATE:

1937/03/12

TOWNSHIP

REMARKS:

RANGE SECTION **ELEVATION:**

563FT

DRILL DEPTH:

120FT

45N 5E 11

UTM X

UTMY

DEPTH TO BED:

20FT

723,503.84

4,281,089.63

ZONE 15

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING):

35

LOG ID: 024861

WELL TYPE Oil Well

DRILL DATE:

1966/06/20

TOWNSHIP

RANGE SECTION **ELEVATION:**

723,807.84

DRILL DEPTH:

1,705FT

45N

14

UTM X

ZONE 15

DEPTH TO BED:

245FT

REMARKS: #1 NIEHAUS - OBSERVATION WELL

5E

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE Private Well

019773

1961/01/17

TOWNSHIP

RANGE SECTION

14

ELEVATION:

600FT

UTM Y

4,280,111.62

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

155FT

45FT

45N

5E

UTM X

UTM Y

723.807.84

4,280,111.62

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: "CAN'T LOCATE"

S.W.L. (AFTER CASING):

20



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013598

WELL TYPE

INJECTION WELL (NAT GAS-PROPANE STORAGE)

DRILL DATE: 1955// **TOWNSHIP RANGE SECTION** 45N 5E

ELEVATION:

600FT

DRILL DEPTH: 1,400FT

UTM Y

DEPTH TO BED: 85FT

UTM X 723,807.84

4,280,111.62

ZONE 15

S.W.L. (BEFORE CASING):

#2 LANGE - SECTION NOT GIVEN **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 000108

WELL TYPE

Private Well

DRILL DATE:

1904/11/00

TOWNSHIP

RANGE

SECTION 14

14

ELEVATION:

600FT

DRILL DEPTH:

518FT

45N 5E

UTM X

UTMY

DEPTH TO BED:

10FT

723,807.84

4,280,111.62

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: AT OR NEAR BRIDGETON, 13 MI NW OF ST LOUIS

S.W.L. (AFTER CASING):

LOG ID: 000208

WELL TYPE

Private Well

DRILL DATE:

1905/11/00

TOWNSHIP

RANGE

SECTION 14

ELEVATION:

600FT

DRILL DEPTH:

226FT

45N 5E

> UTM X 723,807.84

UTM Y

DEPTH TO BED:

10FT

4,280,111.62

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO UNITS IDENTIFIED

S.W.L. (AFTER CASING):

LOG ID: 000213

WELL TYPE

Private Well

DRILL DATE:

DEPTH TO BED:

TOWNSHIP

RANGE SECTION **ELEVATION:**

600FT

DRILL DEPTH:

127FT 20FT

5E 14

UTM X

UTM Y

723.807.84

4,280,111.62

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

45N

3 MI W OF MATTESE; NO UNITS IDENTIFIED

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 000207

WELL TYPE Private Well

1905/11/00 DRILL DATE:

TOWNSHIP 45N

RANGE SECTION **ELEVATION:**

600FT

DRILL DEPTH:

DEPTH TO BED:

108FT 12FT 5E 14

UTM X

UTMY 4,280,111.62

723,807.84

ZONE 15

S.W.L. (BEFORE CASING):

NO UNITS IDENTIFIED **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 007233

WELL TYPE Private Well

DRILL DATE:

1941//

TOWNSHIP

RANGE

SECTION 16

ELEVATION:

548FT

DRILL DEPTH:

300FT

45N 5E

UTM X

UTMY

DEPTH TO BED:

20FT

4,280,548.65

720,655.82

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

FT

N SD CONWAY RD, 1 MI W OF BALLAS

LOG ID:

WELL TYPE 004671

Private Well

DRILL DATE:

1938/03/

TOWNSHIP 45N

RANGE

SECTION 16

ELEVATION:

570FT

DRILL DEPTH:

175FT

5E

UTM X 721,015.82

ZONE 15

UTM Y 4,280,655.65

DEPTH TO BED:

20FT

45

REMARKS:

formerly in name of J.M. Sprague and E.H. Qualls

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 012058

WELL TYPE Private Well

DRILL DATE:

1952/09/20

TOWNSHIP

RANGE

SECTION

ELEVATION:

550FT

DRILL DEPTH:

DEPTH TO BED:

495FT

30FT

45N

5E 17

UTM X

718.866.81

UTM Y 4,280,593.66

ZONE 15

S.W.L. (BEFORE CASING):

FT

SW CORNER OF CONWAY AND MASON RDS **REMARKS:**

S.W.L. (AFTER CASING): 65



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007445

WELL TYPE Private Well

DRILL DATE: 1941//

<u>TOWNSHIP</u> 45N **ELEVATION:**

583FT

DRILL DEPTH: 520FT

<u>UTM X</u>

<u>UTM Y</u> 4,280,242.66

200

65FT

718,941.81

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: N OF SUPERHIGHWAY #61-40, W OF MASON RD ON HILL

SECTION

17

S.W.L. (AFTER CASING):

LOG ID: 005194

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1938/10/

TOWNSHIP

RANGE SECTION

ELEVATION:

614FT

DRILL DEPTH:

555FT

45N 5E

UTM X

UTM Y

DEPTH TO BED:

55FT

RANGE

5E

719,473.81

4,280,132.65

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: ON MASON RD BETWEEN CONWAY AND CLAYTON RDS

17

S.W.L. (AFTER CASING):

LOG ID: 002915

WELL TYPE Private Well

<u>DRILL DATE:</u> 1934/08/00

TOWNSHIP RANGE SECTION

ELEVATION:

583FT

DRILL DEPTH:

300FT

45N 5E 17

UTM X UTM Y

DEPTH TO BED:

53FT

718,573.81 4,280,616.67

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

125

REMARKS:

LOG ID:

008342

WELL TYPE Private Well

DRILL DATE:

1942/05/02

TOWNSHIP RA

RANGE SECTION

ELEVATION:

600FT

UTM Y

DRILL DEPTH:

DEPTH TO BED:

152FT 30FT 45N 5E 18

<u>UTM X</u>

717,985.80 4,279,444.66

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

S.W.L. (AFTER CASING): 53



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007435

DRILL DEPTH:

WELL TYPE Private Well

1941/05/26 **RANGE** DRILL DATE: **TOWNSHIP SECTION ELEVATION:** 610FT

> 45N 5E 18 440FT

UTM X **UTMY** DEPTH TO BED: 25FT

717,094.79 4,279,622.67

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 73

LOG ID: 007747

WELL TYPE Private Well

DRILL DATE: 1942/03/20 **TOWNSHIP RANGE SECTION ELEVATION:** 592FT

45N 5E 18 DRILL DEPTH: 235FT

UTM X UTMY DEPTH TO BED: 17FT 717,674.80 4,279,464.66

ZONE 15

S.W.L. (BEFORE CASING): FT 0.5 MI N OF CLAYTON RD, 0.5 MI E OF S.F. JACKES WELL REMARKS:

S.W.L. (AFTER CASING): 58

LOG ID: 010714

WELL TYPE Private Well

DRILL DATE: 1947/06/ **TOWNSHIP RANGE SECTION ELEVATION:** 545FT

45N 5E 18 **DRILL DEPTH:** 400FT

UTM X UTM Y

DEPTH TO BED: 717,798.80 4,279,766.66 25FT

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** 1 MI W OF MASON RD ON NEW HWY 40, S SD.

100 S.W.L. (AFTER CASING):

LOG ID: 006121

WELL TYPE Private Well

1940// **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 565FT

45N 5E 18 **DRILL DEPTH:** 445FT

UTM X UTM Y DEPTH TO BED: 40FT 718.106.81 4,280,655.67

ZONE 15

S.W.L. (BEFORE CASING): ON CONWAY RD, HALF WAY BETWEEN WOODS MILL AND **REMARKS:**

MASON RDS S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007426

WELL TYPE Private Well

1941// DRILL DATE:

S.W.L. (AFTER CASING):

TOWNSHIP 45N

RANGE SECTION 19

ELEVATION:

660FT

UTMY

DRILL DEPTH:

498FT

205

5E

UTM X

717,317.79

4,278,712.66 ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

FT

N SD CLAYTON RD @ WEIDMAN RD **REMARKS**:

LOG ID: 002858

WELL TYPE Private Well

DRILL DATE:

1934/04/

TOWNSHIP

SECTION RANGE

ELEVATION:

649FT

DRILL DEPTH:

400FT

45N 5E

UTM X

UTMY

DEPTH TO BED:

250FT

19

717,286.79

4,278,803.66

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

formerly in name of George Menkel

LOG ID:

008826

WELL TYPE Private Well

DRILL DATE:

1945/06/

TOWNSHIP

RANGE SECTION **ELEVATION:**

554FT

DRILL DEPTH:

195FT

45N 5E

UTM X

UTM Y

DEPTH TO BED:

100FT

50

724,860.87 4,283,528.64 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: 3000' W OF LINDBURG @ JCT OLIVE ST RD & LINDBURG: "CAN'T

LOCATE"

LOG ID: 003574

WELL TYPE

Private Well

DRILL DATE:

1936/04/

TOWNSHIP

RANGE

SECTION

2

ELEVATION:

642FT

DRILL DEPTH:

310FT

45N 5E 20

UTM X UTM Y

719.155.79 4,278,279.64

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

25FT

FT

500' S OF CLAYTON RD, 200' W OF MASON RD; YIELD - 7 GPM @

REMARKS: S.W.L. (AFTER CASING): 50

250'



TOWNSHIP

45N

TOWNSHIP

TOWNSHIP

45N

REMARKS:

45N

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003949

DRILL DEPTH:

WELL TYPE

Community Public Well

DRILL DATE: 1936/10/30

480FT

DEPTH TO BED: 35FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 70 FT

REMARKS: formerly in name of Jacob L. Lasky Well #2

RANGE

5E

RANGE

5E

SECTION

20

SECTION

21

SECTION

21

SECTION

21

LOG ID: 003441

WELL TYPE Private Well

DRILL DATE: 1935/08/

200FT

DRILL DEPTH:

DEPTH TO BED: 45FT

S.W.L. (BEFORE CASING):

SAMPLES TO 200', TOTAL DEPTH UNKNOWN REMARKS:

RANGE

YIELD - 5 GPM @ 325'

RANGE

5E

5E

S.W.L. (AFTER CASING):

LOG ID: 003558

DRILL DEPTH:

WELL TYPE

Private Well

DRILL DATE: 1936/04/09

400FT

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE

Private Well 004088

LOG ID:

DRILL DATE: 1937/01/15

DEPTH TO BED: 70FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

DRILL DEPTH: 415FT

FT

228

REMARKS:

TOWNSHIP

45N

KIRKWOOD QUAD

ELEVATION:

UTM X

719,484.80

ELEVATION:

UTM X

721,684.81

ELEVATION:

UTM X

720,508.80

ELEVATION:

UTM X

721.153.80

ZONE 15

ZONE 15

ZONE 15

ZONE 15

643FT

UTMY

4,278,533.64

657FT

UTMY

4,278,186.62

658FT

UTM Y

4,277,684.62

673FT

UTM Y

4,278,183.62



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004365

WELL TYPE Private Well

1937/06/ DRILL DATE:

TOWNSHIP 45N

RANGE SECTION **ELEVATION:**

680FT

DRILL DEPTH:

450FT

5E 21

UTM X

UTMY

DEPTH TO BED: 20FT 721,037.80

4,278,029.62 ZONE 15

S.W.L. (BEFORE CASING):

E SD TOPPING RD, 300 YDS S OF CLAYTON RD **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 004642

WELL TYPE Private Well

DRILL DATE:

1938/02/

TOWNSHIP

SECTION RANGE

ELEVATION:

662FT

DRILL DEPTH:

500FT

45N 5E

UTM X

UTMY

DEPTH TO BED:

105FT

250

721,660.81

4,278,455.62

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: JUST N OF CLAYTON RD, 0.5 MI W OF BALLAS RD

21

S.W.L. (AFTER CASING):

LOG ID: 007756

WELL TYPE Private Well

DRILL DATE:

1942//

TOWNSHIP 45N

RANGE SECTION **ELEVATION:**

642FT

DRILL DEPTH:

279FT

5E 22

> UTM X UTM Y

DEPTH TO BED:

30FT

723,066.82

4,279,078.61

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: ON BOPP RD ABT 0.5 MI S OF CLAYTON RD

S.W.L. (AFTER CASING):

35

LOG ID: 006548

WELL TYPE Private Well

DRILL DATE:

1940//

TOWNSHIP 45N

RANGE SECTION **ELEVATION:**

670FT

DRILL DEPTH:

475FT

5E

UTM X

DEPTH TO BED:

400FT

22

UTM Y

722.017.81 4,278,203.61 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

OLD WELL DEEPENED 400-475'

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004058

WELL TYPE Private Well

1937/01/11 DRILL DATE:

TOWNSHIP 45N

RANGE SECTION 5E

ELEVATION:

670FT

DRILL DEPTH:

204FT

22

UTM X **UTMY**

DEPTH TO BED: 60FT

721,944.81 4,278,215.61

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: formerly in name of Harold Newman at Country Life Addition

S.W.L. (AFTER CASING):

LOG ID: 002612

WELL TYPE Industrial High Capacity Well

54

DRILL DATE:

TOWNSHIP

RANGE SECTION **ELEVATION:**

640FT

DRILL DEPTH:

340FT

5E 23

UTM X

UTMY

DEPTH TO BED:

200FT

SECTION

724,031.82

ZONE 15

4,278,778.60

S.W.L. (BEFORE CASING):

REMARKS: **CLAYTON**

45N

45N

S.W.L. (AFTER CASING):

LOG ID: 007759

WELL TYPE Private Well

DRILL DATE:

1942//

TOWNSHIP RANGE **ELEVATION:**

555FT

DRILL DEPTH:

443FT

5E 26

> UTM X UTM Y

> > ZONE 15

DEPTH TO BED:

20FT

45

724,868.82

4,277,492.58

S.W.L. (BEFORE CASING):

FT

REMARKS: 1.2 MI S OF CLAYTON RD ON N SD OF GEYER RD

S.W.L. (AFTER CASING):

LOG ID: 002882

WELL TYPE Private Well

1934/06/00

TOWNSHIP 45N

RANGE SECTION

26

ELEVATION:

UTM X

723,629.81

612FT

DRILL DATE: DRILL DEPTH:

213FT

5E

UTM Y

DEPTH TO BED:

60FT

4,277,153.59

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

BAPP RD; MOSTLY MISSING SAMPLES



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003767

WELL TYPE Private Well

1936/09/15 DRILL DATE:

TOWNSHIP 45N

RANGE SECTION **ELEVATION:**

626FT

DRILL DEPTH:

407FT

5E 27

UTM X

UTMY 4,276,780.60

DEPTH TO BED:

35FT

722,095.80

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 3/8 MI W OF BALLAS RD

S.W.L. (AFTER CASING):

LOG ID: 011933

WELL TYPE

Exploratory Hole (Mineral Prospect)

240

DRILL DATE:

1952/02/15

TOWNSHIP

SECTION RANGE 28

ELEVATION:

526FT

DRILL DEPTH:

810FT

45N

5E

UTM X

UTMY

DEPTH TO BED:

5FT

80

721,366.79

4,276,282.60

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 003958

WELL TYPE

Private Well

DRILL DATE:

1936/08/

TOWNSHIP

RANGE

SECTION 28

ELEVATION:

602FT

DRILL DEPTH:

315FT

45N

5E

UTM X

UTM Y

DEPTH TO BED:

190FT

720,814.79

4,276,677.61

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

95

LOG ID:

WELL TYPE

004798

Private Well

1938/04/

TOWNSHIP

RANGE

SECTION

ELEVATION:

608FT

DRILL DATE: DRILL DEPTH:

45N

5E

28

UTM X

UTM Y

DEPTH TO BED:

387FT 35FT

720,886.79 4,276,377.61

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: W SD OF "TOPPING RD"

S.W.L. (AFTER CASING):

175



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003714

DRILL DEPTH:

WELL TYPE Private Well

1936/05/09 DRILL DATE:

50

250FT

DEPTH TO BED: 10FT

TOWNSHIP RANGE SECTION 45N 28

5E

ELEVATION:

598FT

UTM X 720,782.79

UTMY 4,276,538.61

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

TOOLS LOST, HOLE ABANDONED **REMARKS**:

LOG ID: 004948

WELL TYPE Private Well

DRILL DATE:

1938/07/20

TOWNSHIP

RANGE

SECTION 28

ELEVATION:

720,305.79

595FT

DRILL DEPTH: DEPTH TO BED: 405FT

45N

5E

UTM X

UTMY 4,276,843.62

15FT

200

REMARKS:

0.5 MI W OF TOPPING RD, MIDWAY BETWEEN CLAYTON AND

MANCHESTER RDS

LOG ID:

WELL TYPE

005607

Private Well

DRILL DATE:

1939/07/

DRILL DEPTH:

425FT

TOWNSHIP 45N

RANGE 5E

SECTION

ELEVATION:

578FT

28

UTM X

UTM Y

DEPTH TO BED:

40FT

720,726.79 4,276,475.61

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 013345

WELL TYPE Private Well

DRILL DATE:

1955/01/12

105

TOWNSHIP

RANGE

SECTION

ELEVATION:

553FT

DRILL DEPTH:

DEPTH TO BED:

500FT

5FT

45N

5E

29

UTM Y

UTM X 719.920.78

4,275,925.61

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:

3000' N OFO MANCHESTER RD ON W SD OF BARRETT STATION

RD



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003618

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1936/05/26 DRILL DATE:

214FT

10FT

TOWNSHIP 45N

RANGE 5E 29

SECTION

ELEVATION:

545FT

UTM X **UTMY** 719,854.78 4,275,933.61

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

formerly in name of A.G. Miller - ABANDONED PRIOR TO 1954

S.W.L. (AFTER CASING):

LOG ID: 019394

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

200FT

TOWNSHIP 45N

RANGE

SECTION

ELEVATION:

522FT

FT

30FT

5E 31

UTM X

UTMY 4,275,046.62

717,757.76 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: 5 MI W OF LINDBURG ON HWY 100, NEAR MASON LANE;

LOCATION POOR

LOG ID: 009018

WELL TYPE

Private Well

DRILL DATE: DRILL DEPTH:

177FT

DEPTH TO BED:

45FT

20

TOWNSHIP 45N

REMARKS:

RANGE 5E

SECTION 31

5/16 MI N OF MANCHESTER ON WEIDMAN RD; "CAN'T LOCATE"

ELEVATION:

473FT

UTM X

UTM Y 4,274,912.61

718,374.76 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 004250

WELL TYPE Private Well

DRILL DATE:

1937//

235FT

40FT

TOWNSHIP 45N

RANGE 5E

SECTION 31

ELEVATION:

604FT

UTM X UTM Y

716.962.75 4,275,229.62

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: @ MANCHESTER

S.W.L. (AFTER CASING):

DRILL DEPTH:

DEPTH TO BED:

50



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003499

WELL TYPE Oil Well

RANGE DRILL DATE: **TOWNSHIP SECTION ELEVATION:** 507FT

45N 5E 31 **DRILL DEPTH:** 1,450FT

UTM X **UTMY** DEPTH TO BED: 150FT 716,974.75 4,274,559.62

ZONE 15

S.W.L. (BEFORE CASING): #1 MANCHESTER - FORMERLY #1576; DRY OIL TEST **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE** 003581 Private Well

DRILL DATE: **TOWNSHIP SECTION** 1936/04/25 **RANGE ELEVATION:** 463FT

45N 5E 32 DRILL DEPTH: 97FT

UTM X UTMY

DEPTH TO BED: 719,489.77 25FT 4,274,893.60 ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: 500' S OF HWY 50, JUST A LITTLE E OF JCT WITH MASON RD

S.W.L. (AFTER CASING): 20

LOG ID: **WELL TYPE** Private Well 006067

DRILL DATE: 1940// **TOWNSHIP RANGE SECTION ELEVATION:** 582FT

45N 5E 33 **DRILL DEPTH:** 356FT

UTM X UTM Y **DEPTH TO BED:** 20FT 720,872.77 4,274,823.59

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: 0.75 MI SW OF DePERES

S.W.L. (AFTER CASING): 185

LOG ID: **WELL TYPE**

DRILL DEPTH:

Noncommunity Public Well 002112

940FT

1926// **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 485FT

UTM X UTM Y DEPTH TO BED:

50FT 720.245.77 4,274,987.60

5E

33

ZONE 15 S.W.L. (BEFORE CASING):

45N

FOR SWIMMING POOL - SALT WATER **REMARKS**: S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005244

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1938// DRILL DATE:

460FT

55FT

TOWNSHIP RANGE SECTION 45N

5E 33 **ELEVATION:**

628FT

UTM X 721,689.78

UTM Y 4,274,843.58

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 004299

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

1937/05/

TOWNSHIP 45N

RANGE

SECTION

ELEVATION:

623FT

DRILL DEPTH: 385FT

REMARKS:

5E 35

UTM X

724,257.80

UTMY 4,275,144.56

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: POOR SAMPLES

TOWNSHIP

45N

S.W.L. (AFTER CASING):

30FT

60

LOG ID: 004298

WELL TYPE Private Well

DEPTH TO BED:

DRILL DATE: DRILL DEPTH: 1937/06/

461FT

300FT

RANGE 5E

SECTION 7

ELEVATION:

573FT

UTM X

UTM Y

717,316.81 4,281,592.68

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

0.25 MI S LA LADUE RD, JUST E OF WOODS MILL RD; NO

SAMPLES TO 300'

LOG ID:

WELL TYPE

013266

Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1953/05/28

482FT

75FT

75

TOWNSHIP

SECTION RANGE 5E

8

ELEVATION:

719.178.82

539FT

UTM X

UTM Y 4,280,863.66

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

45N

REMARKS:

CONWAY & MASON RD



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008877

WELL TYPE Private Well

1945/06/ DRILL DATE:

TOWNSHIP RANGE

45N

SECTION

8

ELEVATION:

550FT

DRILL DEPTH:

273FT

5E 8

UTM X

UTMY

DEPTH TO BED:

45FT

10

719,283.82

4,281,198.67

ZONE 15

S.W.L. (BEFORE CASING):

FT

LADUE & MASON RDS **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

012163 DRILL DATE:

1953/01/17

TOWNSHIP 45N

SECTION RANGE

ELEVATION:

543FT

DRILL DEPTH:

400FT

5E

UTM X

UTMY

DEPTH TO BED:

20FT

718,988.82

4,281,133.67

ZONE 15

S.W.L. (BEFORE CASING):

FT

JCT OF CONWAY & MASON RDS, 300' W, 1500' N **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 010845

WELL TYPE

Industrial High Capacity Well

25

DRILL DATE:

1948/11/21

TOWNSHIP

RANGE SECTION **ELEVATION:**

550FT

DRILL DEPTH:

500FT

45N 5E

UTM X

UTM Y

DEPTH TO BED:

60FT

147

721,049.84

4,282,165.66

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 0.5 MI SE OF HIRAM CEMETARY; (A.R. LINDBURG, OWNER

9

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

002870

1934/05/

TOWNSHIP 45N

RANGE

SECTION 9

ELEVATION:

656FT

DRILL DATE: DRILL DEPTH:

685FT

5E

UTM X

UTM Y

DEPTH TO BED:

1,120FT

150

721.553.83 4,281,195.65

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

LADUE NEAR BALLAS RD; PENNSYLVANIAN ABOVE 120 FT, NO

SAMPLES



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002819

WELL TYPE Private Well

DRILL DATE: 1934/03/

TOWNSHIP 45N RANGE SECTION

9

ELEVATION:

661FT

DRILL DEPTH:

575FT

5E

UTM X

<u>UTM Y</u> 4,281,719.65

DEPTH TO BED: 2 S.W.L. (BEFORE CASING):

25FT

721,501.84 4 ZONE 15

S.W.L. (AFTER CASING):

160

FT

REMARKS: LADUE NEAR BALLAS RD

LOG ID:

D.

WELL TYPE

025486 Industrial High Capacity Well

DRILL DATE:

1967/07/22

TOWNSHIP

RANGE SECTION

ELEVATION:

508FT

DRILL DEPTH:

225FT

45N 6E

UTM X

UTM Y

DEPTH TO BED:

65FT

1

735,077.92 4,283,170.56

200E 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

6300 ETZEL ST, WELLSTON

LOG ID: 004986

WELL TYPE

Private Well

DRILL DATE:

1938/12/

TOWNSHIP

RANGE

SECTION 22 **ELEVATION:**

449FT

DRILL DEPTH:

1.442FT

45N 6E

<u>UTM X</u> 732,450.86 <u>UTM Y</u> 4,277,645.52

DEPTH TO BED:

S.W.L. (AFTER CASING):

5FT

5

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: ON E FORK OF BLACK CREEK

LOG ID:

WELL TYPE

005152

Private Well

DRILL DATE:

1938/11/

TOWNSHIP

RANGE

SECTION

ELEVATION:

608FT

DRILL DEPTH:

45N

6E

31

LLLVATION

DEPTH TO BED:

277FT 35FT

31

<u>UTM X</u> 727.537.82 <u>UTM Y</u> 4,275,584.54

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

800' S OF MANCHESTER RD ON DICKSON RD

S.W.L. (AFTER CASING):

50



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020852

DRILL DEPTH:

WELL TYPE Private Well

260FT

1961/12/20 **RANGE** DRILL DATE: **TOWNSHIP SECTION ELEVATION:**

> 45N 6E 6

565FT

UTM X **UTMY** DEPTH TO BED: 35FT

728,157.88 4,282,468.60

ZONE 15

S.W.L. (BEFORE CASING): FT FALLOUT SHELTER; MAY BE 665' ELEV., UNIV. CITY OFF **REMARKS:**

McKNIGHT RD

LOG ID: 026392

S.W.L. (AFTER CASING):

WELL TYPE Private Well

DRILL DATE: 1967/11/22

140FT

182FT

60FT

40

RANGE TOWNSHIP SECTION 46N 5E 10

564FT

574FT

DRILL DEPTH: 405FT

UTM X UTMY 723,152.93 4,291,632.74

ZONE 15

ELEVATION:

ELEVATION:

S.W.L. (BEFORE CASING):

FT

REMARKS: 12120 MARK TWAIN DR, BRIDGETON

S.W.L. (AFTER CASING): 120

LOG ID: 004466

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1937/09/

TOWNSHIP RANGE SECTION 46N 5E 14

> UTM X UTM Y

DEPTH TO BED: 15FT 724,555.92 4,289,566.70

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: @ MARYLAND HIEGHTS ON FEE FEE RD, ABT 1 MI S OF HWY 40

97 S.W.L. (AFTER CASING):

LOG ID: 003231

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

RANGE SECTION TOWNSHIP 46N 5E 14

ELEVATION: 559FT

DRILL DEPTH: 167FT

UTM X UTM Y

724.503.92 4,289,426.70

ZONE 15

S.W.L. (BEFORE CASING):

0.25 MI S OF JEWISH SANITARIUM, SE SIDE FEE FEE RD **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006543

WELL TYPE Private Well

1940// **RANGE** DRILL DATE: **TOWNSHIP SECTION ELEVATION:**

> 46N 5E 22

DRILL DEPTH: 175FT UTM X **UTMY** DEPTH TO BED: 40FT

722,921.90 4,288,099.70

487FT

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: ON DORSETT RD, ABT 1 MI FROM FEE FEE RD, MARYLAND

HEIGHTS

LOG ID: 008090

DEPTH TO BED:

WELL TYPE

Noncommunity Public Well

20FT

86

23

DRILL DATE: 1943/02/

S.W.L. (AFTER CASING):

TOWNSHIP SECTION RANGE 46N 5E 23

ELEVATION: 595FT

DRILL DEPTH: 250FT

UTM X

UTMY 4,288,239.70

724,050.91 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT **REMARKS:**

16 GPM @ 170', 2 GPM AFTER CEMENTING; 10 GPM @ 250' AFTER

DEEPENING

LOG ID: 002883

WELL TYPE

Private Well

DRILL DATE: 1934/06/ **TOWNSHIP RANGE SECTION** 46N 5E 24

ELEVATION: 633FT

DRILL DEPTH: 240FT

UTM X UTM Y

DEPTH TO BED: 70FT 726,371.91 4,287,569.67

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: BELLCOTE AND RIDGE RD, OVERLAND

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 010593

1948/10/09

RANGE SECTION TOWNSHIP 46N

5E 26 **ELEVATION:** 538FT

DRILL DEPTH: DEPTH TO BED:

DRILL DATE:

285FT 40FT

UTM X UTM Y

723.543.89 4,286,158.68

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING): 60



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024536

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1966/11/07 **TOWNSHIP RANGE SECTION** 46N 5E 30

ELEVATION:

449FT

DRILL DEPTH: 46FT

UTM X 717,445.85

UTMY 4,285,856.73

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

RIVER PROFILE STUDY

LOG ID: 020440

WELL TYPE Private Well

DRILL DATE:

1961/10/

TOWNSHIP 46N

SECTION RANGE

ELEVATION:

582FT

DRILL DEPTH:

205FT

5E 31

UTM X

UTMY

DEPTH TO BED:

35FT

60

717,054.85

4,285,297.72

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 004764

WELL TYPE Private Well

DRILL DATE:

1938/05/

TOWNSHIP

RANGE 5E

SECTION

ELEVATION:

602FT

DRILL DEPTH:

680FT

46N

34

UTM X

UTM Y

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

110FT

100

722,498.87 4,285,545.68 ZONE 15

FT

REMARKS:

CRAIG RD, 1.5 MI NE OF OLIVE ST, 0.25 MI S OF LACKLAND -

DENNYBROOK

LOG ID:

WELL TYPE Private Well

012874

1954/07/07

TOWNSHIP 46N

RANGE

SECTION

ELEVATION:

577FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

305FT 150FT 5E 35

> UTM X UTM Y

724.690.88 ZONE 15

4,284,850.66

S.W.L. (BEFORE CASING):

FT

0.7 MI W OF LINDBERGH BLVD ON SCHUETZ RD. **REMARKS**:

S.W.L. (AFTER CASING):

75



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002657

WELL TYPE Private Well

DRILL DATE: 1932/09/00

20057

TOWNSHIP 46N SECTION

ELEVATION:

613FT

DRILL DEPTH:

DEPTH TO BED:

200FT 32FT 5E 35

RANGE

<u>UTM X</u>

ZONE 15

<u>UTM Y</u> 4,285,177.67

723,821.88

S.W.L. (BEFORE CASING):

REMARKS:

S: 1.5 MI NW OF OLIVE ST RD AND HWY 77

S.W.L. (AFTER CASING):

LOG ID: 003950

WELL TYPE Private Well

DRILL DATE:

1936/07/10

TOWNSHIP

RANGE SECTION

ELEVATION:

621FT

DRILL DEPTH:

282FT

46N 5E 35

UTM X

UTM Y

DEPTH TO BED:

20FT

724,941.88

4,285,090.66

ZONE 15

S.W.L. (BEFORE CASING):

. .

102

FT

FT

FT

REMARKS:

S.W.L. (AFTER CASING):

7 (01110).

LOG ID: 006315

WELL TYPE Private Well

DRILL DATE:

1940/08/

TOWNSHIP

RANGE SECTION

ELEVATION:

540FT

DRILL DEPTH:

350FT

46N 6E

<u>UTM X</u> 736,178.00

ZONE 15

<u>UTM Y</u> 4,293,397.65

DEPTH TO BED:

190FT

108

200' W OF FLORISSANT RD ON STEIN AVE

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 004322

WELL TYPE
Private Well

DRILL DATE:

......

1937//

TOWNSHIP 46N <u>RANGE</u>

SECTION

ELEVATION:

531FT

DRILL DEPTH:

DEPTH TO BED:

265FT

6E

1

UTM X

<u>UTM Y</u> 4,293,575.65

736,194.00 4 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

90

90FT

REMARKS:

REMARKS:

@ JCT FLORISSANT & HUDSON RDS



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003789

WELL TYPE Private Well

1936/09/18 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 638FT

> 46N 6E 2 369FT

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 185FT

734,599.99 4,293,872.67

ZONE 15

S.W.L. (BEFORE CASING): FT W OF ELIZABETH AVE, S OF HWY 66, ABT 0.5 MI S OF **REMARKS**:

CHARLOTTE DR.

LOG ID: 003679

S.W.L. (AFTER CASING):

WELL TYPE Private Well

185

1936/05/26 **TOWNSHIP SECTION** DRILL DATE: **RANGE ELEVATION:** 598FT

46N 6E 2 DRILL DEPTH: 380FT

UTM X UTMY DEPTH TO BED: 80FT 733,269.99 4,293,314.67

ZONE 15

S.W.L. (BEFORE CASING): FT 0.3 MI SE OF JCT NATURAL BRIDGE & FEE FEE RDS REMARKS:

S.W.L. (AFTER CASING): 140

LOG ID: **WELL TYPE**

Community Public Well 005882

SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION: 615FT

46N 6E 27 **DRILL DEPTH:** 500FT

UTM X UTM Y **DEPTH TO BED:** 110FT 731,588.93 4,287,157.62

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: LACKLAND & ST CHARLES RDS; YIELD 0.5 GPM @ 350' 140

S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE** Private Well 003883

1936/09/10 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 668FT

DRILL DEPTH: 440FT UTM X UTM Y

6E

31

DEPTH TO BED: 726.836.90 4,285,670.65 375FT

ZONE 15

46N

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 168



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004500

WELL TYPE

Industrial High Capacity Well

1937/09/25 DRILL DATE:

TOWNSHIP RANGE SECTION 46N 6E 35

ELEVATION:

552FT

DRILL DEPTH: 790FT

UTM X

UTMY

DEPTH TO BED: 130FT 734,051.92

4,284,291.58

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

NORTH WELL, #1 IS LOG #4460; UNIV. CITY, FERGUSON AVE. N OF

S.W.L. (AFTER CASING): 130 **PAGE**

LOG ID:

WELL TYPE

004460

Industrial High Capacity Well

DRILL DATE:

1937/08/

TOWNSHIP

SECTION RANGE

ELEVATION:

549FT

DRILL DEPTH:

825FT

46N 6E

UTM X

ZONE 15

ZONE 15

UTM Y

DEPTH TO BED: 135FT 734,182.92

4,284,304.57

S.W.L. (BEFORE CASING):

REMARKS: SOUTH WELL; IN UNIV, CITY, FERGUSON RD N OF PAGE AVE.

35

S.W.L. (AFTER CASING):

LOG ID: 003905

WELL TYPE

Private Well

DRILL DATE:

1936/09/16

TOWNSHIP RANGE **SECTION**

3

ELEVATION:

542FT

DRILL DEPTH:

500FT

7E

UTM X 742,123.04

UTM Y 4,293,848.59

DEPTH TO BED:

160FT

115

FT

"WATER SOMEWHAT MINERALIZED"

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

003700

1936/07/20

TOWNSHIP 46N

46N

RANGE SECTION

7E

ELEVATION:

510FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

255FT

145FT

6

UTM X UTM Y

737.912.01

4,293,258.64

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

1 MI E OF FERGUSON, 0.5 MI N OFO CHANBERS RD ON

CLEARVIEW - DRY HOLE



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023180

WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 445FT

DRILL DEPTH: 350FT 46N 7E 9

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 70FT 740,892.02 4,291,224.58

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: BELLEFONTAINE; NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID: WELL TYPE
004889 Private Well

DRILL DATE: 1938// TOWNSHIP RANGE SECTION ELEVATION: 452FT

DRILL DEPTH: 400FT 46N 7E 9

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 70FT 740,823.02 4,291,227.59

9500 N BROADWAY AVE, CLOVERDALE

S.W.L. (BEFORE CASING): FT PEMARKO 2500 N PROADWAY AVE OLOVERDALE

REMARKS:

S.W.L. (AFTER CASING): 27

LOG ID: WELL TYPE

024494 WATER TEST WELL (HOLE)

<u>DRILL DATE:</u> 1966/08/ <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 440FT

DRILL DEPTH: 96FT 47N 5E 29

UTM X UTM Y

<u>DEPTH TO BED:</u> 719,920.96 4,296,712.79

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: RIVER PROFILE STUDY

S.W.L. (AFTER CASING):

LOG ID: WELL TYPE
006601 Private Well

<u>DRILL DATE:</u> 1940/11/ <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 587FT

DRILL DEPTH: 365FT UTM Y

6E

12

<u>DEPTH TO BED:</u> 25FT 735,799.02 4,301,159.71

S.W.L. (BEFORE CASING): FT REMARKS: 0.5 MI SE OF VAILE AVE, 0.5 MI E OF OLD HALLS FELRRY RD

47N

S.W.L. (AFTER CASING): 95



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008494

WELL TYPE Private Well

1943/11/18 DRILL DATE:

TOWNSHIP 47N

RANGE SECTION 6E

ELEVATION:

620FT

UTMY

DRILL DEPTH:

442FT

36

UTM X 735,642.00

4,295,134.67 ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

285

LOG ID:

WELL TYPE

025622

Stratigraphic test hole (oil & gas)

DRILL DATE:

1968/04/19

TOWNSHIP

SECTION RANGE

ELEVATION:

522FT

DRILL DEPTH:

503FT

7E 47N

UTMY

UTM X 740,977.04

4,300,446.66

DEPTH TO BED:

S.W.L. (BEFORE CASING):

70FT

#1-S J. VOLZ; STRUCTURE TEST, GIVEN TO LAND OWNER FOR

16

WATER WELL

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well

007316 **DRILL DATE:**

1941//

TOWNSHIP

RANGE SECTION **ELEVATION:**

548FT

DRILL DEPTH:

373FT

47N 7E 16

UTM X

UTM Y 4,299,250.65

DEPTH TO BED:

65FT

740,987.04 ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

JUST E OF HWY 99 ON NEW JAMESTONE RD TO SPANISH LAKE

16

S.W.L. (AFTER CASING):

95

LOG ID: 010949

WELL TYPE

Private Well

DRILL DATE:

1947/05/28

TOWNSHIP

RANGE SECTION **ELEVATION:**

499FT

DRILL DEPTH:

DEPTH TO BED:

250FT

30FT

47N 7E

UTM X

740,547.04

UTM Y

4,300,602.66

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

52



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010946

WELL TYPE Private Well

<u>DRILL DATE:</u> 1947/06/20 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 519FT

DRILL DEPTH: 255FT 47N 7E 16

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 65FT 740,632.04 4,300,590.66

ZONE 15

ZONE 15

UTM Y

UTM X

S.W.L. (BEFORE CASING): FT REMARKS: ABT 500' E OF JCT ROBBINS MILL RD AND HWY 99

S.W.L. (AFTER CASING): 70

LOG ID: 011398

WELL TYPE Private Well

DRILL DATE: 1950/07/07 TOWNSHIP RANGE SECTION ELEVATION: 498FT

DRILL DEPTH: 275FT 47N 7E 16

FT

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 45FT 740,165.04 4,300,526.67

ZONE 15

S.W.L. (AFTER CASING): 80

REMARKS: JCT OF B&O RR AND ROBBINS MILL RD

S.W.L. (BEFORE CASING):

LOG ID: WELL TYPE
004890 Private Well

<u>DRILL DATE:</u> 1938/06/ <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 512FT

DRILL DEPTH: 502FT 47N 7E 16

<u>DEPTH TO BED:</u> 70FT <u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 740,920.04 4,299,453.65

S.W.L. (BEFORE CASING): FT PENAPICO

REMARKS:

S.W.L. (AFTER CASING): 120

LOG ID: 004095

S.W.L. (AFTER CASING):

WELL TYPE Private Well

DRILL DATE: 1937/02/09 <u>TOWNSHIP</u> RANGE <u>SECTION</u> <u>ELEVATION:</u> 555FT

DRILL DEPTH: 445FT 47N 7E 16

<u>DEPTH TO BED:</u> 80FT 740,743.04 4,299,222.65

S.W.L. (BEFORE CASING):

REMARKS: SHARON FARMS, 2.8 MI N OF JCT HWYS 66 & 99, W SD HWY 99



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021909

DEPTH TO BED:

WELL TYPE Private Well

RANGE DRILL DATE: **TOWNSHIP SECTION**

> 47N 7E 19

ELEVATION:

518FT

DRILL DEPTH: 400FT

UTM X

UTMY 4,298,305.68

737,133.02 ZONE 15

S.W.L. (BEFORE CASING):

CAMN'T LOCATE - WELL NOW UNDER INTERBELT EXPRESSWAY **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Stratigraphic test hole (oil & gas) 025704

DRILL DATE:

1968/06/26

TOWNSHIP

SECTION RANGE

7E

ELEVATION:

519FT

4,298,526.63

DRILL DEPTH:

495FT

40FT

47N

22

UTM X UTMY

ZONE 15

741,846.05

DEPTH TO BED: S.W.L. (BEFORE CASING):

40FT

REMARKS: #1-S E. HADE - E-LOGS AVAILABLE

S.W.L. (AFTER CASING):

LOG ID: 025715

WELL TYPE

Stratigraphic test hole (oil & gas)

DRILL DATE:

1968/06/20

TOWNSHIP RANGE **SECTION** 28

ELEVATION:

559FT

DRILL DEPTH:

695FT

47N 7E

UTM X

UTM Y

DEPTH TO BED:

120FT

740,694.03

4,297,355.64

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

#1-S W.R. RANCH; STRUCTURE TEST; GIVEN TO OWNER FOR

WATER WELL

LOG ID: 003719

WELL TYPE

Private Well

1936/08/12

TOWNSHIP

SECTION RANGE

ELEVATION:

607FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

765FT

260FT

173

47N

7E 30

> UTM X UTM Y

> > ZONE 15

737.026.01

4,297,247.67

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

0.2 MI S OF JCT OF PARKER & HALLS FERRY RDS ON OLD HALLS

FERRY RD



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011633

WELL TYPE Oil Well

1951/06/18 DRILL DATE:

TOWNSHIP 47N

SECTION

ELEVATION:

520FT

DRILL DEPTH: 1,530FT 31

UTM X UTMY

736,693.01

4,295,282.66

DEPTH TO BED: 15FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

ZONE 15 STROTJOST - DRY HOLD, S SD RAVINE N OF HWY 66, W OF NEW

HALLS FERRY RD

RANGE

7E

LOG ID: 005222

WELL TYPE Private Well

DRILL DATE:

1938//

TOWNSHIP

SECTION RANGE

33

ELEVATION:

596FT

DRILL DEPTH:

645FT

47N 7E

UTM X

UTM Y

DEPTH TO BED:

255FT

739,713.02 4,295,294.63

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

ON HILL 0.5 MI NW OF JCT HWYS 66 & 99; SULPHUR WATER?,

DRY TO 500'

LOG ID:

WELL TYPE

016601

INJECTION WELL (NAT GAS-PROPANE STORAGE)

DRILL DATE:

1957/08/

TOWNSHIP

RANGE SECTION **ELEVATION:**

555FT

DRILL DEPTH:

1.457FT

47N 7E

UTM X

UTM Y

DEPTH TO BED:

90FT

6

737,490.03 4,302,379.70

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #5-UGS JONES

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

015718

INJECTION WELL (NAT GAS-PROPANE STORAGE)

DRILL DATE:

1956//

TOWNSHIP

SECTION RANGE

ELEVATION:

UTM X

545FT

DRILL DEPTH:

DEPTH TO BED:

1,447FT

90FT

47N

7E 6

UTM Y

737.706.03

4,302,355.70

ZONE 15

S.W.L. (BEFORE CASING):

#4-UGS JONES; P# MOS018915718; GAS STORAGE WELL **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012504

WELL TYPE Oil Well

1953/10/ DRILL DATE:

TOWNSHIP 47N

RANGE SECTION 7E

ELEVATION:

537FT

DRILL DEPTH: 1,056FT 6

SECTION

9

34

UTMY

DEPTH TO BED: 50FT

UTM X 737,693.03

4,302,525.70 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: formerly in name of Graybol Contracting Company

S.W.L. (AFTER CASING):

LOG ID: 023767

WELL TYPE

Outcrop Description

DRILL DATE:

1965/10/04

TOWNSHIP

RANGE

ELEVATION:

510FT

DRILL DEPTH:

150FT

47N 7E

UTM X

UTMY

DEPTH TO BED:

740,360.04

4,301,895.67

ZONE 15

S.W.L. (BEFORE CASING):

SOUTH FACE OF QUARRY REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

025169

Stratigraphic test hole (oil & gas)

DRILL DATE:

1967/08/27

TOWNSHIP

RANGE SECTION **ELEVATION:**

426FT

DRILL DEPTH:

339FT

48N 6E

UTM X

DEPTH TO BED:

125FT

732,721.04

UTM Y 4,307,208.77

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #5-S PELICAN ISLAND; STRUCTURE TEST, PLUGGED WITH 40 SX

S.W.L. (AFTER CASING):

OF CEMENT

LOG ID:

WELL TYPE

025168

Stratigraphic test hole (oil & gas)

DRILL DATE:

1967/08/21

TOWNSHIP

RANGE SECTION **ELEVATION:**

426FT

407FT

48N

6E 35

ZONE 15

DRILL DEPTH: DEPTH TO BED:

125FT

UTM Y

734.494.04

UTM X

4,306,813.76

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

#4-S PELICAN ISLAND; STRUCTURE TEST, PLUGGED WITH 45 SX

CEMENT

ST LOUIS